

## ARIZONA

### 2012 School Health Profiles Report Weighted Principal Survey Results

1. Percentage of schools that ever used the School Health Index or other self-assessment tool to assess school policies, activities, and programs in the following areas.

	High Schools			Middle Schools			Junior/Senior High Schools			All Schools		
	95% Confidence			95% Confidence			95% Confidence			95% Confidence		
	Percent	Interval	N	Percent	Interval	N	Percent	Interval	N	Percent	Interval	N
a. Physical activity	29.4	22.2 - 37.8	88	31.0	25.3 - 37.4	159	38.3	21.8 - 57.9	21	31.1	26.6 - 36.0	268
b. Nutrition	27.3	20.1 - 35.9	87	33.7	28.0 - 39.9	160	37.8	21.6 - 57.2	21	31.9	27.4 - 36.7	268
c. Tobacco-use prevention	33.2	25.9 - 41.5	87	35.4	29.6 - 41.7	162	43.2	27.8 - 60.1	21	35.3	30.8 - 40.1	270
d. Asthma	19.1	13.1 - 27.2	88	18.1	13.8 - 23.5	158	19.3	7.9 - 39.9	21	18.6	15.0 - 22.8	267
e. Injury and violence prevention	29.5	22.2 - 37.9	87	31.5	25.7 - 37.8	160	28.8	13.6 - 51.0	21	30.6	26.1 - 35.4	268

**ARIZONA**  
**2012 School Health Profiles Report**  
**Weighted Principal Survey Results**

---

2. Percentage of schools with a School Improvement Plan that includes health-related objectives on the following topics.

	High Schools			Middle Schools			Junior/Senior High Schools			All Schools		
	95% Confidence			95% Confidence			95% Confidence			95% Confidence		
	Percent	Interval	N	Percent	Interval	N	Percent	Interval	N	Percent	Interval	N
a. Health education	14.7	9.8 - 21.6	86	12.0	8.3 - 16.9	159	15.1	5.5 - 35.0	20	13.1	10.1 - 16.9	265
b. Physical education and physical activity	16.2	11.3 - 22.7	84	17.1	12.5 - 22.9	159	10.5	3.1 - 29.7	20	16.2	12.9 - 20.3	263
c. Nutrition services and foods and beverages available at school	14.9	9.9 - 21.8	85	13.9	9.7 - 19.6	158	10.5	3.1 - 29.7	20	14.0	10.7 - 18.0	263
d. Health services	14.8	9.8 - 21.7	85	13.5	9.2 - 19.4	157	15.1	5.5 - 35.0	20	14.1	10.8 - 18.2	262
e. Mental health and social services	22.3	15.3 - 31.1	85	13.4	9.3 - 18.9	157	25.0	13.3 - 41.8	20	17.3	13.7 - 21.7	262
f. Healthy and safe school environment	40.7	32.6 - 49.2	85	48.6	42.5 - 54.8	159	35.0	19.1 - 55.0	20	44.8	40.1 - 49.7	264
g. Family and community involvement	47.5	39.0 - 56.2	86	56.3	49.9 - 62.4	160	35.5	17.4 - 59.2	20	51.6	46.6 - 56.6	266
h. Faculty and staff health promotion	20.6	14.7 - 28.0	86	10.7	7.4 - 15.1	159	5.2	1.0 - 23.4	20	13.6	10.7 - 17.1	265

## ARIZONA

### 2012 School Health Profiles Report Weighted Principal Survey Results

3. Percentage of schools that reviewed health and safety data as part of school's improvement planning process.\*

High Schools			Middle Schools			Junior/Senior High Schools			All Schools		
Percent	95% Confidence Interval	N	Percent	95% Confidence Interval	N	Percent	95% Confidence Interval	N	Percent	95% Confidence Interval	N
50.7	39.8 - 61.5	69	42.0	35.5 - 48.7	132	-	-	13	45.2	39.7 - 50.7	214

\*Among schools that engaged in an improvement planning process during the past year.

- Results are suppressed due to insufficient number of respondents in subgroup.

N = Unweighted number of observations

# ARIZONA

## 2012 School Health Profiles Report Weighted Principal Survey Results

4. Percentage of schools that currently have someone who oversees or coordinates school health and safety programs and activities.

High Schools			Middle Schools			Junior/Senior High Schools			All Schools		
Percent	95% Confidence Interval	N	Percent	95% Confidence Interval	N	Percent	95% Confidence Interval	N	Percent	95% Confidence Interval	N
73.2	63.4 - 81.1	90	77.1	71.0 - 82.3	166	70.2	47.2 - 86.1	20	75.2	70.2 - 79.7	276

## ARIZONA

### 2012 School Health Profiles Report Weighted Principal Survey Results

5. Percentage of schools that have one or more than one group (e.g., a school health council, committee, or team) that offers guidance on the development of policies or coordinates activities on health topics.

High Schools			Middle Schools			Junior/Senior High Schools			All Schools		
Percent	95% Confidence Interval	N	Percent	95% Confidence Interval	N	Percent	95% Confidence Interval	N	Percent	95% Confidence Interval	N
35.8	27.7 - 44.7	91	44.5	38.2 - 51.0	164	42.3	27.1 - 59.2	21	41.3	36.5 - 46.3	276

**ARIZONA**  
**2012 School Health Profiles Report**  
**Weighted Principal Survey Results**

6. Percentage of schools that have the following groups represented on any school health council, committee, or team.\*

	High Schools			Middle Schools			Junior/Senior High Schools			All Schools		
	95% Confidence		N	95% Confidence		N	95% Confidence		N	95% Confidence		N
	Percent	Interval		Percent	Interval		Percent	Interval		Percent	Interval	
a. School administrators	96.9	84.3 - 99.5	32	87.7	80.0 - 92.7	72	-	-	9	90.6	85.1 - 94.2	113
b. Health education teachers	61.2	47.8 - 73.1	31	63.7	53.2 - 73.0	69	-	-	8	64.9	57.1 - 72.0	108
c. Physical education teachers	76.6	62.3 - 86.6	31	81.9	72.5 - 88.6	73	-	-	9	80.0	72.7 - 85.8	113
d. Other classroom teachers	78.1	62.7 - 88.3	32	77.7	67.4 - 85.5	71	-	-	9	76.9	68.8 - 83.4	112
e. Mental health or social services staff (e.g., school counselors)	60.6	44.5 - 74.7	31	56.2	45.7 - 66.3	71	-	-	8	57.0	48.5 - 65.1	110
f. Nutrition or food service staff	51.2	36.2 - 65.9	31	37.5	28.8 - 47.2	70	-	-	8	40.6	33.0 - 48.6	109
g. Health services staff (e.g., school nurse)	53.8	39.5 - 67.6	31	62.8	51.9 - 72.5	71	-	-	9	57.5	49.3 - 65.3	111
h. Maintenance and transportation staff	15.8	7.1 - 31.5	31	20.2	13.3 - 29.4	70	-	-	8	18.4	12.8 - 25.7	109
i. Technology staff	9.6	3.6 - 23.4	31	13.7	7.8 - 22.9	68	-	-	8	13.4	8.6 - 20.3	107
j. Library/media center staff	9.5	3.4 - 23.7	31	11.5	6.4 - 19.9	69	-	-	8	12.0	7.5 - 18.6	108
k. Student body	53.4	37.7 - 68.6	32	41.3	31.4 - 51.9	68	-	-	8	44.7	36.4 - 53.4	108
l. Parents or families of students	48.8	33.2 - 64.7	31	62.1	51.6 - 71.6	71	-	-	8	58.3	50.0 - 66.1	110

\*Among those schools that have one or more than one group that offers guidance on the development of policies or coordinates activities on health topics.

- Results are suppressed due to insufficient number of respondents in subgroup.

N = Unweighted number of observations

**ARIZONA**  
**2012 School Health Profiles Report**  
**Weighted Principal Survey Results**

---

6. Percentage of schools that have the following groups represented on any school health council, committee, or team.\*

	High Schools			Middle Schools			Junior/Senior High Schools			All Schools		
	95% Confidence		N	95% Confidence		N	95% Confidence		N	95% Confidence		N
	Percent	Interval		Percent	Interval		Percent	Interval		Percent	Interval	
m. Community members	41.2	27.2 - 56.9	32	37.6	28.1 - 48.2	70	-	-	8	38.6	31.0 - 46.8	110
n. Local health departments, agencies, or organizations	25.4	13.9 - 41.7	31	23.1	15.7 - 32.6	69	-	-	8	21.9	15.9 - 29.4	108
o. Faith-based organizations	0.0	†	31	8.5	4.2 - 16.6	69	-	-	9	7.3	3.9 - 13.0	109
p. Businesses	6.4	2.0 - 19.0	31	7.5	3.5 - 15.3	68	-	-	8	7.5	4.1 - 13.3	107
q. Local government agencies	9.5	3.4 - 23.7	31	11.8	6.5 - 20.6	68	-	-	8	10.2	6.1 - 16.5	107

\*Among those schools that have one or more than one group that offers guidance on the development of policies or coordinates activities on health topics.

- Results are suppressed due to insufficient number of respondents in subgroup.

† Confidence intervals not applicable for 0 percent or 100 percent.

N = Unweighted number of observations

## ARIZONA

### 2012 School Health Profiles Report Weighted Principal Survey Results

7. Percentage of schools that have a school health council, committee, or team that did the following activities during the past year.\*

	High Schools			Middle Schools			Junior/Senior High Schools			All Schools		
	95% Confidence			95% Confidence			95% Confidence			95% Confidence		
	Percent	Interval	N	Percent	Interval	N	Percent	Interval	N	Percent	Interval	N
a. Identified student health needs based on a review of relevant data	57.0	41.7 - 71.1	33	66.8	55.9 - 76.1	73	-	-	9	64.8	56.4 - 72.4	115
b. Recommended new or revised health and safety policies and activities to school administrators or the school improvement team	44.7	32.6 - 57.5	33	61.7	51.2 - 71.2	73	-	-	9	58.0	50.2 - 65.4	115
c. Sought funding or leveraged resources to support health and safety priorities for students and staff	26.7	15.6 - 41.7	33	49.7	39.7 - 59.7	70	-	-	9	41.3	33.6 - 49.4	112
d. Communicated the importance of health and safety policies and activities to district administrators, school administrators, parent-teacher groups, or community members	69.0	54.3 - 80.6	33	75.2	65.5 - 82.8	72	-	-	9	73.5	65.9 - 80.0	114
e. Reviewed health-related curricula or instructional materials	59.8	45.0 - 73.0	33	62.7	52.1 - 72.3	72	-	-	9	63.2	55.1 - 70.7	114

\*Among those schools that have one or more than one group that offers guidance on the development of policies or coordinates activities on health topics.

- Results are suppressed due to insufficient number of respondents in subgroup.

N = Unweighted number of observations

## ARIZONA

### 2012 School Health Profiles Report Weighted Principal Survey Results

8. Percentage of schools that have adopted a policy that addresses each of the following issues on HIV infection or AIDS.

	High Schools			Middle Schools			Junior/Senior High Schools			All Schools		
	95% Confidence		N	95% Confidence		N	95% Confidence		N	95% Confidence		N
	Percent	Interval		Percent	Interval		Percent	Interval		Percent	Interval	
a. Attendance of students with HIV infection	59.7	50.1 - 68.6	90	50.3	44.6 - 56.1	164	45.1	27.1 - 64.4	22	53.1	48.2 - 57.9	276
b. Procedures to protect HIV-infected students and staff from discrimination	63.2	53.3 - 72.1	90	53.7	47.9 - 59.4	165	49.4	29.7 - 69.3	22	56.5	51.5 - 61.4	277
c. Maintaining confidentiality of HIV-infected students and staff	76.1	67.3 - 83.1	89	61.0	54.7 - 66.8	165	58.5	37.5 - 76.8	22	65.8	60.9 - 70.4	276
d. Worksite safety (i.e., universal precautions for all school staff)	76.6	68.4 - 83.1	90	69.4	63.9 - 74.5	166	58.9	38.2 - 76.9	22	70.9	66.4 - 75.0	278
e. Confidential counseling for HIV-infected students	55.4	45.4 - 65.0	90	38.1	31.8 - 44.8	165	31.8	17.0 - 51.5	22	43.4	38.2 - 48.7	277
f. Communication of the policy to students, school staff, and parents	56.4	48.0 - 64.4	89	47.8	41.5 - 54.3	165	36.5	18.1 - 59.9	22	49.7	44.7 - 54.7	276
g. Adequate training about HIV infection for school staff	54.3	46.1 - 62.2	90	52.5	47.0 - 58.0	165	45.1	25.1 - 66.8	22	52.5	47.9 - 57.1	277
h. Procedures for implementing the policy	54.3	45.1 - 63.3	90	50.4	44.4 - 56.4	166	40.7	22.4 - 62.1	22	50.9	45.9 - 55.9	278

## ARIZONA

### 2012 School Health Profiles Report Weighted Principal Survey Results

9. Percentage of schools that require any school staff to receive professional development on HIV, STD, or pregnancy prevention issues and resources for the following groups.

	High Schools			Middle Schools			Junior/Senior High Schools			All Schools		
	95% Confidence			95% Confidence			95% Confidence			95% Confidence		
	Percent	Interval	N	Percent	Interval	N	Percent	Interval	N	Percent	Interval	N
a. Ethnic/racial minority youth at high risk (e.g., black, Hispanic, or American Indian youth)	14.3	8.7 - 22.4	91	9.8	6.3 - 14.8	165	22.3	11.5 - 38.7	22	12.4	9.2 - 16.3	278
b. Youth who participate in drop-out prevention, alternative education, or GED programs	22.2	14.8 - 31.7	91	7.3	4.4 - 11.8	165	22.3	11.5 - 38.7	22	13.6	10.3 - 17.8	278

## ARIZONA

### 2012 School Health Profiles Report Weighted Principal Survey Results

10. Percentage of schools that have a student-level club that aims to create a safe, welcoming, and accepting school environment for all youth, regardless of sexual orientation or gender identity.

High Schools			Middle Schools			Junior/Senior High Schools			All Schools		
Percent	95% Confidence Interval	N	Percent	95% Confidence Interval	N	Percent	95% Confidence Interval	N	Percent	95% Confidence Interval	N
39.1	31.2 - 47.7	85	11.5	8.0 - 16.2	162	12.6	7.0 - 21.8	22	20.7	17.2 - 24.6	269

## ARIZONA

### 2012 School Health Profiles Report Weighted Principal Survey Results

11. Percentage of schools that engage in the following practices related to lesbian, gay, bisexual, transgender, or questioning (LGBTQ) youth.

	High Schools			Middle Schools			Junior/Senior High Schools			All Schools		
	95% Confidence			95% Confidence			95% Confidence			95% Confidence		
	Percent	Interval	N	Percent	Interval	N	Percent	Interval	N	Percent	Interval	N
a. Identify "safe spaces" (e.g., a counselor's office, designated classroom, or student organization) where LGBTQ youth can receive support from administrators, teachers, or other school staff	55.7	46.9 - 64.2	91	37.0	30.9 - 43.5	166	61.9	44.5 - 76.6	21	45.4	40.5 - 50.3	278
b. Prohibit harassment based on a student's perceived or actual sexual orientation or gender identity	84.6	77.7 - 89.7	91	74.9	69.4 - 79.7	166	90.9	72.6 - 97.4	22	79.5	75.6 - 83.0	279
c. Encourage staff to attend professional development on safe and supportive school environments for all students, regardless of sexual orientation or gender identity	53.7	44.5 - 62.7	91	41.0	35.0 - 47.3	166	54.6	32.9 - 74.6	22	46.5	41.4 - 51.6	279
d. Facilitate access to providers not on school property who have experience in providing health services, including HIV/STD testing and counseling, to LGBTQ youth	43.2	33.7 - 53.3	90	29.1	23.6 - 35.3	164	61.6	46.4 - 74.8	21	36.6	31.8 - 41.6	275
e. Facilitate access to providers not on school property who have experience in providing social and psychological services to LGBTQ youth	42.1	32.5 - 52.4	90	33.6	27.6 - 40.2	165	57.2	40.7 - 72.2	21	38.4	33.4 - 43.7	276

## ARIZONA

### 2012 School Health Profiles Report Weighted Principal Survey Results

12. Percentage of schools that require physical education for students in any of grades 6 through 12.

High Schools			Middle Schools			Junior/Senior High Schools			All Schools		
Percent	95% Confidence Interval	N	Percent	95% Confidence Interval	N	Percent	95% Confidence Interval	N	Percent	95% Confidence Interval	N
57.4	50.3 - 64.3	91	81.5	75.9 - 86.1	167	63.4	42.6 - 80.1	22	71.8	67.5 - 75.8	280

## ARIZONA

### 2012 School Health Profiles Report Weighted Principal Survey Results

13. Percentage of schools that taught a required physical education course in each of the following grades.\*

	High Schools			Middle Schools			Junior/Senior High Schools			All Schools		
	95% Confidence		N	95% Confidence		N	95% Confidence		N	95% Confidence		N
	Percent	Interval		Percent	Interval		Percent	Interval		Percent	Interval	
a. Sixth grade	§	§	§	78.9	73.0 - 83.7	155	47.0	23.4 - 72.0	17	75.4	69.3 - 80.5	172
b. Seventh grade	§	§	§	74.4	68.8 - 79.3	163	50.3	30.6 - 69.9	18	71.8	66.3 - 76.7	181
c. Eighth grade	§	§	§	73.7	68.0 - 78.7	162	50.3	30.6 - 69.9	18	71.1	65.5 - 76.1	180
d. Ninth grade	52.2	44.8 - 59.6	90	0.0	†	31	44.9	26.6 - 64.7	20	40.4	34.5 - 46.6	141
e. Tenth grade	25.8	19.3 - 33.6	88	§	§	§	25.2	13.3 - 42.6	20	25.7	19.8 - 32.6	108
f. Eleventh grade	24.7	18.0 - 32.8	88	§	§	§	16.0	5.5 - 38.4	19	23.1	17.0 - 30.5	107
g. Twelfth grade	24.7	18.0 - 32.8	88	§	§	§	21.5	8.3 - 45.2	19	24.1	17.8 - 31.7	107

\*Among schools with students in that grade.

§ Grade is not applicable for type of school.

† Confidence intervals not applicable for 0 percent or 100 percent.

N = Unweighted number of observations

# ARIZONA

## 2012 School Health Profiles Report Weighted Principal Survey Results

14. Percentage of schools in which physical education teachers or specialists received professional development on physical education during the past two years.

High Schools			Middle Schools			Junior/Senior High Schools			All Schools		
Percent	95% Confidence Interval	N	Percent	95% Confidence Interval	N	Percent	95% Confidence Interval	N	Percent	95% Confidence Interval	N
51.4	45.3 - 57.4	88	66.5	60.7 - 71.9	165	40.4	22.3 - 61.6	22	59.2	54.9 - 63.4	275

## ARIZONA

### 2012 School Health Profiles Report Weighted Principal Survey Results

15. Percentage of schools in which those who teach physical education are provided with the following materials.

	High Schools			Middle Schools			Junior/Senior High Schools			All Schools		
	95% Confidence			95% Confidence			95% Confidence			95% Confidence		
	Percent	Interval	N	Percent	Interval	N	Percent	Interval	N	Percent	Interval	N
a. Goals, objectives, and expected outcomes for physical education	70.1	62.9 - 76.5	89	85.8	81.0 - 89.6	167	48.0	27.8 - 68.9	21	77.5	73.4 - 81.1	277
b. A chart describing the annual scope and sequence of instruction for physical education	56.6	49.1 - 63.7	89	70.4	64.9 - 75.4	167	33.5	16.6 - 56.0	21	62.8	58.4 - 66.9	277
c. Plans for how to assess student performance in physical education	61.5	55.1 - 67.5	88	72.8	67.0 - 77.8	166	42.9	27.3 - 60.1	21	66.6	62.4 - 70.4	275
d. A written physical education curriculum	62.5	53.9 - 70.5	87	72.7	67.1 - 77.7	165	37.9	24.5 - 53.5	21	66.5	62.0 - 70.7	273

## ARIZONA

### 2012 School Health Profiles Report Weighted Principal Survey Results

16. Percentage of schools in which students participate in physical activity breaks in classrooms during the school day outside of physical education.

High Schools			Middle Schools			Junior/Senior High Schools			All Schools		
Percent	95% Confidence Interval	N	Percent	95% Confidence Interval	N	Percent	95% Confidence Interval	N	Percent	95% Confidence Interval	N
22.9	16.8 - 30.3	90	71.7	65.0 - 77.5	166	54.4	35.4 - 72.2	22	53.8	49.1 - 58.3	278

## ARIZONA

### 2012 School Health Profiles Report Weighted Principal Survey Results

17. Percentage of schools that offer opportunities for all students to participate in intramural sports programs or physical activity clubs.

High Schools			Middle Schools			Junior/Senior High Schools			All Schools		
Percent	95% Confidence Interval	N	Percent	95% Confidence Interval	N	Percent	95% Confidence Interval	N	Percent	95% Confidence Interval	N
60.1	51.0 - 68.5	91	67.3	61.3 - 72.8	166	58.7	40.5 - 74.8	22	64.1	59.3 - 68.7	279

## ARIZONA

### 2012 School Health Profiles Report Weighted Principal Survey Results

18. Percentage of schools that offer interscholastic sports to students.

High Schools			Middle Schools			Junior/Senior High Schools			All Schools		
Percent	95% Confidence Interval	N	Percent	95% Confidence Interval	N	Percent	95% Confidence Interval	N	Percent	95% Confidence Interval	N
68.9	60.8 - 75.9	90	80.3	74.7 - 84.9	167	59.0	38.3 - 77.0	20	74.8	70.3 - 78.8	277

## ARIZONA

### 2012 School Health Profiles Report Weighted Principal Survey Results

19. Percentage of schools that have a joint use agreement for shared use of school or community physical activity facilities.

High Schools			Middle Schools			Junior/Senior High Schools			All Schools		
Percent	95% Confidence Interval	N	Percent	95% Confidence Interval	N	Percent	95% Confidence Interval	N	Percent	95% Confidence Interval	N
65.2	56.4 - 73.0	88	60.4	54.6 - 66.0	163	42.9	23.2 - 65.1	21	60.6	55.7 - 65.2	272

## ARIZONA

### 2012 School Health Profiles Report Weighted Principal Survey Results

20. Percentage of schools that have adopted a policy prohibiting tobacco use.

High Schools			Middle Schools			Junior/Senior High Schools			All Schools		
Percent	95% Confidence Interval	N	Percent	95% Confidence Interval	N	Percent	95% Confidence Interval	N	Percent	95% Confidence Interval	N
98.9	94.2 - 99.8	91	94.3	90.7 - 96.6	163	100.0	†	22	96.4	94.2 - 97.8	276

† Confidence intervals not applicable for 0 percent or 100 percent.  
N = Unweighted number of observations

## ARIZONA

### 2012 School Health Profiles Report Weighted Principal Survey Results

21. (Students) Percentage of schools that have a tobacco-use prevention policy that specifically prohibits the use of each type of tobacco for students during any school-related activity.

	High Schools			Middle Schools			Junior/Senior High Schools			All Schools		
	95% Confidence			95% Confidence			95% Confidence			95% Confidence		
	Percent	Interval	N	Percent	Interval	N	Percent	Interval	N	Percent	Interval	N
a. Cigarettes	97.8	92.8 - 99.3	90	92.9	89.5 - 95.3	161	100.0	†	22	95.2	92.9 - 96.8	273
b. Smokeless tobacco (i.e., chewing tobacco, snuff, or dip)	97.8	92.8 - 99.3	90	92.3	88.6 - 94.9	161	90.9	72.6 - 97.4	22	94.1	91.5 - 95.9	273
c. Cigars	96.7	91.4 - 98.8	90	92.3	88.6 - 94.9	161	90.5	71.5 - 97.3	22	93.7	90.9 - 95.6	273
d. Pipes	96.7	91.4 - 98.8	90	92.3	88.6 - 94.9	161	90.5	71.5 - 97.3	22	93.7	90.9 - 95.6	273

† Confidence intervals not applicable for 0 percent or 100 percent.  
N = Unweighted number of observations

## ARIZONA

### 2012 School Health Profiles Report Weighted Principal Survey Results

21. (Faculty/Staff) Percentage of schools that have a tobacco-use prevention policy that specifically prohibits the use of each type of tobacco for faculty/staff during any school-related activity.

	High Schools			Middle Schools			Junior/Senior High Schools			All Schools		
	95% Confidence			95% Confidence			95% Confidence			95% Confidence		
	Percent	Interval	N	Percent	Interval	N	Percent	Interval	N	Percent	Interval	N
a. Cigarettes	95.6	90.0 - 98.2	90	92.3	88.6 - 94.9	161	95.2	76.9 - 99.2	22	93.7	91.0 - 95.6	273
b. Smokeless tobacco (i.e., chewing tobacco, snuff, or dip)	95.6	90.0 - 98.2	90	91.7	87.7 - 94.4	161	90.9	72.6 - 97.4	22	93.0	90.1 - 95.0	273
c. Cigars	94.6	88.6 - 97.5	90	91.7	87.7 - 94.4	161	90.5	71.5 - 97.3	22	92.6	89.6 - 94.7	273
d. Pipes	94.6	88.6 - 97.5	90	91.7	87.7 - 94.4	161	90.5	71.5 - 97.3	22	92.6	89.6 - 94.7	273

## ARIZONA

### 2012 School Health Profiles Report Weighted Principal Survey Results

21. (Visitors) Percentage of schools that have a tobacco-use prevention policy that specifically prohibits the use of each type of tobacco for visitors during any school-related activity.

	High Schools			Middle Schools			Junior/Senior High Schools			All Schools		
	95% Confidence			95% Confidence			95% Confidence			95% Confidence		
	Percent	Interval	N	Percent	Interval	N	Percent	Interval	N	Percent	Interval	N
a. Cigarettes	96.6	91.0 - 98.7	90	90.8	87.2 - 93.5	159	90.9	72.6 - 97.4	22	92.8	90.1 - 94.8	271
b. Smokeless tobacco (i.e., chewing tobacco, snuff, or dip)	96.6	91.0 - 98.7	90	88.4	84.1 - 91.7	159	86.6	67.4 - 95.3	22	91.1	88.0 - 93.4	271
c. Cigars	95.5	89.6 - 98.1	89	90.9	86.7 - 93.8	159	86.2	66.5 - 95.1	22	92.0	88.9 - 94.3	270
d. Pipes	95.5	89.7 - 98.1	90	90.8	86.6 - 93.7	157	86.2	66.5 - 95.1	22	92.0	88.9 - 94.3	269

## ARIZONA

### 2012 School Health Profiles Report Weighted Principal Survey Results

22. (Students) Percentage of schools that have a tobacco-use prevention policy that specifically prohibits tobacco use during each of the following times for students.

	High Schools			Middle Schools			Junior/Senior High Schools			All Schools		
	95% Confidence			95% Confidence			95% Confidence			95% Confidence		
	Percent	Interval	N	Percent	Interval	N	Percent	Interval	N	Percent	Interval	N
a. During school hours	98.9	94.0 - 99.8	89	93.7	89.8 - 96.1	161	100.0	†	21	96.0	93.6 - 97.5	271
b. During non-school hours	84.2	75.5 - 90.2	89	84.0	79.0 - 87.9	157	86.2	66.5 - 95.1	22	84.2	80.1 - 87.6	268

† Confidence intervals not applicable for 0 percent or 100 percent.  
N = Unweighted number of observations

## ARIZONA

### 2012 School Health Profiles Report Weighted Principal Survey Results

22. (Faculty/Staff) Percentage of schools that have a tobacco-use prevention policy that specifically prohibits tobacco use during each of the following times for faculty/staff.

	High Schools			Middle Schools			Junior/Senior High Schools			All Schools		
	95% Confidence			95% Confidence			95% Confidence			95% Confidence		
	Percent	Interval	N	Percent	Interval	N	Percent	Interval	N	Percent	Interval	N
a. During school hours	96.7	91.4 - 98.8	89	91.2	87.7 - 93.8	160	95.2	76.9 - 99.2	22	93.4	90.9 - 95.3	271
b. During non-school hours	78.7	69.1 - 85.9	89	74.8	68.9 - 79.9	156	72.8	50.6 - 87.4	22	76.0	71.1 - 80.2	267

## ARIZONA

### 2012 School Health Profiles Report Weighted Principal Survey Results

22. (Visitors) Percentage of schools that have a tobacco-use prevention policy that specifically prohibits tobacco use during each of the following times for visitors.

	High Schools			Middle Schools			Junior/Senior High Schools			All Schools		
	95% Confidence			95% Confidence			95% Confidence			95% Confidence		
	Percent	Interval	N	Percent	Interval	N	Percent	Interval	N	Percent	Interval	N
a. During school hours	96.5	90.9 - 98.7	89	89.9	85.9 - 92.8	160	90.5	71.3 - 97.3	21	92.2	89.3 - 94.3	270
b. During non-school hours	78.4	70.0 - 85.0	88	74.1	68.1 - 79.3	156	72.8	50.6 - 87.4	22	75.5	70.8 - 79.6	266

## ARIZONA

### 2012 School Health Profiles Report Weighted Principal Survey Results

23. (Students) Percentage of schools that have a tobacco-use prevention policy that specifically prohibits tobacco use in each of the following locations for students.

	High Schools			Middle Schools			Junior/Senior High Schools			All Schools		
	95% Confidence			95% Confidence			95% Confidence			95% Confidence		
	Percent	Interval	N	Percent	Interval	N	Percent	Interval	N	Percent	Interval	N
a. In school buildings	98.9	94.1 - 99.8	90	94.3	90.6 - 96.6	161	100.0	†	22	96.4	94.1 - 97.8	273
b. Outside on school grounds, including parking lots and playing fields	98.9	94.1 - 99.8	90	94.3	90.6 - 96.6	161	100.0	†	22	96.4	94.1 - 97.8	273
c. On school buses or other vehicles used to transport students	96.5	90.8 - 98.7	90	94.3	90.6 - 96.6	161	95.2	76.9 - 99.2	22	95.1	92.5 - 96.9	273
d. At off-campus, school-sponsored events	89.6	82.0 - 94.2	89	93.0	89.0 - 95.7	161	90.9	72.6 - 97.4	22	91.7	88.3 - 94.2	272

† Confidence intervals not applicable for 0 percent or 100 percent.

N = Unweighted number of observations

## ARIZONA

### 2012 School Health Profiles Report Weighted Principal Survey Results

23. (Faculty/Staff) Percentage of schools that have a tobacco-use prevention policy that specifically prohibits tobacco use in each of the following locations for faculty/staff.

	High Schools			Middle Schools			Junior/Senior High Schools			All Schools		
	95% Confidence			95% Confidence			95% Confidence			95% Confidence		
	Percent	Interval	N	Percent	Interval	N	Percent	Interval	N	Percent	Interval	N
a. In school buildings	98.9	94.1 - 99.8	90	93.5	90.3 - 95.7	159	95.2	76.9 - 99.2	22	95.5	93.3 - 97.0	271
b. Outside on school grounds, including parking lots and playing fields	97.8	92.9 - 99.4	90	92.8	89.3 - 95.3	159	90.9	72.6 - 97.4	22	94.4	91.9 - 96.2	271
c. On school buses or other vehicles used to transport students	96.5	90.8 - 98.7	90	93.5	90.3 - 95.7	159	90.9	72.6 - 97.4	22	94.3	91.7 - 96.1	271
d. At off-campus, school-sponsored events	88.5	80.7 - 93.4	89	89.2	85.0 - 92.3	159	77.5	61.2 - 88.3	22	87.9	84.3 - 90.8	270

## ARIZONA

### 2012 School Health Profiles Report Weighted Principal Survey Results

23. (Visitors) Percentage of schools that have a tobacco-use prevention policy that specifically prohibits tobacco use in each of the following locations for visitors.

	High Schools			Middle Schools			Junior/Senior High Schools			All Schools		
	95% Confidence			95% Confidence			95% Confidence			95% Confidence		
	Percent	Interval	N	Percent	Interval	N	Percent	Interval	N	Percent	Interval	N
a. In school buildings	98.9	94.0 - 99.8	89	92.8	89.3 - 95.2	158	95.0	76.0 - 99.1	21	95.1	92.7 - 96.7	268
b. Outside on school grounds, including parking lots and playing fields	97.7	92.4 - 99.3	89	91.4	88.0 - 94.0	158	90.1	70.3 - 97.2	21	93.5	90.9 - 95.3	268
c. On school buses or other vehicles used to transport students	96.4	90.7 - 98.7	89	92.2	88.5 - 94.8	158	90.5	71.4 - 97.3	21	93.5	90.7 - 95.5	268
d. At off-campus, school-sponsored events	70.1	61.0 - 77.9	88	78.2	72.3 - 83.2	158	76.0	58.5 - 87.7	21	75.3	70.6 - 79.4	267

## ARIZONA

### 2012 School Health Profiles Report Weighted Principal Survey Results

24. Percentage of schools that have procedures to inform each of the following groups about the tobacco-use prevention policy that prohibits their use of tobacco.\*

	High Schools			Middle Schools			Junior/Senior High Schools			All Schools		
	95% Confidence			95% Confidence			95% Confidence			95% Confidence		
	Percent	Interval	N	Percent	Interval	N	Percent	Interval	N	Percent	Interval	N
a. Students	98.9	94.1 - 99.8	88	95.9	91.8 - 98.0	149	90.5	71.5 - 97.3	22	96.4	93.7 - 98.0	259
b. Faculty and staff	95.4	89.4 - 98.1	87	93.1	88.9 - 95.7	150	95.0	75.9 - 99.1	21	94.1	91.1 - 96.1	258
c. Visitors	86.9	78.6 - 92.4	85	88.3	83.5 - 91.9	148	80.9	59.5 - 92.5	21	87.2	83.1 - 90.4	254

\*Among those schools that have adopted a policy prohibiting tobacco use.

N = Unweighted number of observations

## ARIZONA

### 2012 School Health Profiles Report Weighted Principal Survey Results

25. Percentage of schools that have a tobacco-use prevention policy that includes guidelines on what actions the school should take when students are caught smoking cigarettes.\*

High Schools			Middle Schools			Junior/Senior High Schools			All Schools		
Percent	95% Confidence Interval		Percent	95% Confidence Interval		Percent	95% Confidence Interval		Percent	95% Confidence Interval	
	Interval	N		Interval	N		Interval	N		Interval	N
97.6	92.1 - 99.3	86	91.9	86.9 - 95.1	150	90.5	71.5 - 97.3	22	93.7	90.5 - 95.9	258

\*Among those schools that have adopted a policy prohibiting tobacco use.  
N = Unweighted number of observations

## ARIZONA

### 2012 School Health Profiles Report Weighted Principal Survey Results

26. Percentage of schools in which the following person is responsible for enforcing the tobacco-use prevention policy.\*

	High Schools			Middle Schools			Junior/Senior High Schools			All Schools		
	95% Confidence			95% Confidence			95% Confidence			95% Confidence		
	Percent	Interval	N	Percent	Interval	N	Percent	Interval	N	Percent	Interval	N
a. No single individual is responsible	56.7	47.8 - 65.2	77	44.9	37.3 - 52.7	139	43.0	27.5 - 60.1	21	48.7	43.1 - 54.2	237
b. Principal	24.2	17.0 - 33.4	77	42.3	34.4 - 50.7	139	37.6	20.3 - 58.7	21	35.8	30.2 - 41.8	237
c. Assistant principal	17.8	12.4 - 24.9	77	6.3	3.5 - 11.0	139	9.4	2.6 - 28.4	21	10.5	7.7 - 14.0	237
d. Other school administrator	1.3	0.2 - 6.9	77	2.9	1.2 - 6.8	139	10.0	2.8 - 29.9	21	3.0	1.6 - 5.8	237
e. Other school faculty or staff member	0.0	†	77	3.5	1.6 - 7.5	139	0.0	†	21	2.0	0.9 - 4.3	237

\*Among those schools that have adopted a policy prohibiting tobacco use.

† Confidence intervals not applicable for 0 percent or 100 percent.

N = Unweighted number of observations

## ARIZONA

### 2012 School Health Profiles Report Weighted Principal Survey Results

27. Percentage of schools in which the following criteria help determine what actions are taken when students are caught smoking cigarettes.

	High Schools			Middle Schools			Junior/Senior High Schools			All Schools		
	95% Confidence			95% Confidence			95% Confidence			95% Confidence		
	Percent	Interval	N	Percent	Interval	N	Percent	Interval	N	Percent	Interval	N
a. Zero tolerance	77.3	69.4 - 83.7	89	85.3	79.6 - 89.6	164	81.8	61.3 - 92.8	22	82.3	78.0 - 85.9	275
b. Effect or severity of the violation	72.1	62.6 - 79.9	86	74.1	67.1 - 80.0	155	68.7	46.0 - 84.9	22	72.9	67.5 - 77.7	263
c. Grade level of student	33.7	26.1 - 42.1	86	56.7	49.5 - 63.6	156	36.8	20.4 - 56.8	22	47.1	42.0 - 52.3	264
d. Repeat offender status	79.8	71.5 - 86.2	87	79.8	73.7 - 84.7	155	78.0	57.1 - 90.5	22	79.6	75.0 - 83.6	264

## ARIZONA

### 2012 School Health Profiles Report Weighted Principal Survey Results

28. (Never) Percentage of schools that NEVER take the following actions when students are caught smoking cigarettes.

	High Schools			Middle Schools			Junior/Senior High Schools			All Schools		
	95% Confidence		N	95% Confidence		N	95% Confidence		N	95% Confidence		N
	Percent	Interval		Percent	Interval		Percent	Interval		Percent	Interval	
a. Parents or guardians are notified	2.3	0.7 - 7.5	90	0.6	0.1 - 3.1	164	0.0	†	22	1.1	0.4 - 2.9	276
b. Referred to a school counselor	23.7	15.9 - 33.9	84	22.3	17.6 - 27.9	161	39.8	24.0 - 58.1	20	24.2	20.0 - 29.0	265
c. Referred to a school administrator	1.1	0.2 - 5.8	89	0.6	0.1 - 3.1	163	0.0	†	22	0.7	0.2 - 2.3	274
d. Encouraged, but not required, to participate in an assistance, education, or cessation program	21.4	14.8 - 29.9	88	29.7	23.9 - 36.2	160	36.8	20.4 - 56.8	22	27.5	23.1 - 32.4	270
e. Required to participate in an assistance, education, or cessation program	39.8	31.4 - 48.9	86	47.8	40.7 - 55.1	158	54.7	36.0 - 72.2	22	45.8	40.4 - 51.2	266
f. Referred to legal authorities	27.4	19.5 - 37.0	88	26.7	21.1 - 33.2	160	27.1	17.6 - 39.4	22	27.0	22.6 - 31.9	270
g. Placed in detention	31.4	24.3 - 39.5	90	21.0	16.1 - 26.9	160	40.9	25.1 - 58.7	22	26.3	22.2 - 30.9	272
h. Not allowed to participate in extra-curricular activities or interscholastic sports	25.7	18.5 - 34.5	87	18.5	13.5 - 24.8	159	37.1	22.7 - 54.2	22	22.6	18.4 - 27.3	268
i. Given in-school suspension	24.5	18.5 - 31.8	90	19.7	15.0 - 25.5	160	36.5	22.5 - 53.2	22	22.9	19.1 - 27.1	272
j. Suspended from school	9.0	4.8 - 16.2	89	7.1	4.2 - 11.7	160	4.8	0.8 - 23.1	22	7.5	5.1 - 11.0	271
k. Expelled from school	60.9	51.8 - 69.3	88	57.0	50.1 - 63.7	160	23.7	10.2 - 46.0	21	55.5	50.3 - 60.6	269
l. Reassigned to an alternative school	71.7	62.5 - 79.4	87	60.4	54.3 - 66.3	160	67.8	47.8 - 82.9	22	64.9	60.0 - 69.5	269

† Confidence intervals not applicable for 0 percent or 100 percent.

N = Unweighted number of observations

## ARIZONA

### 2012 School Health Profiles Report Weighted Principal Survey Results

28. (Rarely) Percentage of schools that RARELY take the following actions when students are caught smoking cigarettes.

	High Schools			Middle Schools			Junior/Senior High Schools			All Schools		
	Percent	95% Confidence Interval		Percent	95% Confidence Interval		Percent	95% Confidence Interval		Percent	95% Confidence Interval	
		N			N			N			N	
a. Parents or guardians are notified	2.3	0.7 - 7.5	90	0.7	0.1 - 3.6	164	0.0	†	22	1.2	0.4 - 3.1	276
b. Referred to a school counselor	18.9	12.5 - 27.4	84	10.6	7.3 - 15.0	161	9.9	2.8 - 29.7	20	13.2	10.1 - 17.1	265
c. Referred to a school administrator	1.1	0.2 - 6.0	89	0.7	0.1 - 3.6	163	0.0	†	22	0.8	0.2 - 2.5	274
d. Encouraged, but not required, to participate in an assistance, education, or cessation program	28.8	21.3 - 37.7	88	16.3	11.9 - 22.0	160	4.8	0.8 - 23.1	22	19.5	15.8 - 23.9	270
e. Required to participate in an assistance, education, or cessation program	31.6	24.2 - 40.0	86	22.0	16.7 - 28.3	158	22.9	9.9 - 44.5	22	25.3	21.0 - 30.1	266
f. Referred to legal authorities	21.7	14.7 - 30.9	88	22.3	17.0 - 28.6	160	18.6	7.4 - 39.5	22	21.8	17.6 - 26.6	270
g. Placed in detention	11.3	6.5 - 19.0	90	8.0	4.9 - 12.8	160	13.3	4.7 - 32.4	22	9.6	6.8 - 13.4	272
h. Not allowed to participate in extra-curricular activities or interscholastic sports	11.5	6.6 - 19.4	87	4.9	2.6 - 8.8	159	9.5	9.5 - 9.5	22	7.5	5.2 - 10.7	268
i. Given in-school suspension	12.5	7.3 - 20.4	90	7.4	4.5 - 12.1	160	0.0	†	22	8.5	5.9 - 12.1	272
j. Suspended from school	5.4	2.5 - 11.4	89	4.9	2.7 - 8.9	160	0.0	†	22	4.7	2.9 - 7.5	271
k. Expelled from school	19.4	13.4 - 27.2	88	28.9	23.1 - 35.5	160	27.9	14.7 - 46.5	21	25.6	21.4 - 30.3	269
l. Reassigned to an alternative school	14.7	9.4 - 22.3	87	23.6	18.1 - 30.0	160	13.2	6.9 - 23.6	22	19.7	15.9 - 24.1	269

† Confidence intervals not applicable for 0 percent or 100 percent.

N = Unweighted number of observations

## ARIZONA

### 2012 School Health Profiles Report Weighted Principal Survey Results

28. (Sometimes) Percentage of schools that SOMETIMES take the following actions when students are caught smoking cigarettes.

	High Schools			Middle Schools			Junior/Senior High Schools			All Schools		
	95% Confidence		N	95% Confidence		N	95% Confidence		N	95% Confidence		N
	Percent	Interval		Percent	Interval		Percent	Interval		Percent	Interval	
a. Parents or guardians are notified	6.8	3.9 - 11.6	90	0.0	†	164	4.8	0.8 - 23.1	22	2.7	1.6 - 4.6	276
b. Referred to a school counselor	38.4	30.3 - 47.2	84	33.6	28.4 - 39.2	161	24.1	10.7 - 45.7	20	34.4	30.1 - 39.0	265
c. Referred to a school administrator	8.1	4.7 - 13.6	89	1.2	0.4 - 3.9	163	9.5	2.7 - 28.5	22	4.2	2.7 - 6.7	274
d. Encouraged, but not required, to participate in an assistance, education, or cessation program	35.1	27.5 - 43.5	88	32.2	26.3 - 38.7	160	35.7	20.0 - 55.2	22	33.5	28.9 - 38.4	270
e. Required to participate in an assistance, education, or cessation program	13.9	8.7 - 21.5	86	23.9	18.7 - 30.0	158	17.6	7.0 - 37.7	22	20.0	16.2 - 24.4	266
f. Referred to legal authorities	39.5	31.0 - 48.7	88	34.1	27.6 - 41.2	160	27.2	14.4 - 45.5	22	35.3	30.3 - 40.6	270
g. Placed in detention	38.4	30.0 - 47.7	90	33.5	27.2 - 40.5	160	27.7	12.7 - 50.1	22	34.7	29.7 - 40.0	272
h. Not allowed to participate in extra-curricular activities or interscholastic sports	39.7	31.6 - 48.5	87	44.0	37.3 - 51.0	159	13.0	7.2 - 22.3	22	39.8	35.0 - 44.9	268
i. Given in-school suspension	54.2	45.1 - 63.0	90	47.2	40.4 - 54.2	160	45.4	34.8 - 56.4	22	49.5	44.4 - 54.6	272
j. Suspended from school	56.7	47.1 - 65.9	89	40.4	34.4 - 46.7	160	50.2	33.0 - 67.3	22	46.8	41.8 - 51.9	271
k. Expelled from school	14.0	8.8 - 21.5	88	12.1	8.7 - 16.5	160	33.9	16.7 - 56.8	21	14.6	11.3 - 18.5	269
l. Reassigned to an alternative school	11.3	6.5 - 18.9	87	16.0	11.8 - 21.3	160	19.0	7.6 - 40.3	22	14.7	11.4 - 18.8	269

† Confidence intervals not applicable for 0 percent or 100 percent.

N = Unweighted number of observations

## ARIZONA

### 2012 School Health Profiles Report Weighted Principal Survey Results

28. (Always) Percentage of schools that ALWAYS or ALMOST ALWAYS take the following actions when students are caught smoking cigarettes.

	High Schools			Middle Schools			Junior/Senior High Schools			All Schools		
	95% Confidence		N	95% Confidence		N	95% Confidence		N	95% Confidence		N
	Percent	Interval		Percent	Interval		Percent	Interval		Percent	Interval	
a. Parents or guardians are notified	88.6	82.0 - 93.0	90	98.8	95.9 - 99.6	164	95.2	76.9 - 99.2	22	95.0	92.4 - 96.8	276
b. Referred to a school counselor	19.0	12.6 - 27.7	84	33.5	27.5 - 40.0	161	26.2	14.4 - 42.8	20	28.1	23.8 - 32.9	265
c. Referred to a school administrator	89.7	83.4 - 93.8	89	97.6	94.4 - 99.0	163	90.5	71.5 - 97.3	22	94.3	91.5 - 96.2	274
d. Encouraged, but not required, to participate in an assistance, education, or cessation program	14.7	9.8 - 21.6	88	21.8	16.6 - 28.1	160	22.8	12.3 - 38.4	22	19.5	15.8 - 23.9	270
e. Required to participate in an assistance, education, or cessation program	14.7	10.0 - 21.1	86	6.3	3.6 - 10.7	158	4.8	0.8 - 23.1	22	9.0	6.5 - 12.2	266
f. Referred to legal authorities	11.4	6.6 - 19.1	88	16.9	12.4 - 22.7	160	27.0	17.5 - 39.3	22	16.0	12.6 - 20.0	270
g. Placed in detention	18.8	12.3 - 27.8	90	37.5	30.8 - 44.7	160	18.2	7.2 - 38.7	22	29.4	24.7 - 34.6	272
h. Not allowed to participate in extra-curricular activities or interscholastic sports	23.1	16.4 - 31.4	87	32.6	26.3 - 39.5	159	40.4	24.4 - 58.7	22	30.1	25.5 - 35.1	268
i. Given in-school suspension	8.8	4.8 - 15.7	90	25.6	19.9 - 32.2	160	18.1	7.2 - 38.5	22	19.1	15.3 - 23.7	272
j. Suspended from school	28.8	20.7 - 38.6	89	47.6	41.0 - 54.2	160	45.1	30.2 - 60.9	22	41.0	36.0 - 46.1	271
k. Expelled from school	5.7	2.6 - 12.0	88	2.0	0.7 - 5.2	160	14.5	5.0 - 35.0	21	4.3	2.6 - 7.1	269
l. Reassigned to an alternative school	2.3	0.7 - 7.4	87	0.0	†	160	0.0	†	22	0.8	0.2 - 2.5	269

† Confidence intervals not applicable for 0 percent or 100 percent.

N = Unweighted number of observations

## ARIZONA

### 2012 School Health Profiles Report Weighted Principal Survey Results

29. Percentage of schools that post signs marking a tobacco-free school zone, that is, a specified distance from school grounds where tobacco use is not allowed.

High Schools			Middle Schools			Junior/Senior High Schools			All Schools		
Percent	95% Confidence Interval	N	Percent	95% Confidence Interval	N	Percent	95% Confidence Interval	N	Percent	95% Confidence Interval	N
90.8	83.5 - 95.1	90	90.8	85.9 - 94.2	167	68.0	49.1 - 82.4	22	88.9	85.1 - 91.8	279

## ARIZONA

### 2012 School Health Profiles Report Weighted Principal Survey Results

30. Percentage of schools that provide tobacco cessation services for each of the following groups.

	High Schools			Middle Schools			Junior/Senior High Schools			All Schools		
	95% Confidence			95% Confidence			95% Confidence			95% Confidence		
	Percent	Interval	N	Percent	Interval	N	Percent	Interval	N	Percent	Interval	N
a. Faculty and staff	13.1	8.1 - 20.7	90	18.0	13.5 - 23.6	167	9.1	2.6 - 27.4	22	15.6	12.3 - 19.7	279
b. Students	20.8	14.1 - 29.5	90	18.4	14.1 - 23.8	167	18.1	7.2 - 38.5	22	19.2	15.5 - 23.6	279

## ARIZONA

### 2012 School Health Profiles Report Weighted Principal Survey Results

31. Percentage of schools that have arrangements with any organizations or health care professionals not on school property to provide tobacco cessation services for each of the following groups.

	High Schools			Middle Schools			Junior/Senior High Schools			All Schools		
	95% Confidence			95% Confidence			95% Confidence			95% Confidence		
	Percent	Interval	N	Percent	Interval	N	Percent	Interval	N	Percent	Interval	N
a. Faculty and staff	24.6	18.1 - 32.4	90	25.5	20.6 - 31.1	166	17.5	9.0 - 31.2	22	24.5	20.8 - 28.7	278
b. Students	26.5	19.6 - 34.8	90	20.5	15.6 - 26.5	164	23.4	12.1 - 40.4	21	22.8	18.8 - 27.3	275

## ARIZONA

### 2012 School Health Profiles Report Weighted Principal Survey Results

32. Percentage of schools that never, rarely, sometimes, or always or almost always offer fruit or non-fried vegetables at school celebrations when foods or beverages are offered.

	High Schools			Middle Schools			Junior/Senior High Schools			All Schools		
	Percent	95% Confidence Interval		Percent	95% Confidence Interval		Percent	95% Confidence Interval		Percent	95% Confidence Interval	
		Interval	N		Interval	N		Interval	N		Interval	N
a. Foods or beverages are not offered at school celebrations	5.8	3.2 - 10.2	90	3.6	2.1 - 6.2	168	0.0	†	22	4.0	2.7 - 6.0	280
b. Never	3.5	1.3 - 9.2	90	1.7	0.6 - 4.4	168	0.0	†	22	2.1	1.1 - 4.3	280
c. Rarely	10.1	5.6 - 17.5	90	10.7	7.4 - 15.2	168	4.8	0.8 - 23.1	22	10.0	7.3 - 13.4	280
d. Sometimes	60.0	50.3 - 69.0	90	49.9	43.4 - 56.3	168	44.6	30.1 - 60.1	22	52.8	47.7 - 57.9	280
e. Always or almost always	20.5	14.2 - 28.8	90	34.2	28.3 - 40.7	168	50.6	33.7 - 67.3	22	31.0	26.6 - 35.8	280

† Confidence intervals not applicable for 0 percent or 100 percent.  
N = Unweighted number of observations

# ARIZONA

## 2012 School Health Profiles Report Weighted Principal Survey Results

33. Percentage of schools in which students can purchase snack foods or beverages from one or more vending machines at the school or at a school store, canteen, or snack bar.

High Schools			Middle Schools			Junior/Senior High Schools			All Schools		
Percent	95% Confidence Interval	N	Percent	95% Confidence Interval	N	Percent	95% Confidence Interval	N	Percent	95% Confidence Interval	N
72.7	66.2 - 78.3	91	32.3	26.9 - 38.3	168	58.6	41.1 - 74.2	22	48.1	44.0 - 52.3	281

## ARIZONA

### 2012 School Health Profiles Report Weighted Principal Survey Results

34. Percentage of schools in which students can purchase the following snack foods or beverages from vending machines or at the school store, canteen, or snack bar.

	High Schools			Middle Schools			Junior/Senior High Schools			All Schools		
	95% Confidence		N	95% Confidence		N	95% Confidence		N	95% Confidence		N
	Percent	Interval		Percent	Interval		Percent	Interval		Percent	Interval	
a. Chocolate candy	36.2	29.0 - 44.1	90	3.6	1.8 - 7.1	166	28.1	15.1 - 46.2	22	16.7	13.7 - 20.2	278
b. Other kinds of candy	41.7	34.5 - 49.2	90	6.5	4.0 - 10.3	165	37.2	23.4 - 53.5	22	21.0	17.8 - 24.5	277
c. Salty snacks that are not low in fat (e.g., regular potato chips)	48.6	40.4 - 56.8	90	9.4	6.4 - 13.5	166	50.1	33.6 - 66.5	22	26.0	22.4 - 30.0	278
d. Cookies, crackers, cakes, pastries, or other baked goods that are not low in fat	44.4	35.8 - 53.3	89	7.6	5.1 - 11.2	165	32.0	20.1 - 46.9	22	22.0	18.6 - 25.8	276
e. Ice cream or frozen yogurt that is not low in fat	23.1	16.7 - 31.1	89	2.9	1.3 - 6.1	166	22.8	12.3 - 38.4	22	11.3	8.7 - 14.7	277
f. 2% or whole milk (plain or flavored)	32.6	26.6 - 39.2	89	15.0	11.1 - 20.1	167	26.7	12.3 - 48.6	22	21.9	18.4 - 25.8	278
g. Water ices or frozen slushes that do not contain juice	16.1	11.3 - 22.4	90	9.9	6.6 - 14.5	167	13.8	4.9 - 33.6	22	12.3	9.5 - 15.8	279
h. Soda pop or fruit drinks that are not 100% juice	27.4	21.3 - 34.5	90	6.0	3.4 - 10.1	166	32.9	20.9 - 47.6	22	15.5	12.6 - 18.9	278
i. Sports drinks (e.g., Gatorade)	58.0	50.7 - 65.0	90	25.7	20.7 - 31.4	166	40.4	22.4 - 61.5	22	37.8	33.6 - 42.2	278
j. Foods or beverages containing caffeine	28.5	22.0 - 35.9	90	2.9	1.4 - 6.2	166	23.8	12.6 - 40.4	22	13.3	10.6 - 16.6	278
k. Fruits (not fruit juice)	25.2	19.0 - 32.6	89	16.3	12.0 - 21.8	166	18.2	7.2 - 38.7	22	19.4	15.8 - 23.6	277
l. Non-fried vegetables (not vegetable juice)	17.8	12.1 - 25.4	87	12.9	9.2 - 17.9	165	18.2	7.2 - 38.7	22	15.0	11.7 - 18.9	274

## ARIZONA

### 2012 School Health Profiles Report Weighted Principal Survey Results

35. Percentage of schools that have done any of the following activities during the current school year.

	High Schools			Middle Schools			Junior/Senior High Schools			All Schools		
	95% Confidence		N	95% Confidence		N	95% Confidence		N	95% Confidence		N
	Percent	Interval		Percent	Interval		Percent	Interval		Percent	Interval	
a. Priced nutritious foods and beverages at a lower cost while increasing the price of less nutritious foods and beverages	6.8	3.8 - 11.9	88	9.2	5.9 - 14.2	163	13.7	4.8 - 33.3	22	8.8	6.3 - 12.2	273
b. Collected suggestions from students, families, and school staff on nutritious food preferences and strategies to promote healthy eating	38.2	29.9 - 47.2	89	37.9	31.7 - 44.5	162	54.2	35.8 - 71.5	22	39.4	34.5 - 44.5	273
c. Provided information to students or families on the nutrition and caloric content of foods available	38.3	30.5 - 46.6	88	47.7	41.6 - 53.8	161	40.9	27.8 - 55.3	22	43.9	39.3 - 48.6	271
d. Conducted taste tests to determine food preferences for nutritious items	26.1	18.8 - 35.0	87	24.1	18.8 - 30.2	163	23.3	12.4 - 39.5	22	24.7	20.5 - 29.4	272
e. Provided opportunities for students to visit the cafeteria to learn about food safety, food preparation, or other nutrition-related topics	28.9	21.4 - 37.8	86	21.9	16.8 - 28.1	161	22.9	9.9 - 44.5	22	24.3	20.1 - 29.1	269
f. Served locally or regionally grown foods in the cafeteria or classrooms	20.6	13.8 - 29.6	87	29.1	23.4 - 35.5	160	22.5	9.8 - 43.8	22	25.7	21.3 - 30.6	269
g. Planted a school food or vegetable garden	19.6	14.0 - 26.9	87	28.7	22.6 - 35.7	159	42.9	31.3 - 55.4	21	26.8	22.6 - 31.6	267
h. Placed fruits and vegetables near the cafeteria cashier, where they are easy to access	54.9	46.4 - 63.1	86	65.3	59.2 - 70.9	161	50.1	30.5 - 69.6	22	60.5	55.6 - 65.2	269

## ARIZONA

### 2012 School Health Profiles Report Weighted Principal Survey Results

35. Percentage of schools that have done any of the following activities during the current school year.

	High Schools			Middle Schools			Junior/Senior High Schools			All Schools		
	95% Confidence			95% Confidence			95% Confidence			95% Confidence		
	Percent	Interval	N	Percent	Interval	N	Percent	Interval	N	Percent	Interval	N
i. Used attractive displays for fruits and vegetables in the cafeteria	47.3	38.7 - 56.1	87	64.6	57.7 - 70.8	160	27.6	14.9 - 45.2	22	55.5	50.5 - 60.4	269
j. Offered a self-serve salad bar to students	43.2	34.4 - 52.3	87	58.3	51.5 - 64.8	163	18.6	10.0 - 32.1	22	49.8	44.8 - 54.7	272
k. Labeled healthful foods with appealing names (e.g., crunchy carrots)	20.2	13.9 - 28.5	87	26.9	21.5 - 33.2	163	13.3	4.7 - 32.4	22	23.5	19.4 - 28.1	272

## ARIZONA

### 2012 School Health Profiles Report Weighted Principal Survey Results

36. Percentage of schools that promote candy, meals from fast food restaurants, or soft drinks through the distribution of products, such as t-shirts, hats, and book covers to students.

High Schools			Middle Schools			Junior/Senior High Schools			All Schools		
Percent	95% Confidence Interval		Percent	95% Confidence Interval		Percent	95% Confidence Interval		Percent	95% Confidence Interval	
	Interval	N		Interval	N		Interval	N		Interval	N
1.1	0.2 - 6.0	89	1.8	0.7 - 4.9	164	0.0	†	21	1.4	0.6 - 3.4	274

† Confidence intervals not applicable for 0 percent or 100 percent.  
N = Unweighted number of observations

## ARIZONA

### 2012 School Health Profiles Report Weighted Principal Survey Results

37. Percentage of schools that prohibit advertisements for candy, fast food restaurants, or soft drinks in the following locations.

	High Schools			Middle Schools			Junior/Senior High Schools			All Schools		
	95% Confidence			95% Confidence			95% Confidence			95% Confidence		
	Percent	Interval	N	Percent	Interval	N	Percent	Interval	N	Percent	Interval	N
a. In the school building	58.0	48.6 - 66.9	90	74.3	68.2 - 79.6	165	68.1	45.2 - 84.7	22	68.3	63.2 - 72.9	277
b. On school grounds including on the outside of the school building, on playing fields, or other areas of the campus	56.8	47.7 - 65.5	90	70.7	64.2 - 76.4	165	63.9	40.7 - 82.0	22	65.4	60.2 - 70.2	277
c. On school buses or other vehicles used to transport students	59.9	50.4 - 68.7	90	74.6	68.8 - 79.7	166	68.7	46.0 - 84.9	22	69.2	64.2 - 73.7	278
d. In school publications (e.g., newsletters, newspapers, web sites, or other school publications)	52.4	42.8 - 61.8	90	67.4	60.5 - 73.5	166	63.9	40.7 - 82.0	22	62.0	56.6 - 67.2	278

## ARIZONA

### 2012 School Health Profiles Report Weighted Principal Survey Results

38. Percentage of schools that permit students to have a drinking water bottle with them during the school day.

	High Schools			Middle Schools			Junior/Senior High Schools			All Schools		
	95% Confidence		N	95% Confidence		N	95% Confidence		N	95% Confidence		N
	Percent	Interval		Percent	Interval		Percent	Interval		Percent	Interval	
a. Yes, in all locations	86.9	79.7 - 91.8	91	88.7	83.9 - 92.1	164	90.5	90.5 - 90.5	22	88.2	84.8 - 91.0	277
b. Yes, in certain locations	12.0	7.4 - 18.9	91	10.1	6.9 - 14.5	164	9.5	9.5 - 9.5	22	10.7	8.1 - 13.9	277
c. No	1.1	0.2 - 5.8	91	1.3	0.4 - 4.2	164	0.0	†	22	1.1	0.4 - 2.9	277

† Confidence intervals not applicable for 0 percent or 100 percent.

N = Unweighted number of observations

## ARIZONA

### 2012 School Health Profiles Report Weighted Principal Survey Results

39. Percentage of schools that offer a free source of drinking water in the cafeteria during meal times.

High Schools			Middle Schools			Junior/Senior High Schools			All Schools		
Percent	95% Confidence Interval	N	Percent	95% Confidence Interval	N	Percent	95% Confidence Interval	N	Percent	95% Confidence Interval	N
93.2	86.7 - 96.7	90	94.0	89.8 - 96.5	163	100.0	†	21	94.2	91.2 - 96.2	274

† Confidence intervals not applicable for 0 percent or 100 percent.  
N = Unweighted number of observations

## ARIZONA

### 2012 School Health Profiles Report Weighted Principal Survey Results

40. Percentage of schools that have a full-time registered nurse who provides health services to students.

High Schools			Middle Schools			Junior/Senior High Schools			All Schools		
Percent	95% Confidence Interval	N	Percent	95% Confidence Interval	N	Percent	95% Confidence Interval	N	Percent	95% Confidence Interval	N
42.7	37.2 - 48.3	91	46.7	40.7 - 52.7	164	8.4	8.4 - 8.4	22	42.0	38.1 - 46.0	277

## ARIZONA

### 2012 School Health Profiles Report Weighted Principal Survey Results

41. Percentage of schools that have an asthma action plan on file for all, most, some, or no students with known asthma.

	High Schools			Middle Schools			Junior/Senior High Schools			All Schools		
	95% Confidence			95% Confidence			95% Confidence			95% Confidence		
	Percent	Interval	N	Percent	Interval	N	Percent	Interval	N	Percent	Interval	N
a. This school has no students with known asthma	15.3	9.8 - 23.1	88	1.3	0.4 - 4.4	162	9.5	9.5 - 9.5	22	6.8	4.7 - 9.6	272
b. All students with known asthma have an asthma action plan on file	36.7	29.1 - 45.0	88	50.0	43.5 - 56.6	162	50.5	31.2 - 69.7	22	45.6	40.6 - 50.6	272
c. Most students with known asthma have an asthma action plan on file	20.4	14.3 - 28.3	88	18.9	14.1 - 24.9	162	22.3	9.7 - 43.4	22	19.7	15.9 - 24.2	272
d. Some students with known asthma have an asthma action plan on file	14.9	9.1 - 23.5	88	17.4	12.6 - 23.4	162	4.3	0.8 - 21.2	22	15.4	11.8 - 19.8	272
e. No students with known asthma have an asthma action plan on file	12.7	7.8 - 19.9	88	12.3	8.4 - 17.7	162	13.4	4.7 - 32.6	22	12.5	9.4 - 16.5	272

## ARIZONA

### 2012 School Health Profiles Report Weighted Principal Survey Results

42. Percentage of schools that use each of the following events to identify students with poorly controlled asthma.

	High Schools			Middle Schools			Junior/Senior High Schools			All Schools		
	95% Confidence			95% Confidence			95% Confidence			95% Confidence		
	Percent	Interval	N	Percent	Interval	N	Percent	Interval	N	Percent	Interval	N
a. This school does not identify students with poorly controlled asthma	22.7	17.2 - 29.3	86	16.3	12.1 - 21.7	158	23.6	10.2 - 45.8	21	19.1	15.6 - 23.2	265
b. Frequent absences from school	40.3	31.8 - 49.4	86	49.4	42.3 - 56.5	158	48.5	29.4 - 68.0	21	46.2	40.9 - 51.6	265
c. Frequent visits to the school health office due to asthma	52.7	44.2 - 61.1	86	71.2	64.9 - 76.8	158	33.4	18.5 - 52.5	21	61.7	56.9 - 66.4	265
d. Frequent asthma symptoms at school	51.9	42.8 - 60.9	86	61.0	54.8 - 67.0	158	52.3	31.1 - 72.7	21	57.2	52.1 - 62.2	265
e. Frequent non-participation in physical education class due to asthma	32.1	25.2 - 39.9	86	47.2	40.3 - 54.3	158	37.9	26.4 - 50.9	21	41.3	36.6 - 46.3	265
f. Students sent home early due to asthma	47.0	38.0 - 56.1	86	47.7	40.8 - 54.7	158	61.9	42.6 - 78.0	21	48.7	43.4 - 54.0	265
g. Calls from school to 911, or other local emergency numbers, due to asthma	33.1	25.0 - 42.3	86	30.1	24.2 - 36.7	158	23.5	10.1 - 45.7	21	30.6	25.9 - 35.7	265

## ARIZONA

### 2012 School Health Profiles Report Weighted Principal Survey Results

43. Percentage of schools that provide each of the following services for students with poorly controlled asthma.

	High Schools			Middle Schools			Junior/Senior High Schools			All Schools		
	95% Confidence		N	95% Confidence		N	95% Confidence		N	95% Confidence		N
	Percent	Interval		Percent	Interval		Percent	Interval		Percent	Interval	
a. Providing referrals to primary health care clinicians or child health insurance programs	49.5	40.6 - 58.4	80	46.1	40.0 - 52.3	160	33.0	18.5 - 51.8	21	46.0	41.2 - 50.9	261
b. Ensuring an appropriate written asthma action plan is obtained	69.2	60.3 - 76.9	79	69.2	62.8 - 74.9	160	56.9	38.0 - 73.9	21	68.1	63.2 - 72.7	260
c. Ensuring access to and appropriate use of asthma medications, spacers, and peak flow meters at school	73.2	65.6 - 79.7	80	83.0	77.9 - 87.1	164	66.4	45.8 - 82.2	21	78.5	74.3 - 82.1	265
d. Offering asthma education for students with asthma	37.3	29.5 - 45.9	79	40.0	33.5 - 46.9	160	19.4	8.1 - 39.8	21	37.3	32.5 - 42.4	260
e. Minimizing asthma triggers in the school environment	64.5	56.4 - 71.9	80	68.1	62.4 - 73.3	161	62.1	40.7 - 79.6	21	66.4	61.9 - 70.7	262
f. Addressing social and emotional issues related to asthma	40.7	32.6 - 49.3	80	40.6	34.0 - 47.6	157	45.6	31.0 - 61.0	22	41.1	36.2 - 46.2	259
g. Providing additional psychosocial counseling or support services as needed	35.6	27.5 - 44.6	80	34.4	27.8 - 41.6	158	44.8	30.2 - 60.3	22	35.7	30.8 - 41.0	260
h. Ensuring access to safe, enjoyable physical education and activity opportunities	67.0	57.7 - 75.2	80	82.1	76.5 - 86.6	162	72.4	50.0 - 87.3	22	76.5	71.7 - 80.6	264
i. Ensuring access to preventive medications before physical activity	72.9	65.3 - 79.3	80	82.9	77.5 - 87.3	162	72.4	50.1 - 87.3	22	78.8	74.5 - 82.6	264

## ARIZONA

### 2012 School Health Profiles Report Weighted Principal Survey Results

44. Percentage of schools in which school staff members are required to receive training on recognizing and responding to severe asthma symptoms more than once per year, once per year, or less than once per year.

	High Schools			Middle Schools			Junior/Senior High Schools			All Schools		
	Percent	95% Confidence Interval		Percent	95% Confidence Interval		Percent	95% Confidence Interval		Percent	95% Confidence Interval	
		Interval	N		Interval	N		Interval	N		Interval	N
a. More than once per year	0.0	†	88	3.0	1.4 - 6.5	165	4.3	0.8 - 21.2	22	2.1	1.1 - 4.3	275
b. Once per year	25.2	17.1 - 35.4	88	29.2	23.5 - 35.6	165	27.6	12.7 - 49.9	22	27.7	23.0 - 32.9	275
c. Less than once per year	12.4	7.6 - 19.4	88	10.3	6.9 - 15.1	165	12.9	4.5 - 31.4	22	11.2	8.4 - 14.9	275
d. No such requirement	62.5	53.1 - 71.0	88	57.4	50.5 - 64.1	165	55.2	36.1 - 72.9	22	58.9	53.6 - 64.1	275

† Confidence intervals not applicable for 0 percent or 100 percent.  
N = Unweighted number of observations

## ARIZONA

### 2012 School Health Profiles Report Weighted Principal Survey Results

45. Percentage of schools that have adopted a policy stating that students are permitted to carry and self-administer asthma medications.

High Schools			Middle Schools			Junior/Senior High Schools			All Schools		
Percent	95% Confidence Interval	N	Percent	95% Confidence Interval	N	Percent	95% Confidence Interval	N	Percent	95% Confidence Interval	N
66.3	57.2 - 74.4	90	50.3	43.9 - 56.8	164	35.1	19.3 - 55.1	22	54.4	49.4 - 59.4	276

## ARIZONA

### 2012 School Health Profiles Report Weighted Principal Survey Results

46. Percentage of schools that have procedures to inform each of the following groups about the policy permitting students to carry and self-administer asthma medications.\*

	High Schools			Middle Schools			Junior/Senior High Schools			All Schools		
	95% Confidence			95% Confidence			95% Confidence			95% Confidence		
	Percent	Interval	N	Percent	Interval	N	Percent	Interval	N	Percent	Interval	N
a. Students	84.9	75.9 - 90.9	60	88.8	81.2 - 93.6	81	-	-	8	86.4	81.0 - 90.4	149
b. Parents and families	83.0	73.4 - 89.6	59	90.1	82.6 - 94.5	80	-	-	8	86.2	80.7 - 90.4	147

\*Among schools that have adopted a policy stating that students are permitted to carry and self-administer asthma medications.

- Results are suppressed due to insufficient number of respondents in subgroup.

N = Unweighted number of observations

**ARIZONA**  
**2012 School Health Profiles Report**  
**Weighted Principal Survey Results**

47. Percentage of schools that have the following person responsible for implementing the policy permitting students to carry and self-administer asthma medications.\*

	High Schools			Middle Schools			Junior/Senior High Schools			All Schools		
	95% Confidence		N	95% Confidence		N	95% Confidence		N	95% Confidence		N
	Percent	Interval		Percent	Interval		Percent	Interval		Percent	Interval	
a. No single individual is responsible	27.5	19.1 - 37.8	58	11.4	6.5 - 19.2	77	-	-	8	18.4	13.6 - 24.4	143
b. Principal	25.1	16.7 - 36.0	58	8.4	4.2 - 16.1	77	-	-	8	18.6	13.8 - 24.6	143
c. Assistant principal	1.7	0.3 - 9.1	58	0.0	†	77	-	-	8	0.7	0.1 - 3.9	143
d. School nurse	44.0	33.0 - 55.6	58	72.2	63.2 - 79.6	77	-	-	8	55.9	48.9 - 62.7	143
e. Other school faculty or staff member	1.7	0.3 - 9.1	58	8.0	3.9 - 15.7	77	-	-	8	6.4	3.6 - 11.1	143

\*Among schools that have adopted a policy stating that students are permitted to carry and self-administer asthma medications.

- Results are suppressed due to insufficient number of respondents in subgroup.

† Confidence intervals not applicable for 0 percent or 100 percent.

N = Unweighted number of observations

## ARIZONA

### 2012 School Health Profiles Report Weighted Principal Survey Results

48. Percentage of schools that provide the following services to students.

	High Schools			Middle Schools			Junior/Senior High Schools			All Schools		
	95% Confidence		N	95% Confidence		N	95% Confidence		N	95% Confidence		N
	Percent	Interval		Percent	Interval		Percent	Interval		Percent	Interval	
a. HIV counseling and testing	5.8	2.7 - 12.1	88	1.2	0.3 - 3.9	164	0.0	†	22	2.6	1.4 - 5.0	274
b. STD testing and treatment	5.9	2.7 - 12.4	88	1.2	0.3 - 3.9	164	0.0	†	22	2.7	1.4 - 5.0	274
c. Pregnancy testing	7.0	3.4 - 13.8	88	0.6	0.1 - 3.1	165	0.0	†	22	2.7	1.4 - 5.1	275
d. Provision of condoms	4.6	1.9 - 10.5	88	0.6	0.1 - 3.3	164	0.0	†	22	1.9	0.9 - 4.0	274
e. Provision of contraceptives other than condoms (e.g., birth control pill, birth control shot, intrauterine device [IUD])	2.3	0.7 - 7.6	88	0.6	0.1 - 3.3	164	0.0	†	22	1.1	0.4 - 3.0	274
f. Prenatal care	4.5	1.9 - 10.4	88	2.4	1.0 - 5.7	164	0.0	†	22	2.9	1.6 - 5.3	274
g. Human papillomavirus (HPV) vaccine administration	3.7	1.4 - 9.6	88	1.8	0.7 - 4.7	164	4.8	0.8 - 23.1	22	2.7	1.4 - 5.1	274

† Confidence intervals not applicable for 0 percent or 100 percent.

N = Unweighted number of observations

## ARIZONA

### 2012 School Health Profiles Report Weighted Principal Survey Results

49. Percentage of schools that provide students with referrals to any organizations or health care professionals not on school property for the following services.

	High Schools			Middle Schools			Junior/Senior High Schools			All Schools		
	95% Confidence		N	95% Confidence		N	95% Confidence		N	95% Confidence		N
	Percent	Interval		Percent	Interval		Percent	Interval		Percent	Interval	
a. HIV counseling and testing	47.4	38.5 - 56.5	88	16.1	12.1 - 21.1	165	31.9	17.1 - 51.5	22	27.9	23.8 - 32.4	275
b. STD testing and treatment	51.0	41.3 - 60.7	88	16.7	12.6 - 21.8	165	31.9	17.1 - 51.5	22	29.4	25.2 - 34.1	275
c. Pregnancy testing	46.6	36.3 - 57.2	88	19.1	14.7 - 24.4	165	40.4	24.4 - 58.7	22	30.1	25.5 - 35.0	275
d. Provision of condoms	30.7	22.4 - 40.6	88	12.1	8.5 - 16.9	164	27.1	12.5 - 49.3	22	19.6	15.7 - 24.2	274
e. Provision of contraceptives other than condoms (e.g., birth control pill, birth control shot, intrauterine device [IUD])	32.0	23.3 - 42.0	88	12.1	8.5 - 16.8	165	27.1	12.5 - 49.3	22	20.0	16.0 - 24.6	275
f. Prenatal care	47.4	37.8 - 57.2	88	15.6	11.7 - 20.6	165	36.2	19.8 - 56.6	22	28.0	23.7 - 32.7	275
g. Human papillomavirus (HPV) vaccine administration	34.4	26.1 - 43.7	87	15.6	11.7 - 20.5	165	31.9	17.1 - 51.5	22	23.2	19.3 - 27.7	274

## ARIZONA

### 2012 School Health Profiles Report Weighted Principal Survey Results

50. Percentage of schools in which students' families helped develop or implement policies and programs related to HIV, STD, or teen pregnancy prevention during the past two years.

High Schools			Middle Schools			Junior/Senior High Schools			All Schools		
Percent	95% Confidence Interval		Percent	95% Confidence Interval		Percent	95% Confidence Interval		Percent	95% Confidence Interval	
	Interval	N		Interval	N		Interval	N		Interval	N
3.5	1.3 - 9.1	88	7.7	4.9 - 11.8	168	8.5	2.4 - 25.9	22	6.4	4.3 - 9.3	278

## ARIZONA

### 2012 School Health Profiles Report Weighted Principal Survey Results

51. Percentage of schools in which community members helped develop or implement policies and programs related to HIV, STD, or teen pregnancy prevention during the past two years.

High Schools			Middle Schools			Junior/Senior High Schools			All Schools		
Percent	95% Confidence Interval		Percent	95% Confidence Interval		Percent	95% Confidence Interval		Percent	95% Confidence Interval	
	Interval	N		Interval	N		Interval	N		Interval	N
15.9	10.0 - 24.5	88	9.5	6.3 - 14.0	168	12.9	4.5 - 31.4	22	11.9	8.9 - 15.8	278