

**Arizona Department of Education
2006 School Health Profiles Report
Weighted Principal Survey Results**

2. Percentage of schools that require health education for students in any of grades 6 through 12.

	N	Percent	95% Confidence Interval
Senior High School	111	62	54 - 69
Middle School	187	52	47 - 58
Junior/Senior High School Combined	35	54	39 - 70
Overall	333	56	51 - 60

**Arizona Department of Education
2006 School Health Profiles Report
Weighted Principal Survey Results**

3. Percentage of schools that require health education be taught in each of the following ways to students.*

	N	Percent	95% Confidence Interval
a. In a combined health education and physical education course			
Senior High School	66	58	48 - 68
Middle School	94	74	67 - 82
Junior/Senior High School Combined	18	64	46 - 82
Overall	178	67	61 - 73
b. In a course mainly about another subject other than health education such as science, social studies, or English			
Senior High School	60	17	10 - 23
Middle School	89	46	38 - 55
Junior/Senior High School Combined	18	62	42 - 81
Overall	167	37	32 - 43

*Among those schools that require health education for students in any of grades 6 through 12.
N=Unweighted number of observations

**Arizona Department of Education
2006 School Health Profiles Report
Weighted Principal Survey Results**

4. Percentage of schools that require students to take the following number of required health education courses.*

	N	Percent	95% Confidence Interval
a. 0 courses			
Senior High School	67	14	7 - 20
Middle School	97	19	13 - 26
Junior/Senior High School Combined	18	18	3 - 33
Overall	182	17	13 - 22
b. 1 course			
Senior High School	67	77	69 - 85
Middle School	97	39	31 - 47
Junior/Senior High School Combined	18	44	26 - 62
Overall	182	53	48 - 59
c. 2 courses			
Senior High School	67	9	4 - 15
Middle School	97	15	10 - 21
Junior/Senior High School Combined	18	13	0 - 26
Overall	182	13	9 - 17
d. 3 courses			
Senior High School	67	0	0 - 0
Middle School	97	21	14 - 27
Junior/Senior High School Combined	18	17	2 - 32
Overall	182	13	9 - 17
e. 4 or more courses			
Senior High School	67	0	0 - 0
Middle School	97	6	2 - 10
Junior/Senior High School Combined	18	9	0 - 18
Overall	182	4	2 - 6

*Among those schools that require health education for students in any of grades 6 through 12.
N=Unweighted number of observations

**Arizona Department of Education
2006 School Health Profiles Report
Weighted Principal Survey Results**

4N. Percentage of schools that require students to take two or more health education courses.* **

	N	Percent	95% Confidence Interval
Senior High School	67	9	4 - 15
Middle School	97	42	34 - 50
Junior/Senior High School Combined	18	38	21 - 56
Overall	182	29	24 - 35

*Among those schools that require health education for students in any of grades 6 through 12.

**Response to question 4 is c, d, or e.

N=Unweighted number of observations

**Arizona Department of Education
2006 School Health Profiles Report
Weighted Principal Survey Results**

5. Percentage of schools that taught a required health education course in each of the following grades.*

	N	Percent	95% Confidence Interval
a. Sixth grade			
Senior High School	NA	NA	NA
Middle School	68	90	83 - 96
Junior/Senior High School Combined	12	51	29 - 73
Overall	80	84	78 - 91
b. Seventh grade			
Senior High School	NA	NA	NA
Middle School	76	91	85 - 96
Junior/Senior High School Combined	15	67	48 - 87
Overall	91	87	81 - 93
c. Eighth grade			
Senior High School	NA	NA	NA
Middle School	75	89	83 - 95
Junior/Senior High School Combined	15	62	43 - 81
Overall	90	85	79 - 91
d. Ninth grade			
Senior High School	57	76	67 - 85
Middle School	NA	NA	NA
Junior/Senior High School Combined	15	72	53 - 92
Overall	77	74	67 - 82
e. Tenth grade			
Senior High School	57	61	51 - 70
Middle School	NA	NA	NA
Junior/Senior High School Combined	15	48	26 - 71
Overall	72	58	49 - 68
f. Eleventh grade			
Senior High School	56	34	25 - 42
Middle School	NA	NA	NA
Junior/Senior High School Combined	14	9	0 - 23
Overall	70	29	22 - 37
g. Twelfth grade			
Senior High School	57	35	27 - 44
Middle School	NA	NA	NA
Junior/Senior High School Combined	13	10	0 - 24
Overall	70	31	23 - 38

*Among those schools that require health education for students and students take one or more required health education courses in any of grades 6 through 12.

N=Unweighted number of observations

**Arizona Department of Education
2006 School Health Profiles Report
Weighted Principal Survey Results**

6. Percentage of schools that require students who fail a required health education course to repeat it.*

	N	Percent	95% Confidence Interval
Senior High School	58	97	93 - 100
Middle School	78	7	2 - 11
Junior/Senior High School Combined	15	67	46 - 88
Overall	151	47	41 - 53

*Among those schools that require health education for students and students take one or more required health education courses in any of grades 6 through 12.

N=Unweighted number of observations

**Arizona Department of Education
2006 School Health Profiles Report
Weighted Principal Survey Results**

7. Percentage of schools that have the following person coordinate health education.

	N	Percent	95% Confidence Interval
a. No one coordinates health education			
Senior High School	110	14	8 - 19
Middle School	185	22	17 - 27
Junior/Senior High School Combined	33	24	11 - 37
Overall	328	20	16 - 23
b. District administrator			
Senior High School	110	9	5 - 14
Middle School	185	8	5 - 12
Junior/Senior High School Combined	33	7	0 - 14
Overall	328	8	6 - 11
c. District health education or curriculum coordinator			
Senior High School	110	8	4 - 12
Middle School	185	11	7 - 14
Junior/Senior High School Combined	33	3	0 - 8
Overall	328	9	6 - 12
d. School administrator			
Senior High School	110	25	19 - 31
Middle School	185	21	17 - 26
Junior/Senior High School Combined	33	43	28 - 58
Overall	328	25	21 - 28
e. Health education teacher			
Senior High School	110	27	20 - 34
Middle School	185	16	12 - 21
Junior/Senior High School Combined	33	17	5 - 30
Overall	328	20	16 - 24
f. School nurse			
Senior High School	110	5	1 - 8
Middle School	185	9	5 - 12
Junior/Senior High School Combined	33	4	0 - 10
Overall	328	7	5 - 9
g. Someone else			
Senior High School	110	13	7 - 18
Middle School	185	12	8 - 16
Junior/Senior High School Combined	33	2	0 - 6
Overall	328	11	8 - 14

**Arizona Department of Education
2006 School Health Profiles Report
Weighted Principal Survey Results**

7N. Percentage of schools that have a district administrator or district health education or curriculum coordinator coordinate health education.*

	N	Percent	95% Confidence Interval
Senior High School	95	20	13 - 27
Middle School	144	25	19 - 31
Junior/Senior High School Combined	25	13	2 - 24
Overall	264	22	17 - 26

*Response to question 7 is b or c.
N=Unweighted number of observations

**Arizona Department of Education
2006 School Health Profiles Report
Weighted Principal Survey Results**

8. Percentage of schools that require newly hired staff who teach health topics to be certified, licensed, or endorsed by the state in health education.

	N	Percent	95% Confidence Interval
a. Yes			
Senior High School	109	42	35 - 50
Middle School	187	23	18 - 27
Junior/Senior High School Combined	34	20	10 - 31
Overall	330	29	25 - 33
b. No			
Senior High School	109	41	34 - 47
Middle School	187	54	48 - 60
Junior/Senior High School Combined	34	69	58 - 81
Overall	330	51	47 - 55
c. Not applicable			
Senior High School	109	17	12 - 22
Middle School	187	24	19 - 29
Junior/Senior High School Combined	34	11	2 - 19
Overall	330	20	17 - 24

**Arizona Department of Education
2006 School Health Profiles Report
Weighted Principal Survey Results**

9. Percentage of schools that have one or more than one group (e.g., a school health council, committee, or team) that offers guidance on the development of policies or coordinates activities on health topics.

	N	Percent	95% Confidence Interval
Senior High School	110	41	33 - 48
Middle School	185	32	27 - 38
Junior/Senior High School Combined	35	38	23 - 53
Overall	330	36	31 - 40

**Arizona Department of Education
2006 School Health Profiles Report
Weighted Principal Survey Results**

10. Percentage of schools that require physical education for students in any of grades 6 through 12.

	N	Percent	95% Confidence Interval
Senior High School	112	58	51 - 66
Middle School	190	82	77 - 86
Junior/Senior High School Combined	35	74	65 - 84
Overall	337	73	70 - 77

**Arizona Department of Education
2006 School Health Profiles Report
Weighted Principal Survey Results**

11. Percentage of schools that require students to take the following number of required physical education courses.*

	N	Percent	95% Confidence Interval
a. 0 courses			
Senior High School	66	0	0 - 0
Middle School	153	4	1 - 7
Junior/Senior High School Combined	26	3	0 - 8
Overall	245	3	1 - 5
b. 1 course			
Senior High School	66	72	63 - 80
Middle School	153	37	30 - 44
Junior/Senior High School Combined	26	11	1 - 20
Overall	245	44	38 - 49
c. 2-3 courses			
Senior High School	66	27	19 - 36
Middle School	153	51	45 - 57
Junior/Senior High School Combined	26	55	38 - 71
Overall	245	45	40 - 50
d. 4-5 courses			
Senior High School	66	1	0 - 3
Middle School	153	5	2 - 7
Junior/Senior High School Combined	26	23	11 - 34
Overall	245	6	3 - 8
e. 6-7 courses			
Senior High School	66	0	0 - 0
Middle School	153	2	0 - 4
Junior/Senior High School Combined	26	9	0 - 19
Overall	245	2	1 - 4
f. 8 or more courses			
Senior High School	66	0	0 - 0
Middle School	153	1	0 - 3
Junior/Senior High School Combined	26	0	0 - 0
Overall	245	1	0 - 2

*Among those schools that require physical education for students in any of grades 6 through 12.
N=Unweighted number of observations

**Arizona Department of Education
2006 School Health Profiles Report
Weighted Principal Survey Results**

11N. Percentage of schools that require students to take two or more physical education courses.* **

	N	Percent	95% Confidence Interval
Senior High School	66	28	20 - 37
Middle School	153	59	52 - 66
Junior/Senior High School Combined	26	86	76 - 96
Overall	245	54	48 - 59

*Among those schools that require physical education for students in any of grades 6 through 12.

**Response to question 11 is c, d, e, or f.

N=Unweighted number of observations

**Arizona Department of Education
2006 School Health Profiles Report
Weighted Principal Survey Results**

12. Percentage of schools that taught a required physical education course in each of the following grades.*

	N	Percent	95% Confidence Interval
a. Sixth grade			
Senior High School	NA	NA	NA
Middle School	131	98	97 - 100
Junior/Senior High School Combined	18	89	77 - 100
Overall	149	97	95 - 99
b. Seventh grade			
Senior High School	NA	NA	NA
Middle School	141	98	96 - 100
Junior/Senior High School Combined	24	91	80 - 100
Overall	165	97	95 - 99
c. Eighth grade			
Senior High School	NA	NA	NA
Middle School	139	92	88 - 95
Junior/Senior High School Combined	25	87	76 - 99
Overall	164	91	88 - 94
d. Ninth grade			
Senior High School	62	97	93 - 100
Middle School	NA	NA	NA
Junior/Senior High School Combined	25	92	83 - 100
Overall	94	92	88 - 96
e. Tenth grade			
Senior High School	65	51	42 - 59
Middle School	NA	NA	NA
Junior/Senior High School Combined	25	63	51 - 75
Overall	90	54	47 - 61
f. Eleventh grade			
Senior High School	65	47	39 - 55
Middle School	NA	NA	NA
Junior/Senior High School Combined	23	39	25 - 53
Overall	88	45	37 - 52
g. Twelfth grade			
Senior High School	65	44	36 - 52
Middle School	NA	NA	NA
Junior/Senior High School Combined	21	33	20 - 47
Overall	86	41	34 - 49

*Among those schools that require physical education for students and students take one or more required physical education courses in any of grades 6 through 12.

N=Unweighted number of observations

**Arizona Department of Education
2006 School Health Profiles Report
Weighted Principal Survey Results**

13. Percentage of schools in which students can be exempted from taking a required physical education course for one grading period or longer for any of the following reasons.*

	N	Percent	95% Confidence Interval
a. Enrollment in other courses			
Senior High School	66	27	18 - 35
Middle School	147	13	9 - 18
Junior/Senior High School Combined	25	30	13 - 47
Overall	238	19	15 - 23
b. Participation in school sports			
Senior High School	66	23	15 - 32
Middle School	147	6	3 - 9
Junior/Senior High School Combined	25	33	16 - 50
Overall	238	14	10 - 17
c. Participation in other school activities			
Senior High School	66	33	24 - 42
Middle School	147	22	17 - 27
Junior/Senior High School Combined	25	29	14 - 45
Overall	238	26	22 - 30
d. Participation in community sports			
Senior High School	66	12	6 - 19
Middle School	146	2	0 - 4
Junior/Senior High School Combined	25	8	0 - 17
Overall	237	5	3 - 8
e. Religious reasons			
Senior High School	65	55	45 - 65
Middle School	146	53	45 - 60
Junior/Senior High School Combined	25	48	30 - 65
Overall	236	53	47 - 59
f. Long-term physical or medical disability			
Senior High School	66	86	79 - 93
Middle School	147	86	82 - 91
Junior/Senior High School Combined	25	86	73 - 98
Overall	238	86	82 - 90
g. Cognitive disability			
Senior High School	66	36	28 - 45
Middle School	146	33	27 - 38
Junior/Senior High School Combined	25	44	29 - 59
Overall	237	35	30 - 39

*Among those schools that require physical education for students and students take one or more required physical education courses in any of grades 6 through 12.

N=Unweighted number of observations

**Arizona Department of Education
2006 School Health Profiles Report
Weighted Principal Survey Results**

13. Percentage of schools in which students can be exempted from taking a required physical education course for one grading period or longer for any of the following reasons.*

	N	Percent	95% Confidence Interval
h. High physical fitness competency test score			
Senior High School	65	3	0 - 7
Middle School	147	0	0 - 0
Junior/Senior High School Combined	25	4	0 - 10
Overall	237	1	0 - 2
i. Participation in vocational training			
Senior High School	65	5	0 - 9
Middle School	146	3	1 - 4
Junior/Senior High School Combined	25	20	7 - 34
Overall	236	5	3 - 7
j. Participation in community service activities			
Senior High School	65	3	0 - 7
Middle School	147	3	1 - 5
Junior/Senior High School Combined	25	14	1 - 27
Overall	237	4	2 - 6

*Among those schools that require physical education for students and students take one or more required physical education courses in any of grades 6 through 12.
N=Unweighted number of observations

**Arizona Department of Education
2006 School Health Profiles Report
Weighted Principal Survey Results**

13N. Percentage of schools in which students cannot be exempted from taking a required physical education course for one grading period or longer for an unacceptable reason.*

	N	Percent	95% Confidence Interval
Senior High School	65	40	31 - 48
Middle School	145	70	65 - 76
Junior/Senior High School Combined	25	51	35 - 68
Overall	235	60	55 - 65

*Responses to questions 13 a, b, c, d, h, i, and j all are "no."
N=Unweighted number of observations

**Arizona Department of Education
2006 School Health Profiles Report
Weighted Principal Survey Results**

14. Percentage of schools that require students who fail a required physical education course to repeat it.*

	N	Percent	95% Confidence Interval
Senior High School	66	97	93 - 100
Middle School	147	7	3 - 10
Junior/Senior High School Combined	24	82	72 - 92
Overall	237	40	36 - 43

*Among those schools that require physical education for students and students take one or more required physical education courses in any of grades 6 through 12.
N=Unweighted number of observations

**Arizona Department of Education
2006 School Health Profiles Report
Weighted Principal Survey Results**

15. Percentage of schools that require newly hired staff who teach physical education to be certified, licensed, or endorsed by the state in physical education.

	N	Percent	95% Confidence Interval
a. Yes			
Senior High School	111	64	58 - 70
Middle School	189	64	59 - 70
Junior/Senior High School Combined	35	43	29 - 56
Overall	335	62	58 - 66
b. No			
Senior High School	111	24	19 - 30
Middle School	189	29	24 - 33
Junior/Senior High School Combined	35	49	37 - 62
Overall	335	29	26 - 33
c. Not Applicable			
Senior High School	111	11	7 - 16
Middle School	189	7	4 - 10
Junior/Senior High School Combined	35	8	0 - 16
Overall	335	8	6 - 11

**Arizona Department of Education
2006 School Health Profiles Report
Weighted Principal Survey Results**

16. Percentage of schools that offer students opportunities to participate in intramural activities or physical activity clubs.

	N	Percent	95% Confidence Interval
Senior High School	112	63	55 - 71
Middle School	190	79	75 - 83
Junior/Senior High School Combined	35	57	42 - 72
Overall	337	71	68 - 75

**Arizona Department of Education
2006 School Health Profiles Report
Weighted Principal Survey Results**

17. Percentage of schools that provide transportation home for students who participate in after-school intramural activities or physical activity clubs.*

	N	Percent	95% Confidence Interval
Senior High School	71	42	32 - 51
Middle School	149	60	54 - 66
Junior/Senior High School Combined	20	23	7 - 40
Overall	240	52	47 - 57

*Among those schools that offer students opportunities to participate in intramural activities or physical activity clubs.
N=Unweighted number of observations

**Arizona Department of Education
2006 School Health Profiles Report
Weighted Principal Survey Results**

18. Percentage of schools in which, outside of school hours or when school is not in session, children or adolescents use the school's physical activity or athletic facilities for community-sponsored sports teams, classes, or lessons.

	N	Percent	95% Confidence Interval
Senior High School	112	57	51 - 64
Middle School	189	72	67 - 77
Junior/Senior High School Combined	35	41	27 - 54
Overall	336	64	60 - 68

**Arizona Department of Education
2006 School Health Profiles Report
Weighted Principal Survey Results**

19. Percentage of schools that support or promote walking or biking to and from school (e.g., through promotional activities, designating safe routes or preferred routes, or having storage facilities for bicycles and helmets).

	N	Percent	95% Confidence Interval
Senior High School	112	60	52 - 68
Middle School	189	67	61 - 72
Junior/Senior High School Combined	35	51	38 - 64
Overall	336	63	59 - 67

**Arizona Department of Education
2006 School Health Profiles Report
Weighted Principal Survey Results**

20. Percentage of schools that have adopted a policy prohibiting tobacco use.

	N	Percent	95% Confidence Interval
Senior High School	112	96	94 - 99
Middle School	189	98	96 - 100
Junior/Senior High School Combined	35	98	94 - 100
Overall	336	97	96 - 99

**Arizona Department of Education
2006 School Health Profiles Report
Weighted Principal Survey Results**

21 (Students). Percentage of schools that have a tobacco-use prevention policy that specifically prohibits the use of each type of tobacco for students during any school-related activity.*

	N	Percent	95% Confidence Interval
a. Cigarettes			
Senior High School	108	99	98 - 100
Middle School	184	98	97 - 100
Junior/Senior High School Combined	34	100	100 - 100
Overall	326	99	98 - 100
b. Smokeless tobacco			
Senior High School	107	98	96 - 100
Middle School	184	97	95 - 99
Junior/Senior High School Combined	34	100	100 - 100
Overall	325	98	96 - 99
c. Cigars			
Senior High School	107	97	94 - 100
Middle School	183	94	92 - 97
Junior/Senior High School Combined	34	98	94 - 100
Overall	324	96	94 - 97
d. Pipes			
Senior High School	107	96	93 - 99
Middle School	184	94	91 - 97
Junior/Senior High School Combined	34	98	94 - 100
Overall	325	95	93 - 97

*Among those schools that have adopted a policy prohibiting tobacco use.
N=Unweighted number of observations

**Arizona Department of Education
2006 School Health Profiles Report
Weighted Principal Survey Results**

21 (Faculty/Staff). Percentage of schools that have a tobacco-use prevention policy that specifically prohibits the use of each type of tobacco for faculty/staff during any school-related activity.*

	N	Percent	95% Confidence Interval
a. Cigarettes			
Senior High School	108	96	93 - 99
Middle School	183	95	92 - 98
Junior/Senior High School Combined	34	95	90 - 100
Overall	325	95	94 - 97
b. Smokeless tobacco			
Senior High School	107	96	93 - 99
Middle School	183	94	91 - 97
Junior/Senior High School Combined	34	95	90 - 100
Overall	324	95	93 - 97
c. Cigars			
Senior High School	107	95	92 - 99
Middle School	183	92	89 - 95
Junior/Senior High School Combined	34	93	89 - 97
Overall	324	93	91 - 95
d. Pipes			
Senior High School	106	95	92 - 99
Middle School	183	92	88 - 95
Junior/Senior High School Combined	34	93	89 - 97
Overall	323	93	91 - 95

*Among those schools that have adopted a policy prohibiting tobacco use.
N=Unweighted number of observations

**Arizona Department of Education
2006 School Health Profiles Report
Weighted Principal Survey Results**

21 (Visitors). Percentage of schools that have a tobacco-use prevention policy that specifically prohibits the use of each type of tobacco for visitors during any school-related activity.*

	N	Percent	95% Confidence Interval
a. Cigarettes			
Senior High School	108	96	93 - 99
Middle School	183	95	92 - 97
Junior/Senior High School Combined	34	93	87 - 100
Overall	325	95	93 - 97
b. Smokeless tobacco			
Senior High School	107	95	92 - 99
Middle School	183	92	89 - 95
Junior/Senior High School Combined	34	93	87 - 100
Overall	324	93	91 - 96
c. Cigars			
Senior High School	106	95	91 - 99
Middle School	183	92	89 - 95
Junior/Senior High School Combined	34	91	86 - 96
Overall	323	93	91 - 95
d. Pipes			
Senior High School	106	95	91 - 99
Middle School	183	92	88 - 95
Junior/Senior High School Combined	34	91	86 - 96
Overall	323	93	90 - 95

*Among those schools that have adopted a policy prohibiting tobacco use.
N=Unweighted number of observations

**Arizona Department of Education
2006 School Health Profiles Report
Weighted Principal Survey Results**

22 (Students). Percentage of schools that have a tobacco-use prevention policy that specifically prohibits tobacco use during each of the following times for students.*

	N	Percent	95% Confidence Interval
a. During school hours			
Senior High School	108	98	96 - 100
Middle School	185	99	98 - 100
Junior/Senior High School Combined	34	100	100 - 100
Overall	327	99	98 - 100
b. During non-school hours			
Senior High School	107	89	84 - 94
Middle School	185	85	80 - 89
Junior/Senior High School Combined	33	78	66 - 90
Overall	325	85	82 - 89

*Among those schools that have adopted a policy prohibiting tobacco use.
N=Unweighted number of observations

**Arizona Department of Education
2006 School Health Profiles Report
Weighted Principal Survey Results**

22 (Faculty/Staff). Percentage of schools that have a tobacco-use prevention policy that specifically prohibits tobacco use during each of the following times for faculty/staff.*

	N	Percent	95% Confidence Interval
a. During school hours			
Senior High School	107	96	93 - 99
Middle School	184	97	94 - 99
Junior/Senior High School Combined	34	95	89 - 100
Overall	325	96	95 - 98
b. During non-school hours			
Senior High School	107	83	78 - 89
Middle School	185	79	74 - 84
Junior/Senior High School Combined	33	64	50 - 78
Overall	325	79	75 - 83

*Among those schools that have adopted a policy prohibiting tobacco use.
N=Unweighted number of observations

**Arizona Department of Education
2006 School Health Profiles Report
Weighted Principal Survey Results**

22 (Visitors). Percentage of schools that have a tobacco-use prevention policy that specifically prohibits tobacco use during each of the following times for visitors.*

	N	Percent	95% Confidence Interval
a. During school hours			
Senior High School	107	97	95 - 100
Middle School	185	95	92 - 98
Junior/Senior High School Combined	34	87	77 - 96
Overall	326	95	93 - 97
b. During non-school hours			
Senior High School	107	84	79 - 89
Middle School	185	78	72 - 83
Junior/Senior High School Combined	33	61	46 - 75
Overall	325	78	74 - 82

*Among those schools that have adopted a policy prohibiting tobacco use.
N=Unweighted number of observations

**Arizona Department of Education
2006 School Health Profiles Report
Weighted Principal Survey Results**

23 (Students). Percentage of schools that have a tobacco-use prevention policy that specifically prohibits tobacco use in each of the following locations for students.*

	N	Percent	95% Confidence Interval
a. In school buildings			
Senior High School	108	99	98 - 100
Middle School	185	98	97 - 100
Junior/Senior High School Combined	34	100	100 - 100
Overall	327	99	98 - 100
b. Outside on school grounds, including parking lots and playing fields			
Senior High School	108	99	98 - 100
Middle School	184	98	97 - 100
Junior/Senior High School Combined	34	100	100 - 100
Overall	326	99	98 - 100
c. On school buses or other vehicles used to transport students			
Senior High School	108	97	95 - 100
Middle School	185	98	97 - 100
Junior/Senior High School Combined	34	100	100 - 100
Overall	327	98	97 - 99
d. At off-campus, school-sponsored events			
Senior High School	108	97	95 - 100
Middle School	184	97	95 - 99
Junior/Senior High School Combined	34	100	100 - 100
Overall	326	97	96 - 99

*Among those schools that have adopted a policy prohibiting tobacco use.
N=Unweighted number of observations

**Arizona Department of Education
2006 School Health Profiles Report
Weighted Principal Survey Results**

23 (Faculty/Staff). Percentage of schools that have a tobacco-use prevention policy that specifically prohibits tobacco use in each of the following locations for faculty/staff.*

	N	Percent	95% Confidence Interval
a. In school buildings			
Senior High School	108	98	96 - 100
Middle School	184	99	98 - 100
Junior/Senior High School Combined	34	95	89 - 100
Overall	326	98	97 - 99
b. Outside on school grounds, including parking lots and playing fields			
Senior High School	108	97	95 - 100
Middle School	182	98	96 - 100
Junior/Senior High School Combined	34	92	84 - 99
Overall	324	97	95 - 98
c. On school buses or other vehicles used to transport students			
Senior High School	108	97	95 - 100
Middle School	183	98	97 - 100
Junior/Senior High School Combined	34	90	85 - 96
Overall	325	97	96 - 98
d. At off-campus, school-sponsored events			
Senior High School	108	96	93 - 99
Middle School	181	93	90 - 96
Junior/Senior High School Combined	34	93	86 - 99
Overall	323	94	92 - 96

*Among those schools that have adopted a policy prohibiting tobacco use.
N=Unweighted number of observations

**Arizona Department of Education
2006 School Health Profiles Report
Weighted Principal Survey Results**

23 (Visitors). Percentage of schools that have a tobacco-use prevention policy that specifically prohibits tobacco use in each of the following locations for visitors.*

	N	Percent	95% Confidence Interval
a. In school buildings			
Senior High School	108	98	96 - 100
Middle School	182	98	96 - 100
Junior/Senior High School Combined	33	95	89 - 100
Overall	323	98	96 - 99
b. Outside on school grounds, including parking lots and playing fields			
Senior High School	108	97	95 - 100
Middle School	180	95	93 - 98
Junior/Senior High School Combined	33	89	81 - 98
Overall	321	95	93 - 97
c. On school buses or other vehicles used to transport students			
Senior High School	108	97	95 - 100
Middle School	181	98	96 - 100
Junior/Senior High School Combined	33	90	84 - 96
Overall	322	97	95 - 98
d. At off-campus, school-sponsored events			
Senior High School	107	80	74 - 86
Middle School	181	78	73 - 83
Junior/Senior High School Combined	32	78	66 - 90
Overall	320	79	75 - 82

*Among those schools that have adopted a policy prohibiting tobacco use.
N=Unweighted number of observations

**Arizona Department of Education
2006 School Health Profiles Report
Weighted Principal Survey Results**

23N. Percentage of schools that have an "ideal" tobacco-use prevention policy, which means that the school has a tobacco-use prevention policy that specifically prohibits cigarettes, smokeless tobacco, cigars, and pipes by students, faculty/staff, and visitors; during school hours and during non-school hours; in school buildings, outside on school grounds, on school buses or other vehicles used to transport students, and at off-campus, school-sponsored events.*

	N	Percent	95% Confidence Interval
Senior High School	104	64	57 - 71
Middle School	175	59	53 - 65
Junior/Senior High School Combined	31	48	32 - 63
Overall	310	60	55 - 64

*Responses to question 21 (a, b, c, and d), question 22 (a and b), and question 23 (a, b, c, and d) are all "yes."
N=Unweighted number of observations

**Arizona Department of Education
2006 School Health Profiles Report
Weighted Principal Survey Results**

24. Percentage of schools that have procedures to inform each of the following groups about the tobacco-use prevention policy that prohibits their use of tobacco.*

	N	Percent	95% Confidence Interval
a. Students			
Senior High School	107	99	98 - 100
Middle School	182	98	96 - 100
Junior/Senior High School Combined	34	100	100 - 100
Overall	323	98	97 - 100
b. Faculty and staff			
Senior High School	107	94	91 - 98
Middle School	181	96	93 - 98
Junior/Senior High School Combined	33	98	94 - 100
Overall	321	95	93 - 97
c. Visitors			
Senior High School	103	91	87 - 96
Middle School	176	85	80 - 89
Junior/Senior High School Combined	33	88	80 - 97
Overall	312	87	84 - 90

*Among those schools that have adopted a policy prohibiting tobacco use.
N=Unweighted number of observations

**Arizona Department of Education
2006 School Health Profiles Report
Weighted Principal Survey Results**

25. Percentage of schools that have procedures to inform students' families about rules related to tobacco use by students.*

	N	Percent	95% Confidence Interval
a. Yes			
Senior High School	106	98	95 - 100
Middle School	181	96	94 - 99
Junior/Senior High School Combined	34	100	100 - 100
Overall	321	97	96 - 99
b. No			
Senior High School	106	2	0 - 5
Middle School	181	4	1 - 6
Junior/Senior High School Combined	34	0	0 - 0
Overall	321	3	1 - 4

*Among those schools that have adopted a policy prohibiting tobacco use.
N=Unweighted number of observations

**Arizona Department of Education
2006 School Health Profiles Report
Weighted Principal Survey Results**

26 (Never). Percentage of schools that NEVER take the following actions when students are caught smoking cigarettes.*

	N	Percent	95% Confidence Interval
a. Parents or guardians are informed			
Senior High School	108	0	0 - 0
Middle School	183	0	0 - 1
Junior/Senior High School Combined	33	0	0 - 0
Overall	324	0	0 - 1
b. Referred to a school counselor			
Senior High School	106	20	14 - 26
Middle School	181	21	16 - 26
Junior/Senior High School Combined	33	24	10 - 37
Overall	320	21	17 - 25
c. Referred to a school administrator			
Senior High School	108	0	0 - 0
Middle School	182	1	0 - 2
Junior/Senior High School Combined	34	0	0 - 0
Overall	324	1	0 - 1
d. Encouraged, but not required, to participate in an assistance, education, or cessation program			
Senior High School	108	18	12 - 24
Middle School	180	25	20 - 31
Junior/Senior High School Combined	34	28	15 - 41
Overall	322	23	19 - 27
e. Required to participate in an assistance, education, or cessation program			
Senior High School	104	46	37 - 55
Middle School	178	46	40 - 52
Junior/Senior High School Combined	33	38	23 - 54
Overall	315	45	41 - 50
f. Referred to legal authorities			
Senior High School	107	28	21 - 36
Middle School	183	20	15 - 25
Junior/Senior High School Combined	34	27	13 - 40
Overall	324	23	19 - 27
g. Placed in detention			
Senior High School	105	23	17 - 29
Middle School	182	17	12 - 22
Junior/Senior High School Combined	34	17	5 - 29
Overall	321	19	16 - 23

*Among those schools that have adopted a policy prohibiting tobacco use.
N=Unweighted number of observations

**Arizona Department of Education
2006 School Health Profiles Report
Weighted Principal Survey Results**

26 (Never). Percentage of schools that NEVER take the following actions when students are caught smoking cigarettes.*

	N	Percent	95% Confidence Interval
h. Not allowed to participate in extra-curricular activities or interscholastic sports			
Senior High School	102	26	19 - 32
Middle School	180	18	13 - 23
Junior/Senior High School Combined	32	24	16 - 33
Overall	314	21	17 - 25
i. Given in-school suspension			
Senior High School	105	27	21 - 33
Middle School	181	10	6 - 13
Junior/Senior High School Combined	33	25	12 - 38
Overall	319	17	14 - 20
j. Suspended from school			
Senior High School	106	11	6 - 16
Middle School	180	5	3 - 8
Junior/Senior High School Combined	34	15	4 - 25
Overall	320	8	5 - 10
k. Expelled from school			
Senior High School	106	66	59 - 73
Middle School	180	59	52 - 65
Junior/Senior High School Combined	34	39	24 - 54
Overall	320	59	55 - 63
l. Reassigned to an alternative school			
Senior High School	106	73	66 - 80
Middle School	181	59	53 - 65
Junior/Senior High School Combined	34	70	57 - 83
Overall	321	65	60 - 69

*Among those schools that have adopted a policy prohibiting tobacco use.
N=Unweighted number of observations

**Arizona Department of Education
2006 School Health Profiles Report
Weighted Principal Survey Results**

26 (Rarely). Percentage of schools that RARELY take the following actions when students are caught smoking cigarettes.*

	N	Percent	95% Confidence Interval
a. Parents or guardians are informed			
Senior High School	108	1	0 - 2
Middle School	183	0	0 - 0
Junior/Senior High School Combined	33	0	0 - 0
Overall	324	0	0 - 1
b. Referred to a school counselor			
Senior High School	106	10	5 - 15
Middle School	181	7	4 - 10
Junior/Senior High School Combined	33	11	2 - 19
Overall	320	8	6 - 11
c. Referred to a school administrator			
Senior High School	108	1	0 - 2
Middle School	182	1	0 - 2
Junior/Senior High School Combined	34	0	0 - 0
Overall	324	1	0 - 2
d. Encouraged, but not required, to participate in an assistance, education, or cessation program			
Senior High School	108	14	8 - 20
Middle School	180	19	14 - 24
Junior/Senior High School Combined	34	18	7 - 29
Overall	322	17	14 - 21
e. Required to participate in an assistance, education, or cessation program			
Senior High School	104	28	20 - 35
Middle School	178	22	17 - 27
Junior/Senior High School Combined	33	25	12 - 39
Overall	315	24	20 - 28
f. Referred to legal authorities			
Senior High School	107	28	20 - 35
Middle School	183	22	17 - 27
Junior/Senior High School Combined	34	24	13 - 34
Overall	324	24	20 - 28
g. Placed in detention			
Senior High School	105	15	10 - 20
Middle School	182	11	7 - 15
Junior/Senior High School Combined	34	13	4 - 22
Overall	321	13	10 - 16

*Among those schools that have adopted a policy prohibiting tobacco use.
N=Unweighted number of observations

**Arizona Department of Education
2006 School Health Profiles Report
Weighted Principal Survey Results**

26 (Rarely). Percentage of schools that RARELY take the following actions when students are caught smoking cigarettes.*

	N	Percent	95% Confidence Interval
h. Not allowed to participate in extra-curricular activities or interscholastic sports			
Senior High School	102	17	12 - 22
Middle School	180	13	9 - 17
Junior/Senior High School Combined	32	4	0 - 10
Overall	314	13	10 - 16
i. Given in-school suspension			
Senior High School	105	15	10 - 21
Middle School	181	11	7 - 15
Junior/Senior High School Combined	33	8	1 - 16
Overall	319	12	9 - 15
j. Suspended from school			
Senior High School	106	17	11 - 22
Middle School	180	7	4 - 10
Junior/Senior High School Combined	34	3	0 - 8
Overall	320	10	7 - 12
k. Expelled from school			
Senior High School	106	26	20 - 33
Middle School	180	27	22 - 33
Junior/Senior High School Combined	34	42	28 - 55
Overall	320	29	24 - 33
l. Reassigned to an alternative school			
Senior High School	106	20	14 - 26
Middle School	181	22	17 - 27
Junior/Senior High School Combined	34	18	7 - 30
Overall	321	21	17 - 25

*Among those schools that have adopted a policy prohibiting tobacco use.
N=Unweighted number of observations

**Arizona Department of Education
2006 School Health Profiles Report
Weighted Principal Survey Results**

26 (Sometimes). Percentage of schools that SOMETIMES take the following actions when students are caught smoking cigarettes.*

	N	Percent	95% Confidence Interval
a. Parents or guardians are informed			
Senior High School	108	9	5 - 14
Middle School	183	0	0 - 0
Junior/Senior High School Combined	33	0	0 - 0
Overall	324	3	2 - 5
b. Referred to a school counselor			
Senior High School	106	48	40 - 55
Middle School	181	39	33 - 44
Junior/Senior High School Combined	33	30	16 - 43
Overall	320	41	36 - 45
c. Referred to a school administrator			
Senior High School	108	9	5 - 14
Middle School	182	2	0 - 3
Junior/Senior High School Combined	34	0	0 - 0
Overall	324	4	2 - 6
d. Encouraged, but not required, to participate in an assistance, education, or cessation program			
Senior High School	108	49	41 - 57
Middle School	180	30	24 - 35
Junior/Senior High School Combined	34	37	25 - 49
Overall	322	37	33 - 41
e. Required to participate in an assistance, education, or cessation program			
Senior High School	104	18	11 - 25
Middle School	178	21	17 - 26
Junior/Senior High School Combined	33	24	13 - 35
Overall	315	21	17 - 24
f. Referred to legal authorities			
Senior High School	107	29	22 - 37
Middle School	183	34	28 - 40
Junior/Senior High School Combined	34	30	18 - 42
Overall	324	32	28 - 36
g. Placed in detention			
Senior High School	105	33	26 - 40
Middle School	182	34	28 - 39
Junior/Senior High School Combined	34	35	23 - 48
Overall	321	33	29 - 38

*Among those schools that have adopted a policy prohibiting tobacco use.
N=Unweighted number of observations

**Arizona Department of Education
2006 School Health Profiles Report
Weighted Principal Survey Results**

26 (Sometimes). Percentage of schools that SOMETIMES take the following actions when students are caught smoking cigarettes.*

	N	Percent	95% Confidence Interval
h. Not allowed to participate in extra-curricular activities or interscholastic sports			
Senior High School	102	34	27 - 41
Middle School	180	41	35 - 47
Junior/Senior High School Combined	32	50	35 - 64
Overall	314	39	35 - 44
i. Given in-school suspension			
Senior High School	105	42	35 - 48
Middle School	181	48	41 - 54
Junior/Senior High School Combined	33	47	34 - 60
Overall	319	46	41 - 50
j. Suspended from school			
Senior High School	106	48	41 - 56
Middle School	180	49	43 - 55
Junior/Senior High School Combined	34	48	32 - 65
Overall	320	49	44 - 53
k. Expelled from school			
Senior High School	106	8	3 - 12
Middle School	180	11	7 - 15
Junior/Senior High School Combined	34	15	5 - 25
Overall	320	10	8 - 13
l. Reassigned to an alternative school			
Senior High School	106	7	3 - 11
Middle School	181	17	12 - 21
Junior/Senior High School Combined	34	12	3 - 21
Overall	321	13	10 - 16

*Among those schools that have adopted a policy prohibiting tobacco use.
N=Unweighted number of observations

**Arizona Department of Education
2006 School Health Profiles Report
Weighted Principal Survey Results**

26 (Always). Percentage of schools that ALWAYS or ALMOST ALWAYS take the following actions when students are caught smoking cigarettes.*

	N	Percent	95% Confidence Interval
a. Parents or guardians are informed			
Senior High School	108	90	85 - 95
Middle School	183	100	99 - 100
Junior/Senior High School Combined	33	100	100 - 100
Overall	324	96	95 - 98
b. Referred to a school counselor			
Senior High School	106	22	16 - 28
Middle School	181	34	28 - 39
Junior/Senior High School Combined	33	36	23 - 48
Overall	320	30	26 - 34
c. Referred to a school administrator			
Senior High School	108	90	85 - 95
Middle School	182	96	94 - 98
Junior/Senior High School Combined	34	100	100 - 100
Overall	324	94	92 - 97
d. Encouraged, but not required, to participate in an assistance, education, or cessation program			
Senior High School	108	19	13 - 25
Middle School	180	26	21 - 31
Junior/Senior High School Combined	34	17	5 - 28
Overall	322	23	19 - 27
e. Required to participate in an assistance, education, or cessation program			
Senior High School	104	8	4 - 13
Middle School	178	10	6 - 14
Junior/Senior High School Combined	33	12	3 - 21
Overall	315	10	7 - 12
f. Referred to legal authorities			
Senior High School	107	15	9 - 20
Middle School	183	24	19 - 30
Junior/Senior High School Combined	34	20	8 - 32
Overall	324	21	17 - 24
g. Placed in detention			
Senior High School	105	29	22 - 36
Middle School	182	38	33 - 44
Junior/Senior High School Combined	34	34	21 - 48
Overall	321	35	31 - 39

*Among those schools that have adopted a policy prohibiting tobacco use.
N=Unweighted number of observations

**Arizona Department of Education
2006 School Health Profiles Report
Weighted Principal Survey Results**

26 (Always). Percentage of schools that ALWAYS or ALMOST ALWAYS take the following actions when students are caught smoking cigarettes.*

	N	Percent	95% Confidence Interval
h. Not allowed to participate in extra-curricular activities or interscholastic sports			
Senior High School	102	24	16 - 31
Middle School	180	29	23 - 35
Junior/Senior High School Combined	32	22	9 - 35
Overall	314	27	22 - 31
i. Given in-school suspension			
Senior High School	105	16	11 - 22
Middle School	181	32	27 - 37
Junior/Senior High School Combined	33	20	7 - 32
Overall	319	26	22 - 29
j. Suspended from school			
Senior High School	106	24	18 - 31
Middle School	180	38	32 - 45
Junior/Senior High School Combined	34	34	19 - 48
Overall	320	33	29 - 38
k. Expelled from school			
Senior High School	106	0	0 - 0
Middle School	180	3	1 - 5
Junior/Senior High School Combined	34	5	0 - 10
Overall	320	2	1 - 4
l. Reassigned to an alternative school			
Senior High School	106	1	0 - 2
Middle School	181	2	0 - 3
Junior/Senior High School Combined	34	0	0 - 0
Overall	321	1	0 - 2

*Among those schools that have adopted a policy prohibiting tobacco use.
N=Unweighted number of observations

**Arizona Department of Education
2006 School Health Profiles Report
Weighted Principal Survey Results**

27. Percentage of schools that provide referrals to tobacco cessation programs for each of the following groups.

	N	Percent	95% Confidence Interval
a. Faculty and staff			
Senior High School	112	24	17 - 31
Middle School	189	21	16 - 25
Junior/Senior High School Combined	35	23	12 - 33
Overall	336	22	18 - 26
b. Students			
Senior High School	112	58	50 - 66
Middle School	190	31	26 - 37
Junior/Senior High School Combined	35	39	27 - 52
Overall	337	41	37 - 45

**Arizona Department of Education
2006 School Health Profiles Report
Weighted Principal Survey Results**

28. Percentage of schools that prohibit tobacco advertising in each of the following locations.

	N	Percent	95% Confidence Interval
a. In the school building			
Senior High School	112	94	90 - 98
Middle School	190	97	95 - 99
Junior/Senior High School Combined	35	100	100 - 100
Overall	337	96	95 - 98
b. On school grounds including on the outside of the building, on playing fields, or other areas of the campus			
Senior High School	112	94	90 - 98
Middle School	190	97	95 - 99
Junior/Senior High School Combined	35	100	100 - 100
Overall	337	96	95 - 98
c. On school buses or other vehicles used to transport students			
Senior High School	112	94	90 - 98
Middle School	189	97	95 - 99
Junior/Senior High School Combined	35	100	100 - 100
Overall	336	96	94 - 98
d. In school publications			
Senior High School	112	92	88 - 96
Middle School	189	95	92 - 97
Junior/Senior High School Combined	35	94	87 - 100
Overall	336	94	92 - 96

**Arizona Department of Education
2006 School Health Profiles Report
Weighted Principal Survey Results**

29. Percentage of schools that prohibit tobacco advertising through sponsorship of school events.

	N	Percent	95% Confidence Interval
Senior High School	112	94	90 - 98
Middle School	190	93	90 - 96
Junior/Senior High School Combined	35	93	86 - 99
Overall	337	93	91 - 96

**Arizona Department of Education
2006 School Health Profiles Report
Weighted Principal Survey Results**

30. Percentage of schools that prohibit students from wearing tobacco brand-name apparel or carrying merchandise with tobacco company names, logos, or cartoon characters on it.

	N	Percent	95% Confidence Interval
Senior High School	112	99	98 - 100
Middle School	190	99	98 - 100
Junior/Senior High School Combined	35	96	91 - 100
Overall	337	99	98 - 100

**Arizona Department of Education
2006 School Health Profiles Report
Weighted Principal Survey Results**

30N. Percentage of schools that prohibit tobacco advertising in all locations and through sponsorship of school events, and on student apparel or merchandise.*

	N	Percent	95% Confidence Interval
Senior High School	112	89	85 - 94
Middle School	188	89	85 - 93
Junior/Senior High School Combined	35	83	76 - 91
Overall	335	89	86 - 91

*Responses to question 28 (a, b, c, and d), question 29, and question 30 are all "yes."
N=Unweighted number of observations

**Arizona Department of Education
2006 School Health Profiles Report
Weighted Principal Survey Results**

31. Percentage of schools that post signs marking a tobacco-free school zone, that is, a specified distance from school grounds where tobacco use is not allowed.

	N	Percent	95% Confidence Interval
Senior High School	112	85	80 - 90
Middle School	188	84	79 - 88
Junior/Senior High School Combined	35	78	66 - 90
Overall	335	83	80 - 87

**Arizona Department of Education
2006 School Health Profiles Report
Weighted Principal Survey Results**

32N. Percentage of schools that usually give students the following amount of time to eat lunch once they are seated.*

	N	Percent	95% Confidence Interval
a. Less than 20 minutes			
Senior High School	86	10	5 - 15
Middle School	183	26	20 - 31
Junior/Senior High School Combined	29	8	0 - 16
Overall	298	19	16 - 23
b. 20 minutes or more			
Senior High School	86	90	85 - 95
Middle School	183	74	69 - 80
Junior/Senior High School Combined	29	92	84 - 100
Overall	298	81	77 - 84

*Among schools that serve lunch to students.
N=Unweighted number of observations

**Arizona Department of Education
2006 School Health Profiles Report
Weighted Principal Survey Results**

33. Percentage of schools that have adopted a policy stating that, if food is served at student parties, after-school or extended day programs, or concession stands, fruits and vegetables will be among the foods offered.

	N	Percent	95% Confidence Interval
Senior High School	112	26	20 - 33
Middle School	187	23	18 - 28
Junior/Senior High School Combined	35	27	15 - 39
Overall	334	25	21 - 28

**Arizona Department of Education
2006 School Health Profiles Report
Weighted Principal Survey Results**

34. Percentage of schools in which students can purchase snack foods or beverages from one or more vending machines at the school or at a school store, canteen, or snack bar.

	N	Percent	95% Confidence Interval
Senior High School	111	88	83 - 93
Middle School	188	57	51 - 62
Junior/Senior High School Combined	34	72	58 - 85
Overall	333	69	65 - 73

**Arizona Department of Education
2006 School Health Profiles Report
Weighted Principal Survey Results**

35. Percentage of schools in which students can purchase the following snack foods or beverages from vending machines or at the school store, canteen, or snack bar.*

	N	Percent	95% Confidence Interval
a. Chocolate candy			
Senior High School	98	70	63 - 78
Middle School	106	27	19 - 34
Junior/Senior High School Combined	23	50	31 - 69
Overall	227	48	43 - 53
b. Other kinds of candy			
Senior High School	97	74	67 - 81
Middle School	106	32	25 - 40
Junior/Senior High School Combined	23	58	40 - 75
Overall	226	53	48 - 58
c. Salty snacks that are not low in fat, such as regular potato chips			
Senior High School	97	78	71 - 85
Middle School	107	38	30 - 46
Junior/Senior High School Combined	23	71	56 - 86
Overall	227	59	53 - 64
d. Salty snacks that are low in fat, such as pretzels, baked chips, or other low fat chips			
Senior High School	98	85	79 - 91
Middle School	107	64	56 - 72
Junior/Senior High School Combined	24	67	51 - 82
Overall	229	73	69 - 78
e. Fruits or vegetables, not juice			
Senior High School	97	36	28 - 43
Middle School	106	38	30 - 45
Junior/Senior High School Combined	23	35	18 - 53
Overall	226	37	31 - 42
f. Low-fat cookies, crackers, cakes, pastries, or other low-fat baked goods			
Senior High School	97	74	66 - 82
Middle School	106	46	38 - 53
Junior/Senior High School Combined	23	48	30 - 66
Overall	226	58	53 - 63

*Among those schools where students can purchase snack foods or beverages from one or more vending machines at the school or at a school store, canteen, or snack bar.

N=Unweighted number of observations

**Arizona Department of Education
2006 School Health Profiles Report
Weighted Principal Survey Results**

35. Percentage of schools in which students can purchase the following snack foods or beverages from vending machines or at the school store, canteen, or snack bar.*

	N	Percent	95% Confidence Interval
g. Soda pop or fruit drinks that are not 100% juice			
Senior High School	98	86	80 - 91
Middle School	107	40	33 - 47
Junior/Senior High School Combined	23	72	58 - 86
Overall	228	63	58 - 68
h. Sports drinks			
Senior High School	98	89	83 - 94
Middle School	107	83	77 - 89
Junior/Senior High School Combined	23	88	77 - 99
Overall	228	86	82 - 90
i. 100% fruit juice or vegetable juice			
Senior High School	97	73	66 - 81
Middle School	107	58	50 - 66
Junior/Senior High School Combined	22	69	53 - 84
Overall	226	66	61 - 71
j. Bottled water			
Senior High School	98	97	94 - 100
Middle School	107	91	87 - 96
Junior/Senior High School Combined	23	95	88 - 100
Overall	228	94	92 - 97
k. 1% or skim milk			
Senior High School	96	36	28 - 44
Middle School	107	42	36 - 49
Junior/Senior High School Combined	23	32	14 - 50
Overall	226	39	33 - 44
l. 2% or whole milk (plain or flavored)			
Senior High School	96	42	34 - 50
Middle School	107	38	30 - 45
Junior/Senior High School Combined	24	38	20 - 56
Overall	227	40	34 - 45

*Among those schools where students can purchase snack foods or beverages from one or more vending machines at the school or at a school store, canteen, or snack bar.

N=Unweighted number of observations

**Arizona Department of Education
2006 School Health Profiles Report
Weighted Principal Survey Results**

36. Percentage of schools in which students can purchase candy; snacks that are not low in fat; soda pop, sports drinks, or fruit drinks that are not 100% fruit juice; or 2% or whole milk during the following times.*

	N	Percent	95% Confidence Interval
a. Before classes begin in the morning			
Senior High School	98	78	72 - 85
Middle School	106	39	31 - 47
Junior/Senior High School Combined	24	46	28 - 64
Overall	228	57	51 - 62
b. During any school hours when meals are not being served			
Senior High School	98	60	52 - 68
Middle School	106	23	16 - 30
Junior/Senior High School Combined	24	43	25 - 62
Overall	228	41	36 - 46
c. During school lunch periods			
Senior High School	98	66	57 - 74
Middle School	106	39	31 - 47
Junior/Senior High School Combined	23	41	23 - 60
Overall	227	51	45 - 57

*Among those schools where students can purchase snack foods or beverages from vending machines at the school or at the school store, canteen, or snack bar.
N=Unweighted number of observations

**Arizona Department of Education
2006 School Health Profiles Report
Weighted Principal Survey Results**

37. Percentage of schools that have used the School Health Index from the Centers for Disease Control and Prevention to assess health and safety policies and programs.

	N	Percent	95% Confidence Interval
Senior High School	112	13	8 - 18
Middle School	185	14	10 - 18
Junior/Senior High School Combined	34	21	10 - 33
Overall	331	14	11 - 17

**Arizona Department of Education
2006 School Health Profiles Report
Weighted Principal Survey Results**

38. Percentage of schools that have implemented each of the following safety and security measures.

	N	Percent	95% Confidence Interval
a. Require visitors to report to the main office or reception area upon arrival			
Senior High School	112	100	100 - 100
Middle School	189	99	99 - 100
Junior/Senior High School Combined	35	100	100 - 100
Overall	336	100	99 - 100
b. Maintain a "closed campus" where students are not allowed to leave school during the school day, including during lunchtime			
Senior High School	112	76	70 - 83
Middle School	189	96	93 - 98
Junior/Senior High School Combined	34	71	58 - 84
Overall	335	87	84 - 89
c. Use staff or adult volunteers to monitor school halls during and between classes			
Senior High School	112	92	87 - 96
Middle School	189	89	85 - 92
Junior/Senior High School Combined	35	94	88 - 100
Overall	336	90	88 - 93
d. Routinely conduct locker searches			
Senior High School	109	25	18 - 31
Middle School	183	16	12 - 21
Junior/Senior High School Combined	33	25	13 - 38
Overall	325	20	17 - 23
e. Require students to wear school uniforms			
Senior High School	112	12	8 - 17
Middle School	189	38	32 - 45
Junior/Senior High School Combined	35	43	27 - 59
Overall	336	30	26 - 34
f. Require students to wear identification badges			
Senior High School	112	20	14 - 26
Middle School	188	10	7 - 13
Junior/Senior High School Combined	34	10	1 - 18
Overall	334	13	11 - 16

**Arizona Department of Education
2006 School Health Profiles Report
Weighted Principal Survey Results**

38. Percentage of schools that have implemented each of the following safety and security measures.

	N	Percent	95% Confidence Interval
g. Use metal detectors, including wands			
Senior High School	112	5	2 - 9
Middle School	188	3	1 - 5
Junior/Senior High School Combined	35	3	0 - 7
Overall	335	4	2 - 5
h. Use security or surveillance cameras, either inside or outside of the building			
Senior High School	111	44	37 - 51
Middle School	188	21	16 - 25
Junior/Senior High School Combined	35	36	24 - 49
Overall	334	30	26 - 34
i. Use police, school resource officers, or security guards during the regular school day			
Senior High School	111	63	56 - 70
Middle School	188	46	40 - 52
Junior/Senior High School Combined	35	32	19 - 45
Overall	334	50	46 - 54

**Arizona Department of Education
2006 School Health Profiles Report
Weighted Principal Survey Results**

39. Percentage of schools that have or participate in each of the following programs.

	N	Percent	95% Confidence Interval
a. A peer mediation program			
Senior High School	112	38	30 - 45
Middle School	188	42	37 - 48
Junior/Senior High School Combined	35	25	12 - 38
Overall	335	39	35 - 43
b. A safe-passages to school program			
Senior High School	112	6	2 - 9
Middle School	187	13	9 - 17
Junior/Senior High School Combined	35	12	2 - 21
Overall	334	10	8 - 13
c. A program to prevent gang violence			
Senior High School	112	38	31 - 45
Middle School	187	46	40 - 51
Junior/Senior High School Combined	35	25	12 - 37
Overall	334	41	37 - 45
d. A program to prevent bullying			
Senior High School	112	49	42 - 56
Middle School	187	80	75 - 84
Junior/Senior High School Combined	35	73	60 - 86
Overall	334	69	65 - 72

**Arizona Department of Education
2006 School Health Profiles Report
Weighted Principal Survey Results**

40. Percentage of schools that have a comprehensive plan to address crisis preparedness, response, and recovery in the event of a natural disaster or other emergency or crisis situation.

	N	Percent	95% Confidence Interval
Senior High School	106	92	88 - 96
Middle School	185	91	87 - 94
Junior/Senior High School Combined	35	90	82 - 98
Overall	326	91	89 - 93

**Arizona Department of Education
2006 School Health Profiles Report
Weighted Principal Survey Results**

41. Percentage of schools that have a school nurse who provides standard health services to students.

	N	Percent	95% Confidence Interval
Senior High School	112	63	56 - 71
Middle School	188	73	69 - 78
Junior/Senior High School Combined	35	43	29 - 56
Overall	335	67	63 - 71

**Arizona Department of Education
2006 School Health Profiles Report
Weighted Principal Survey Results**

42. Percentage of schools in which students are permitted to carry and self-administer each of the following medications.

	N	Percent	95% Confidence Interval
a. A prescription quick-relief inhaler			
Senior High School	112	72	66 - 79
Middle School	189	56	50 - 61
Junior/Senior High School Combined	35	64	49 - 78
Overall	336	62	58 - 66
b. An epinephrine auto-injector (e.g., EpiPen®)			
Senior High School	111	45	37 - 53
Middle School	189	28	23 - 33
Junior/Senior High School Combined	35	35	23 - 47
Overall	335	34	30 - 38
c. Insulin or other injected medications			
Senior High School	112	27	21 - 32
Middle School	189	16	12 - 20
Junior/Senior High School Combined	35	19	8 - 30
Overall	336	20	17 - 23
d. Any other prescribed medications			
Senior High School	112	11	7 - 15
Middle School	189	3	1 - 5
Junior/Senior High School Combined	35	4	0 - 9
Overall	336	6	4 - 8
e. Any over-the-counter medications			
Senior High School	112	12	7 - 16
Middle School	189	5	2 - 7
Junior/Senior High School Combined	35	11	2 - 21
Overall	336	8	5 - 10

**Arizona Department of Education
2006 School Health Profiles Report
Weighted Principal Survey Results**

42N. Percentage of schools in which students are permitted to carry and self-administer a prescription quick-relief inhaler, an epinephrine auto-injector, and insulin or other injected medications.*

	N	Percent	95% Confidence Interval
Senior High School	111	24	18 - 30
Middle School	189	14	10 - 17
Junior/Senior High School Combined	35	14	4 - 24
Overall	335	17	14 - 20

*Responses to questions 42a, b, and c all are "yes."
N=Unweighted number of observations

**Arizona Department of Education
2006 School Health Profiles Report
Weighted Principal Survey Results**

43. Percentage of schools that provide each of the following health services to students.

	N	Percent	95% Confidence Interval
a. Identification or school-based management of chronic health conditions, such as asthma or diabetes			
Senior High School	112	66	60 - 73
Middle School	189	74	69 - 80
Junior/Senior High School Combined	35	65	51 - 79
Overall	336	71	67 - 75
b. Identification or school-based management of acute illnesses			
Senior High School	112	58	51 - 66
Middle School	189	65	59 - 71
Junior/Senior High School Combined	35	40	25 - 55
Overall	336	60	56 - 64
c. An Asthma Action Plan (or Individualized Health Plan) for all students with asthma			
Senior High School	112	42	35 - 50
Middle School	187	56	51 - 62
Junior/Senior High School Combined	35	42	28 - 55
Overall	334	50	46 - 54
d. Immunizations			
Senior High School	111	53	46 - 60
Middle School	188	53	47 - 59
Junior/Senior High School Combined	34	37	23 - 51
Overall	333	51	47 - 56
e. Assistance with enrolling in Medicaid or SCHIP (State Children's Health Insurance Program)			
Senior High School	112	46	38 - 54
Middle School	188	50	44 - 55
Junior/Senior High School Combined	35	37	23 - 50
Overall	335	47	42 - 52

**Arizona Department of Education
2006 School Health Profiles Report
Weighted Principal Survey Results**

44. Percentage of schools that have adopted a policy on students and/or staff who have HIV infection or AIDS.

	N	Percent	95% Confidence Interval
Senior High School	106	40	33 - 47
Middle School	187	42	37 - 48
Junior/Senior High School Combined	35	43	31 - 55
Overall	328	42	37 - 46

**Arizona Department of Education
2006 School Health Profiles Report
Weighted Principal Survey Results**

45. Percentage of schools with a policy that addresses each of the following issues for students and/or staff with HIV infection or AIDS.*

	N	Percent	95% Confidence Interval
a. Attendance of students with HIV infection			
Senior High School	43	90	83 - 98
Middle School	78	92	87 - 97
Junior/Senior High School Combined	14	93	83 - 100
Overall	135	92	88 - 95
b. Procedures to protect HIV-infected students and staff from discrimination			
Senior High School	43	98	94 - 100
Middle School	78	95	91 - 99
Junior/Senior High School Combined	14	100	100 - 100
Overall	135	96	94 - 99
c. Maintaining confidentiality of HIV-infected students and staff			
Senior High School	43	98	94 - 100
Middle School	78	95	90 - 99
Junior/Senior High School Combined	14	100	100 - 100
Overall	135	96	93 - 99
d. Worksite safety			
Senior High School	43	100	100 - 100
Middle School	78	97	94 - 100
Junior/Senior High School Combined	14	100	100 - 100
Overall	135	98	97 - 100
e. Confidential counseling for HIV-infected students			
Senior High School	43	83	74 - 93
Middle School	78	73	66 - 81
Junior/Senior High School Combined	14	50	33 - 67
Overall	135	74	68 - 80
f. Communication of the policy to students, school staff, and parents			
Senior High School	43	92	86 - 99
Middle School	78	79	72 - 87
Junior/Senior High School Combined	13	75	55 - 94
Overall	134	83	78 - 88

*Among schools that have adopted a policy on students and/or staff who have HIV infection or AIDS.
N=Unweighted number of observations

**Arizona Department of Education
2006 School Health Profiles Report
Weighted Principal Survey Results**

45. Percentage of schools with a policy that addresses each of the following issues for students and/or staff with HIV infection or AIDS.*

	N	Percent	95% Confidence Interval
g. Adequate training about HIV infection for school staff			
Senior High School	43	85	76 - 95
Middle School	78	89	84 - 95
Junior/Senior High School Combined	14	100	100 - 100
Overall	135	89	85 - 94
h. Procedures for implementing the policy			
Senior High School	43	95	90 - 100
Middle School	78	90	84 - 95
Junior/Senior High School Combined	14	92	79 - 100
Overall	135	92	88 - 96

*Among schools that have adopted a policy on students and/or staff who have HIV infection or AIDS.
N=Unweighted number of observations