

**Arizona
2008 School Health Profiles Report
Weighted Principal Survey Results**

2. Percentage of schools that ever used the School Health Index or other self-assessment tool to assess school policies, activities, and programs in the following areas.

	N	Percent	95% Confidence Interval
a. Physical activity			
High Schools	98	19	13 - 27
Middle Schools	142	27	22 - 34
Junior/Senior High Schools	20	30	17 - 48
All Schools	260	25	21 - 29
b. Nutrition			
High Schools	98	23	17 - 31
Middle Schools	139	30	24 - 38
Junior/Senior High Schools	20	35	23 - 50
All Schools	257	28	23 - 33
c. Tobacco-use prevention			
High Schools	98	31	23 - 39
Middle Schools	140	31	25 - 38
Junior/Senior High Schools	20	30	18 - 46
All Schools	258	31	26 - 36
d. Asthma			
High Schools	98	10	6 - 17
Middle Schools	139	13	9 - 19
Junior/Senior High Schools	20	20	12 - 32
All Schools	257	13	9 - 17

**Arizona
2008 School Health Profiles Report
Weighted Principal Survey Results**

3. Percentage of schools that have a copy of district's wellness policy.

	N	Percent	95% Confidence Interval
Yes			
High Schools	101	62	54 - 69
Middle Schools	141	80	73 - 85
Junior/Senior High Schools	19	53	38 - 69
All Schools	261	71	66 - 75
No			
High Schools	101	18	13 - 26
Middle Schools	141	13	8 - 19
Junior/Senior High Schools	19	16	6 - 38
All Schools	261	15	12 - 19
District does not have wellness policy			
High Schools	101	20	14 - 27
Middle Schools	141	7	4 - 12
Junior/Senior High Schools	19	31	15 - 53
All Schools	261	14	11 - 18

NA=Not available

N=Unweighted number of observations

Arizona
2008 School Health Profiles Report
Weighted Principal Survey Results

4. Percentage of schools that currently have someone who oversees or coordinates school health and safety programs and activities.

	N	Percent	95% Confidence Interval
High Schools	101	74	65 - 82
Middle Schools	143	87	81 - 91
Junior/Senior High Schools	20	79	67 - 88
All Schools	264	81	77 - 85

**Arizona
2008 School Health Profiles Report
Weighted Principal Survey Results**

5. Percentage of schools that have one or more than one group (e.g., a school health council, committee, or team) that offers guidance on the development of policies or coordinates activities on health topics.

	N	Percent	95% Confidence Interval
High Schools	101	42	34 - 51
Middle Schools	143	43	36 - 51
Junior/Senior High Schools	20	55	33 - 75
All Schools	264	44	38 - 49

**Arizona
2008 School Health Profiles Report
Weighted Principal Survey Results**

6. Percentage of schools that have the following groups represented on any school health council, committee, or team.*

	N	Percent	95% Confidence Interval
a. School administration			
High Schools	44	86	74 - 93
Middle Schools	60	95	87 - 98
Junior/Senior High Schools	11	81	53 - 94
All Schools	115	90	84 - 94
b. Health education teachers			
High Schools	44	66	54 - 77
Middle Schools	60	64	54 - 72
Junior/Senior High Schools	11	63	37 - 84
All Schools	115	65	57 - 71
c. Physical education teachers			
High Schools	44	70	56 - 81
Middle Schools	60	76	66 - 84
Junior/Senior High Schools	11	46	23 - 70
All Schools	115	71	63 - 77
d. Mental health or social services staff			
High Schools	44	48	36 - 61
Middle Schools	57	45	35 - 56
Junior/Senior High Schools	11	35	16 - 62
All Schools	112	45	38 - 53
e. Nutrition or food service staff			
High Schools	44	53	39 - 66
Middle Schools	58	66	55 - 75
Junior/Senior High Schools	11	54	30 - 77
All Schools	113	60	51 - 68
f. Health services staff (e.g., school nurse)			
High Schools	44	69	57 - 79
Middle Schools	59	74	64 - 83
Junior/Senior High Schools	11	63	37 - 84
All Schools	114	71	64 - 78

*Among those schools that have one or more than one group that offers guidance on the development of policies or coordinates activities on health topics.

NA=Not available

N=Unweighted number of observations

**Arizona
2008 School Health Profiles Report
Weighted Principal Survey Results**

6. Percentage of schools that have the following groups represented on any school health council, committee, or team.*

	N	Percent	95% Confidence Interval
g. Maintenance and transportation staff			
High Schools	44	21	11 - 35
Middle Schools	57	28	19 - 39
Junior/Senior High Schools	11	46	23 - 70
All Schools	112	27	20 - 35
h. Student body			
High Schools	44	43	30 - 56
Middle Schools	56	29	19 - 40
Junior/Senior High Schools	11	38	17 - 64
All Schools	111	35	28 - 43
i. Parents or families of students			
High Schools	44	45	32 - 58
Middle Schools	56	59	48 - 69
Junior/Senior High Schools	11	72	45 - 89
All Schools	111	55	47 - 63
j. Community			
High Schools	43	47	34 - 60
Middle Schools	56	41	31 - 52
Junior/Senior High Schools	11	56	31 - 78
All Schools	110	45	37 - 53
k. Local health departments, agencies, or organizations			
High Schools	43	43	31 - 55
Middle Schools	57	27	18 - 38
Junior/Senior High Schools	11	56	31 - 78
All Schools	111	36	29 - 44
l. Faith-based organizations			
High Schools	44	5	1 - 15
Middle Schools	56	5	2 - 14
Junior/Senior High Schools	11	10	2 - 40
All Schools	111	6	3 - 11

*Among those schools that have one or more than one group that offers guidance on the development of policies or coordinates activities on health topics.

NA=Not available

N=Unweighted number of observations

**Arizona
2008 School Health Profiles Report
Weighted Principal Survey Results**

6. Percentage of schools that have the following groups represented on any school health council, committee, or team.*

	N	Percent	95% Confidence Interval
m. Businesses			
High Schools	43	17	9 - 29
Middle Schools	57	7	3 - 16
Junior/Senior High Schools	11	28	11 - 56
All Schools	111	13	8 - 20
n. Local government			
High Schools	43	15	7 - 27
Middle Schools	57	12	6 - 22
Junior/Senior High Schools	11	10	2 - 40
All Schools	111	13	8 - 20

*Among those schools that have one or more than one group that offers guidance on the development of policies or coordinates activities on health topics.

NA=Not available

N=Unweighted number of observations

**Arizona
2008 School Health Profiles Report
Weighted Principal Survey Results**

7. Percentage of schools that require school staff to receive professional development on HIV, STD, or pregnancy prevention issues and resources for the following groups.

	N	Percent	95% Confidence Interval
a. Ethnic/racial minority youth at high risk			
High Schools	101	30	23 - 38
Middle Schools	142	15	11 - 22
Junior/Senior High Schools	20	10	3 - 30
All Schools	263	21	17 - 25
b. Youth who participate in drop-out prevention, alternative education, or GED programs			
High Schools	100	37	29 - 46
Middle Schools	141	11	7 - 16
Junior/Senior High Schools	20	15	6 - 34
All Schools	261	21	17 - 25

**Arizona
2008 School Health Profiles Report
Weighted Principal Survey Results**

8. Percentage of schools that have a student-led club that aims to create a safe, welcoming, and accepting school environment for all youth, regardless of sexual orientation or gender identity.

	N	Percent	95% Confidence Interval
High Schools	95	32	25 - 40
Middle Schools	139	11	7 - 16
Junior/Senior High Schools	20	15	5 - 35
All Schools	254	19	15 - 23

**Arizona
2008 School Health Profiles Report
Weighted Principal Survey Results**

9. Percentage of schools that have adopted a policy that addresses each of the following issues for students or staff with HIV infection or AIDS.

	N	Percent	95% Confidence Interval
a. Attendance of students with HIV infection			
High Schools	99	43	35 - 53
Middle Schools	139	60	53 - 67
Junior/Senior High Schools	20	55	37 - 73
All Schools	258	53	48 - 59
b. Procedures to protect HIV-infected students and staff from discrimination			
High Schools	99	51	43 - 60
Middle Schools	139	61	54 - 68
Junior/Senior High Schools	20	51	33 - 69
All Schools	258	56	51 - 62
c. Maintaining confidentiality of HIV-infected students and staff			
High Schools	99	60	50 - 68
Middle Schools	139	69	62 - 75
Junior/Senior High Schools	20	60	41 - 76
All Schools	258	65	59 - 69
d. Worksite safety			
High Schools	99	71	62 - 78
Middle Schools	139	75	68 - 81
Junior/Senior High Schools	20	80	58 - 92
All Schools	258	74	69 - 78
e. Confidential counseling for HIV-infected students			
High Schools	99	46	37 - 54
Middle Schools	138	50	43 - 57
Junior/Senior High Schools	20	40	26 - 56
All Schools	257	47	42 - 53
f. Communication of the policy to students, school staff, and parents			
High Schools	99	46	36 - 55
Middle Schools	139	53	45 - 61
Junior/Senior High Schools	20	45	29 - 63
All Schools	258	50	44 - 55

NA=Not available

N=Unweighted number of observations

**Arizona
2008 School Health Profiles Report
Weighted Principal Survey Results**

9. Percentage of schools that have adopted a policy that addresses each of the following issues for students or staff with HIV infection or AIDS.

	N	Percent	95% Confidence Interval
g. Adequate training about HIV infection for school staff			
High Schools	98	48	39 - 57
Middle Schools	139	58	51 - 65
Junior/Senior High Schools	20	45	24 - 67
All Schools	257	53	48 - 59
h. Procedures for implementing the policy			
High Schools	99	49	40 - 57
Middle Schools	139	58	50 - 65
Junior/Senior High Schools	20	45	26 - 66
All Schools	258	53	48 - 59

**Arizona
2008 School Health Profiles Report
Weighted Principal Survey Results**

10. Percentage of schools that require all staff who teach health education topics to be certified, licensed, or endorsed by the state in health education.

	N	Percent	95% Confidence Interval
a. Yes			
High Schools	99	37	29 - 45
Middle Schools	141	32	26 - 39
Junior/Senior High Schools	20	19	8 - 38
All Schools	260	33	28 - 38
b. No			
High Schools	99	32	24 - 41
Middle Schools	141	48	42 - 55
Junior/Senior High Schools	20	50	30 - 70
All Schools	260	42	37 - 48
c. Not applicable			
High Schools	99	31	23 - 40
Middle Schools	141	19	14 - 26
Junior/Senior High Schools	20	30	16 - 50
All Schools	260	25	20 - 30

Arizona
2008 School Health Profiles Report
Weighted Principal Survey Results

11. Percentage of schools that require physical education for students in any of grades 6 through 12.

	N	Percent	95% Confidence Interval
High Schools	101	61	55 - 67
Middle Schools	141	83	77 - 88
Junior/Senior High Schools	20	61	39 - 79
All Schools	262	73	69 - 77

**Arizona
2008 School Health Profiles Report
Weighted Principal Survey Results**

12. Percentage of all schools that taught a required physical education course in each of the following grades.

	N	Percent	95% Confidence Interval
a. Sixth grade			
High Schools	NA	NA	NA
Middle Schools	123	81	74 - 87
Junior/Senior High Schools	18	51	27 - 74
All Schools	141	77	70 - 83
b. Seventh grade			
High Schools	NA	NA	NA
Middle Schools	139	80	73 - 85
Junior/Senior High Schools	20	56	37 - 73
All Schools	159	77	70 - 82
c. Eighth grade			
High Schools	NA	NA	NA
Middle Schools	139	75	69 - 81
Junior/Senior High Schools	20	56	37 - 73
All Schools	159	73	66 - 78
d. Ninth grade			
High Schools	97	58	51 - 64
Middle Schools	31	17	8 - 32
Junior/Senior High Schools	20	46	27 - 66
All Schools	148	48	41 - 54
e. Tenth grade			
High Schools	97	27	20 - 35
Middle Schools	NA	NA	NA
Junior/Senior High Schools	20	41	24 - 60
All Schools	117	29	23 - 36
f. Eleventh grade			
High Schools	95	24	18 - 32
Middle Schools	NA	NA	NA
Junior/Senior High Schools	19	33	18 - 51
All Schools	114	26	20 - 33
g. Twelfth grade			
High Schools	96	23	17 - 31
Middle Schools	NA	NA	NA
Junior/Senior High Schools	19	33	18 - 51
All Schools	115	25	19 - 32

NA=Not available

N=Unweighted number of observations

**Arizona
2008 School Health Profiles Report
Weighted Principal Survey Results**

13. Percentage of schools in which students can be exempted from taking a required physical education course for one grading period or longer for any of the following reasons.*

	N	Percent	95% Confidence Interval
a. Enrollment in other courses			
High Schools	63	22	14 - 34
Middle Schools	117	27	21 - 35
Junior/Senior High Schools	12	26	11 - 51
All Schools	192	25	20 - 31
b. Participation in school sports			
High Schools	62	16	10 - 25
Middle Schools	117	6	3 - 11
Junior/Senior High Schools	12	16	5 - 44
All Schools	191	10	7 - 14
c. Participation in other school activities			
High Schools	62	33	24 - 44
Middle Schools	117	28	21 - 35
Junior/Senior High Schools	12	8	2 - 35
All Schools	191	28	23 - 34
d. Participation in community sports activities			
High Schools	60	7	3 - 16
Middle Schools	116	4	2 - 9
Junior/Senior High Schools	12	16	5 - 41
All Schools	188	6	4 - 10
e. Religious reasons			
High Schools	60	47	36 - 57
Middle Schools	115	57	49 - 64
Junior/Senior High Schools	12	58	30 - 82
All Schools	187	54	48 - 59
f. Long-term physical or medical disability			
High Schools	61	88	80 - 94
Middle Schools	116	83	75 - 88
Junior/Senior High Schools	12	74	46 - 91
All Schools	189	84	79 - 88
g. Cognitive disability			
High Schools	59	36	26 - 48
Middle Schools	112	38	31 - 46
Junior/Senior High Schools	12	25	9 - 53
All Schools	183	37	31 - 43

*Among those schools that require physical education for students in any of grades 6 through 12.

NA=Not available

N=Unweighted number of observations

**Arizona
2008 School Health Profiles Report
Weighted Principal Survey Results**

13. Percentage of schools in which students can be exempted from taking a required physical education course for one grading period or longer for any of the following reasons.*

	N	Percent	95% Confidence Interval
h. High physical fitness competency test score			
High Schools	60	5	2 - 13
Middle Schools	115	2	0 - 6
Junior/Senior High Schools	12	8	2 - 35
All Schools	187	3	2 - 6
i. Participation in vocational training			
High Schools	60	4	1 - 11
Middle Schools	115	1	0 - 5
Junior/Senior High Schools	12	8	2 - 35
All Schools	187	2	1 - 5
j. Participation in community service activities			
High Schools	60	4	1 - 11
Middle Schools	116	5	3 - 10
Junior/Senior High Schools	12	16	5 - 41
All Schools	188	5	3 - 9

*Among those schools that require physical education for students in any of grades 6 through 12.

NA=Not available

N=Unweighted number of observations

**Arizona
2008 School Health Profiles Report
Weighted Principal Survey Results**

14. Percentage of schools in which all staff who teach physical education are certified, licensed, or endorsed by the state in physical education.

	N	Percent	95% Confidence Interval
a. Yes			
High Schools	99	54	47 - 60
Middle Schools	142	67	60 - 73
Junior/Senior High Schools	20	40	24 - 58
All Schools	261	60	55 - 64
b. No			
High Schools	99	27	20 - 35
Middle Schools	142	26	20 - 32
Junior/Senior High Schools	20	50	32 - 69
All Schools	261	28	24 - 33
c. Not Applicable			
High Schools	99	20	14 - 27
Middle Schools	142	7	4 - 12
Junior/Senior High Schools	20	9	3 - 28
All Schools	261	12	9 - 16

Arizona
2008 School Health Profiles Report
Weighted Principal Survey Results

15. Percentage of schools in which physical education teachers or specialists received professional development on physical education during the past two years.

	N	Percent	95% Confidence Interval
High Schools	99	55	48 - 62
Middle Schools	142	78	72 - 82
Junior/Senior High Schools	19	26	14 - 42
All Schools	260	65	61 - 69

**Arizona
2008 School Health Profiles Report
Weighted Principal Survey Results**

16. Percentage of schools that provide those who teach physical education with the following materials.

	N	Percent	95% Confidence Interval
a. Goals, objectives, and expected outcomes for physical education			
High Schools	96	67	60 - 74
Middle Schools	142	91	87 - 94
Junior/Senior High Schools	19	73	51 - 87
All Schools	257	81	77 - 84
b. A chart describing the annual scope and sequence of instruction for physical education			
High Schools	96	57	50 - 64
Middle Schools	137	61	53 - 67
Junior/Senior High Schools	19	63	41 - 81
All Schools	252	59	54 - 64
c. Plans for how to assess student performance in physical education			
High Schools	96	58	51 - 65
Middle Schools	138	73	66 - 79
Junior/Senior High Schools	19	62	43 - 78
All Schools	253	66	62 - 71
d. A written physical education curriculum			
High Schools	96	60	53 - 67
Middle Schools	138	67	61 - 72
Junior/Senior High Schools	19	52	32 - 71
All Schools	253	63	58 - 67

NA=Not available

N=Unweighted number of observations

Arizona
2008 School Health Profiles Report
Weighted Principal Survey Results

17. Percentage of schools that offer opportunities for all students to participate in intramural activities or physical activity clubs.

	N	Percent	95% Confidence Interval
High Schools	94	59	52 - 66
Middle Schools	137	79	73 - 85
Junior/Senior High Schools	20	70	52 - 83
All Schools	251	71	67 - 75

Arizona
2008 School Health Profiles Report
Weighted Principal Survey Results

18. Percentage of schools that have adopted a policy prohibiting tobacco use.

	N	Percent	95% Confidence Interval
High Schools	100	97	91 - 99
Middle Schools	143	98	94 - 99
Junior/Senior High Schools	20	95	74 - 99
All Schools	263	97	95 - 99

Arizona
2008 School Health Profiles Report
Weighted Principal Survey Results

19 (Students). Percentage of all schools that have a tobacco-use prevention policy that specifically prohibits the use of each type of tobacco for students during any school-related activity.

	N	Percent	95% Confidence Interval
a. Cigarettes			
High Schools	100	95	89 - 98
Middle Schools	143	95	91 - 97
Junior/Senior High Schools	20	95	74 - 99
All Schools	263	95	92 - 97
b. Smokeless tobacco			
High Schools	100	93	87 - 97
Middle Schools	143	95	91 - 97
Junior/Senior High Schools	20	95	74 - 99
All Schools	263	94	91 - 96
c. Cigars			
High Schools	100	92	85 - 95
Middle Schools	143	94	90 - 97
Junior/Senior High Schools	20	90	69 - 97
All Schools	263	93	89 - 95
d. Pipes			
High Schools	100	92	85 - 95
Middle Schools	143	94	90 - 97
Junior/Senior High Schools	20	90	69 - 97
All Schools	263	93	89 - 95

**Arizona
2008 School Health Profiles Report
Weighted Principal Survey Results**

19 (Faculty/Staff). Percentage of all schools that have a tobacco-use prevention policy that specifically prohibits the use of each type of tobacco for faculty/staff during any school-related activity.

	N	Percent	95% Confidence Interval
a. Cigarettes			
High Schools	98	95	88 - 97
Middle Schools	143	95	91 - 97
Junior/Senior High Schools	20	95	74 - 99
All Schools	261	95	92 - 97
b. Smokeless tobacco			
High Schools	98	93	87 - 97
Middle Schools	143	94	90 - 97
Junior/Senior High Schools	20	95	74 - 99
All Schools	261	94	91 - 96
c. Cigars			
High Schools	98	90	83 - 95
Middle Schools	143	94	90 - 97
Junior/Senior High Schools	20	90	69 - 97
All Schools	261	92	89 - 95
d. Pipes			
High Schools	98	90	83 - 95
Middle Schools	143	94	90 - 97
Junior/Senior High Schools	20	90	69 - 97
All Schools	261	92	89 - 95

**Arizona
2008 School Health Profiles Report
Weighted Principal Survey Results**

19 (Visitors). Percentage of all schools that have a tobacco-use prevention policy that specifically prohibits the use of each type of tobacco for visitors during any school-related activity.

	N	Percent	95% Confidence Interval
a. Cigarettes			
High Schools	99	95	89 - 98
Middle Schools	143	95	91 - 97
Junior/Senior High Schools	20	95	74 - 99
All Schools	262	95	92 - 97
b. Smokeless tobacco			
High Schools	99	93	87 - 97
Middle Schools	143	93	89 - 96
Junior/Senior High Schools	20	95	74 - 99
All Schools	262	93	90 - 95
c. Cigars			
High Schools	99	90	83 - 95
Middle Schools	143	94	90 - 97
Junior/Senior High Schools	20	90	69 - 97
All Schools	262	93	89 - 95
d. Pipes			
High Schools	99	90	83 - 95
Middle Schools	143	94	90 - 97
Junior/Senior High Schools	20	90	69 - 97
All Schools	262	93	89 - 95

**Arizona
2008 School Health Profiles Report
Weighted Principal Survey Results**

20 (Students). Percentage of all schools that have a tobacco-use prevention policy that specifically prohibits tobacco use during each of the following times for students.

	N	Percent	95% Confidence Interval
a. During school hours			
High Schools	100	97	91 - 99
Middle Schools	140	98	94 - 99
Junior/Senior High Schools	20	95	74 - 99
All Schools	260	97	95 - 99
b. During non-school hours			
High Schools	98	79	70 - 85
Middle Schools	138	88	82 - 93
Junior/Senior High Schools	20	85	63 - 95
All Schools	256	84	80 - 88

**Arizona
2008 School Health Profiles Report
Weighted Principal Survey Results**

20 (Faculty/Staff). Percentage of all schools that have a tobacco-use prevention policy that specifically prohibits tobacco use during each of the following times for faculty/staff.

	N	Percent	95% Confidence Interval
a. During school hours			
High Schools	100	94	87 - 97
Middle Schools	139	97	93 - 99
Junior/Senior High Schools	20	95	74 - 99
All Schools	259	96	93 - 97
b. During non-school hours			
High Schools	97	74	66 - 81
Middle Schools	137	80	74 - 86
Junior/Senior High Schools	20	55	37 - 72
All Schools	254	76	71 - 80

**Arizona
2008 School Health Profiles Report
Weighted Principal Survey Results**

20 (Visitors). Percentage of all schools that have a tobacco-use prevention policy that specifically prohibits tobacco use during each of the following times for visitors.

	N	Percent	95% Confidence Interval
a. During school hours			
High Schools	100	94	88 - 97
Middle Schools	139	96	92 - 98
Junior/Senior High Schools	20	95	74 - 99
All Schools	259	95	92 - 97
b. During non-school hours			
High Schools	97	75	67 - 82
Middle Schools	137	82	75 - 87
Junior/Senior High Schools	20	55	37 - 72
All Schools	254	77	72 - 81

**Arizona
2008 School Health Profiles Report
Weighted Principal Survey Results**

21 (Students). Percentage of all schools that have a tobacco-use prevention policy that specifically prohibits tobacco use in each of the following locations for students.

	N	Percent	95% Confidence Interval
a. In school buildings			
High Schools	100	97	91 - 99
Middle Schools	141	98	94 - 99
Junior/Senior High Schools	20	95	74 - 99
All Schools	261	97	95 - 99
b. Outside on school grounds, including parking lots and playing fields			
High Schools	100	97	91 - 99
Middle Schools	141	98	94 - 99
Junior/Senior High Schools	20	95	74 - 99
All Schools	261	97	95 - 99
c. On school buses or other vehicles used to transport students			
High Schools	99	96	90 - 98
Middle Schools	141	97	95 - 98
Junior/Senior High Schools	20	95	74 - 99
All Schools	260	96	94 - 98
d. At off-campus, school-sponsored events			
High Schools	99	94	88 - 97
Middle Schools	141	94	91 - 96
Junior/Senior High Schools	20	95	74 - 99
All Schools	260	94	91 - 96

NA=Not available

N=Unweighted number of observations

**Arizona
2008 School Health Profiles Report
Weighted Principal Survey Results**

21 (Faculty/Staff). Percentage of all schools that have a tobacco-use prevention policy that specifically prohibits tobacco use in each of the following locations for faculty/staff.

	N	Percent	95% Confidence Interval
a. In school buildings			
High Schools	100	97	91 - 99
Middle Schools	141	97	93 - 99
Junior/Senior High Schools	20	95	74 - 99
All Schools	261	97	94 - 98
b. Outside on school grounds, including parking lots and playing fields			
High Schools	100	96	90 - 98
Middle Schools	141	96	92 - 98
Junior/Senior High Schools	20	95	74 - 99
All Schools	261	96	93 - 98
c. On school buses or other vehicles used to transport students			
High Schools	99	96	90 - 98
Middle Schools	141	96	93 - 98
Junior/Senior High Schools	20	95	74 - 99
All Schools	260	96	93 - 98
d. At off-campus, school-sponsored events			
High Schools	99	91	84 - 95
Middle Schools	142	91	87 - 94
Junior/Senior High Schools	20	95	74 - 99
All Schools	261	91	88 - 94

NA=Not available

N=Unweighted number of observations

**Arizona
2008 School Health Profiles Report
Weighted Principal Survey Results**

21 (Visitors). Percentage of all schools that have a tobacco-use prevention policy that specifically prohibits tobacco use in each of the following locations for visitors.

	N	Percent	95% Confidence Interval
a. In school buildings			
High Schools	99	97	91 - 99
Middle Schools	142	97	93 - 99
Junior/Senior High Schools	20	95	74 - 99
All Schools	261	97	94 - 98
b. Outside on school grounds, including parking lots and playing fields			
High Schools	99	94	88 - 97
Middle Schools	142	97	93 - 99
Junior/Senior High Schools	20	95	74 - 99
All Schools	261	96	93 - 98
c. On school buses or other vehicles used to transport students			
High Schools	98	96	90 - 98
Middle Schools	142	96	93 - 98
Junior/Senior High Schools	20	95	74 - 99
All Schools	260	96	93 - 98
d. At off-campus, school-sponsored events			
High Schools	98	81	74 - 87
Middle Schools	140	81	75 - 86
Junior/Senior High Schools	20	80	58 - 92
All Schools	258	81	77 - 85

NA=Not available

N=Unweighted number of observations

**Arizona
2008 School Health Profiles Report
Weighted Principal Survey Results**

21N. Percentage of all schools that have a tobacco-use prevention policy that specifically prohibits use of cigarettes, smokeless tobacco, cigars, and pipes by students, faculty/staff, and visitors; during school hours and during non-school hours; in school buildings, outside on school grounds, on school buses or other vehicles used to transport students, and at off-campus, school-sponsored events.*

	N	Percent	95% Confidence Interval
High Schools	97	60	51 - 68
Middle Schools	137	63	57 - 70
Junior/Senior High Schools	20	50	32 - 68
All Schools	254	61	56 - 66

*Responses to question 19 (a, b, c, and d), question 20 (a and b), and question 21 (a, b, c, and d) are all "yes."
 NA=Not available
 N=Unweighted number of observations

**Arizona
2008 School Health Profiles Report
Weighted Principal Survey Results**

22. Percentage of schools that have procedures to inform each of the following groups about the tobacco-use prevention policy that prohibits their use of tobacco.*

	N	Percent	95% Confidence Interval
a. Students			
High Schools	95	99	95 - 100
Middle Schools	138	98	94 - 99
Junior/Senior High Schools	19	100	NA
All Schools	252	98	96 - 99
b. Faculty and staff			
High Schools	94	97	92 - 99
Middle Schools	136	96	92 - 98
Junior/Senior High Schools	19	100	NA
All Schools	249	97	94 - 98
c. Visitors			
High Schools	91	84	76 - 90
Middle Schools	129	92	87 - 96
Junior/Senior High Schools	17	95	75 - 99
All Schools	237	89	85 - 92

*Among those schools that have adopted a policy prohibiting tobacco use.

NA=Not available

N=Unweighted number of observations

**Arizona
2008 School Health Profiles Report
Weighted Principal Survey Results**

23. Percentage of schools that have a tobacco-use prevention policy that includes guidelines on what actions the school should take when students are caught smoking cigarettes.*

	N	Percent	95% Confidence Interval
High Schools	97	98	93 - 99
Middle Schools	138	96	92 - 98
Junior/Senior High Schools	19	100	NA
All Schools	254	97	94 - 98

*Among those schools that have adopted a policy prohibiting tobacco use.
 NA=Not available
 N=Unweighted number of observations

**Arizona
2008 School Health Profiles Report
Weighted Principal Survey Results**

24. Percentage of schools in which the following person is responsible for enforcing the tobacco-use prevention policy.*

	N	Percent	95% Confidence Interval
a. No single individual is responsible			
High Schools	84	49	41 - 58
Middle Schools	126	44	37 - 52
Junior/Senior High Schools	17	46	25 - 68
All Schools	227	46	41 - 52
b. Principal			
High Schools	84	31	24 - 40
Middle Schools	126	39	33 - 47
Junior/Senior High Schools	17	37	20 - 57
All Schools	227	36	31 - 42
c. Assistant principal			
High Schools	84	15	11 - 21
Middle Schools	126	14	9 - 21
Junior/Senior High Schools	17	11	3 - 33
All Schools	227	14	11 - 19
d. Other school administrator			
High Schools	84	0	NA
Middle Schools	126	1	0 - 5
Junior/Senior High Schools	17	0	NA
All Schools	227	0	0 - 3
e. Other school faculty or staff member			
High Schools	84	4	1 - 9
Middle Schools	126	2	0 - 5
Junior/Senior High Schools	17	6	1 - 28
All Schools	227	3	1 - 5

*Among those schools that have adopted a policy prohibiting tobacco use.

NA=Not available

N=Unweighted number of observations

**Arizona
2008 School Health Profiles Report
Weighted Principal Survey Results**

25. Percentage of schools in which the following help determine what actions are taken when students are caught smoking cigarettes.

	N	Percent	95% Confidence Interval
a. Zero tolerance			
High Schools	101	76	68 - 82
Middle Schools	142	75	68 - 80
Junior/Senior High Schools	20	85	65 - 94
All Schools	263	76	71 - 80
b. Effect or severity of the violation			
High Schools	101	30	23 - 38
Middle Schools	142	37	31 - 45
Junior/Senior High Schools	20	20	8 - 42
All Schools	263	33	28 - 38
c. Grade level of student			
High Schools	101	6	4 - 11
Middle Schools	143	24	19 - 31
Junior/Senior High Schools	20	10	3 - 31
All Schools	264	16	13 - 20
d. Repeat offender status			
High Schools	101	39	32 - 47
Middle Schools	142	39	33 - 46
Junior/Senior High Schools	20	30	14 - 53
All Schools	263	38	34 - 43
e. None of these			
High Schools	101	1	0 - 5
Middle Schools	142	3	2 - 6
Junior/Senior High Schools	20	0	NA
All Schools	263	2	1 - 4

NA=Not available

N=Unweighted number of observations

**Arizona
2008 School Health Profiles Report
Weighted Principal Survey Results**

26 (Never). Percentage of schools that NEVER take the following actions when students are caught smoking cigarettes.

	N	Percent	95% Confidence Interval
a. Parents or guardians are notified			
High Schools	101	1	0 - 6
Middle Schools	141	0	NA
Junior/Senior High Schools	20	0	NA
All Schools	262	0	0 - 2
b. Referred to a school counselor			
High Schools	99	22	16 - 30
Middle Schools	137	17	12 - 22
Junior/Senior High Schools	20	36	20 - 55
All Schools	256	20	17 - 25
c. Referred to a school administrator			
High Schools	101	0	NA
Middle Schools	138	0	NA
Junior/Senior High Schools	20	0	NA
All Schools	259	0	NA
d. Encouraged, but not required, to participate in an assistance, education, or cessation program			
High Schools	101	21	15 - 29
Middle Schools	134	26	21 - 33
Junior/Senior High Schools	20	26	15 - 41
All Schools	255	24	20 - 29
e. Required to participate in an assistance, education, or cessation program			
High Schools	94	44	36 - 53
Middle Schools	134	41	35 - 48
Junior/Senior High Schools	20	50	32 - 68
All Schools	248	43	38 - 48
f. Referred to legal authorities			
High Schools	100	20	13 - 28
Middle Schools	134	22	17 - 29
Junior/Senior High Schools	20	56	41 - 70
All Schools	254	24	20 - 29

NA=Not available

N=Unweighted number of observations

**Arizona
2008 School Health Profiles Report
Weighted Principal Survey Results**

26 (Never). Percentage of schools that NEVER take the following actions when students are caught smoking cigarettes.

	N	Percent	95% Confidence Interval
g. Placed in detention			
High Schools	98	28	20 - 37
Middle Schools	136	22	16 - 29
Junior/Senior High Schools	20	35	18 - 58
All Schools	254	25	20 - 31
h. Not allowed to participate in extra-curricular activities or interscholastic sports			
High Schools	98	21	15 - 28
Middle Schools	135	13	9 - 18
Junior/Senior High Schools	20	35	19 - 55
All Schools	253	18	14 - 22
i. Given in-school suspension			
High Schools	95	23	17 - 30
Middle Schools	137	15	10 - 21
Junior/Senior High Schools	20	36	19 - 57
All Schools	252	20	16 - 24
j. Suspended from school			
High Schools	99	8	4 - 15
Middle Schools	136	2	0 - 5
Junior/Senior High Schools	20	0	NA
All Schools	255	4	2 - 7
k. Expelled from school			
High Schools	97	54	46 - 62
Middle Schools	138	56	49 - 63
Junior/Senior High Schools	20	65	45 - 81
All Schools	255	56	51 - 61
l. Reassigned to an alternative school			
High Schools	99	74	66 - 80
Middle Schools	136	61	54 - 67
Junior/Senior High Schools	20	75	56 - 88
All Schools	255	67	62 - 72

NA=Not available

N=Unweighted number of observations

**Arizona
2008 School Health Profiles Report
Weighted Principal Survey Results**

26 (Rarely). Percentage of schools that RARELY take the following actions when students are caught smoking cigarettes.

	N	Percent	95% Confidence Interval
a. Parents or guardians are notified			
High Schools	101	0	NA
Middle Schools	141	0	NA
Junior/Senior High Schools	20	5	1 - 24
All Schools	262	0	0 - 2
b. Referred to a school counselor			
High Schools	99	19	13 - 27
Middle Schools	137	4	2 - 9
Junior/Senior High Schools	20	10	3 - 29
All Schools	256	10	8 - 14
c. Referred to a school administrator			
High Schools	101	1	0 - 5
Middle Schools	138	0	NA
Junior/Senior High Schools	20	0	NA
All Schools	259	0	0 - 2
d. Encouraged, but not required, to participate in an assistance, education, or cessation program			
High Schools	101	28	21 - 35
Middle Schools	134	24	19 - 31
Junior/Senior High Schools	20	20	8 - 41
All Schools	255	25	21 - 30
e. Required to participate in an assistance, education, or cessation program			
High Schools	94	28	21 - 36
Middle Schools	134	29	23 - 36
Junior/Senior High Schools	20	15	5 - 36
All Schools	248	28	23 - 32
f. Referred to legal authorities			
High Schools	100	30	23 - 37
Middle Schools	134	29	23 - 35
Junior/Senior High Schools	20	9	3 - 27
All Schools	254	28	24 - 32

NA=Not available

N=Unweighted number of observations

**Arizona
2008 School Health Profiles Report
Weighted Principal Survey Results**

26 (Rarely). Percentage of schools that RARELY take the following actions when students are caught smoking cigarettes.

	N	Percent	95% Confidence Interval
g. Placed in detention			
High Schools	98	15	10 - 22
Middle Schools	136	7	4 - 12
Junior/Senior High Schools	20	10	3 - 28
All Schools	254	11	8 - 14
h. Not allowed to participate in extra-curricular activities or interscholastic sports			
High Schools	98	17	12 - 24
Middle Schools	135	18	13 - 24
Junior/Senior High Schools	20	5	1 - 22
All Schools	253	16	13 - 21
i. Given in-school suspension			
High Schools	95	15	9 - 22
Middle Schools	137	9	5 - 14
Junior/Senior High Schools	20	15	5 - 33
All Schools	252	11	8 - 15
j. Suspended from school			
High Schools	99	12	7 - 18
Middle Schools	136	7	4 - 11
Junior/Senior High Schools	20	20	8 - 43
All Schools	255	10	7 - 13
k. Expelled from school			
High Schools	97	23	16 - 31
Middle Schools	138	32	26 - 39
Junior/Senior High Schools	20	5	1 - 22
All Schools	255	26	22 - 31
l. Reassigned to an alternative school			
High Schools	99	19	14 - 26
Middle Schools	136	18	14 - 24
Junior/Senior High Schools	20	15	6 - 34
All Schools	255	18	15 - 23

NA=Not available

N=Unweighted number of observations

**Arizona
2008 School Health Profiles Report
Weighted Principal Survey Results**

26 (Sometimes). Percentage of schools that SOMETIMES take the following actions when students are caught smoking cigarettes.

	N	Percent	95% Confidence Interval
a. Parents or guardians are notified			
High Schools	101	9	5 - 14
Middle Schools	141	0	NA
Junior/Senior High Schools	20	5	1 - 24
All Schools	262	4	2 - 6
b. Referred to a school counselor			
High Schools	99	41	32 - 50
Middle Schools	137	43	36 - 50
Junior/Senior High Schools	20	19	8 - 38
All Schools	256	40	35 - 45
c. Referred to a school administrator			
High Schools	101	6	3 - 11
Middle Schools	138	0	NA
Junior/Senior High Schools	20	5	1 - 24
All Schools	259	3	2 - 5
d. Encouraged, but not required, to participate in an assistance, education, or cessation program			
High Schools	101	26	19 - 34
Middle Schools	134	33	27 - 40
Junior/Senior High Schools	20	34	20 - 52
All Schools	255	31	26 - 35
e. Required to participate in an assistance, education, or cessation program			
High Schools	94	17	11 - 24
Middle Schools	134	22	17 - 29
Junior/Senior High Schools	20	15	5 - 35
All Schools	248	19	16 - 24
f. Referred to legal authorities			
High Schools	100	27	19 - 36
Middle Schools	134	31	24 - 38
Junior/Senior High Schools	20	30	20 - 41
All Schools	254	29	24 - 35

NA=Not available

N=Unweighted number of observations

**Arizona
2008 School Health Profiles Report
Weighted Principal Survey Results**

26 (Sometimes). Percentage of schools that SOMETIMES take the following actions when students are caught smoking cigarettes.

	N	Percent	95% Confidence Interval
g. Placed in detention			
High Schools	98	35	28 - 43
Middle Schools	136	39	33 - 46
Junior/Senior High Schools	20	25	11 - 48
All Schools	254	36	32 - 41
h. Not allowed to participate in extra-curricular activities or interscholastic sports			
High Schools	98	30	24 - 37
Middle Schools	135	40	32 - 47
Junior/Senior High Schools	20	19	8 - 38
All Schools	253	34	30 - 39
i. Given in-school suspension			
High Schools	95	38	30 - 48
Middle Schools	137	49	42 - 57
Junior/Senior High Schools	20	39	24 - 57
All Schools	252	44	39 - 50
j. Suspended from school			
High Schools	99	43	34 - 52
Middle Schools	136	46	39 - 53
Junior/Senior High Schools	20	35	18 - 55
All Schools	255	44	39 - 49
k. Expelled from school			
High Schools	97	16	11 - 24
Middle Schools	138	9	5 - 14
Junior/Senior High Schools	20	15	8 - 25
All Schools	255	12	9 - 16
l. Reassigned to an alternative school			
High Schools	99	5	2 - 10
Middle Schools	136	19	14 - 26
Junior/Senior High Schools	20	10	3 - 28
All Schools	255	13	10 - 17

NA=Not available

N=Unweighted number of observations

**Arizona
2008 School Health Profiles Report
Weighted Principal Survey Results**

26 (Always). Percentage of schools that ALWAYS or ALMOST ALWAYS take the following actions when students are caught smoking cigarettes.

	N	Percent	95% Confidence Interval
a. Parents or guardians are notified			
High Schools	101	90	84 - 94
Middle Schools	141	100	NA
Junior/Senior High Schools	20	90	70 - 97
All Schools	262	95	93 - 97
b. Referred to a school counselor			
High Schools	99	18	12 - 26
Middle Schools	137	36	29 - 44
Junior/Senior High Schools	20	35	20 - 55
All Schools	256	29	25 - 34
c. Referred to a school administrator			
High Schools	101	93	88 - 96
Middle Schools	138	100	NA
Junior/Senior High Schools	20	95	76 - 99
All Schools	259	97	95 - 98
d. Encouraged, but not required, to participate in an assistance, education, or cessation program			
High Schools	101	25	19 - 33
Middle Schools	134	16	11 - 22
Junior/Senior High Schools	20	20	8 - 42
All Schools	255	20	16 - 24
e. Required to participate in an assistance, education, or cessation program			
High Schools	94	11	6 - 18
Middle Schools	134	8	4 - 13
Junior/Senior High Schools	20	20	8 - 42
All Schools	248	10	7 - 14
f. Referred to legal authorities			
High Schools	100	24	16 - 33
Middle Schools	134	18	13 - 25
Junior/Senior High Schools	20	5	1 - 24
All Schools	254	19	15 - 24

NA=Not available

N=Unweighted number of observations

**Arizona
2008 School Health Profiles Report
Weighted Principal Survey Results**

26 (Always). Percentage of schools that ALWAYS or ALMOST ALWAYS take the following actions when students are caught smoking cigarettes.

	N	Percent	95% Confidence Interval
g. Placed in detention			
High Schools	98	22	15 - 31
Middle Schools	136	32	26 - 39
Junior/Senior High Schools	20	30	16 - 48
All Schools	254	28	23 - 33
h. Not allowed to participate in extra-curricular activities or interscholastic sports			
High Schools	98	31	24 - 39
Middle Schools	135	30	23 - 37
Junior/Senior High Schools	20	41	26 - 58
All Schools	253	31	27 - 36
i. Given in-school suspension			
High Schools	95	24	17 - 33
Middle Schools	137	27	21 - 34
Junior/Senior High Schools	20	10	3 - 29
All Schools	252	24	20 - 30
j. Suspended from school			
High Schools	99	37	29 - 46
Middle Schools	136	46	39 - 53
Junior/Senior High Schools	20	45	26 - 65
All Schools	255	42	37 - 48
k. Expelled from school			
High Schools	97	7	4 - 12
Middle Schools	138	3	1 - 7
Junior/Senior High Schools	20	16	5 - 38
All Schools	255	5	4 - 8
l. Reassigned to an alternative school			
High Schools	99	2	1 - 7
Middle Schools	136	2	0 - 5
Junior/Senior High Schools	20	0	NA
All Schools	255	2	1 - 4

NA=Not available

N=Unweighted number of observations

Arizona
2008 School Health Profiles Report
Weighted Principal Survey Results

27. Percentage of schools that post signs marking a tobacco-free school zone, that is, a specified distance from school grounds where tobacco use is not allowed.

	N	Percent	95% Confidence Interval
High Schools	98	85	78 - 90
Middle Schools	141	86	81 - 91
Junior/Senior High Schools	20	85	74 - 92
All Schools	259	86	82 - 89

**Arizona
2008 School Health Profiles Report
Weighted Principal Survey Results**

28. Percentage of schools that did the following activities during the past two years.

	N	Percent	95% Confidence Interval
a. Gathered and shared information with students and families about mass-media messages or community-based tobacco-use prevention efforts			
High Schools	101	37	29 - 45
Middle Schools	141	50	43 - 57
Junior/Senior High Schools	20	55	36 - 72
All Schools	262	45	40 - 51
b. Worked with local agencies or organizations to plan and implement events or programs intended to reduce tobacco use			
High Schools	101	37	30 - 45
Middle Schools	142	59	52 - 66
Junior/Senior High Schools	20	65	47 - 79
All Schools	263	51	46 - 56

**Arizona
2008 School Health Profiles Report
Weighted Principal Survey Results**

29. Percentage of schools that provide tobacco cessation services for each of the following groups.

	N	Percent	95% Confidence Interval
a. Faculty and staff			
High Schools	100	13	8 - 20
Middle Schools	141	11	7 - 16
Junior/Senior High Schools	20	25	12 - 46
All Schools	261	13	9 - 17
b. Students			
High Schools	101	21	15 - 29
Middle Schools	142	16	12 - 22
Junior/Senior High Schools	20	35	19 - 56
All Schools	263	20	16 - 24

**Arizona
2008 School Health Profiles Report
Weighted Principal Survey Results**

30. Percentage of schools that have arrangements with any organization or health care professionals not on school property to provide tobacco cessation services for each of the following groups.

	N	Percent	95% Confidence Interval
a. Faculty and staff			
High Schools	101	32	24 - 42
Middle Schools	143	23	18 - 29
Junior/Senior High Schools	20	40	23 - 59
All Schools	264	28	24 - 33
b. Students			
High Schools	101	37	30 - 46
Middle Schools	143	22	17 - 29
Junior/Senior High Schools	20	35	20 - 54
All Schools	264	29	25 - 34

**Arizona
2008 School Health Profiles Report
Weighted Principal Survey Results**

31. Percentage of schools that never, rarely, sometimes, or always or almost always offer fruit or non-fried vegetables at school celebrations when foods or beverages are offered.

	N	Percent	95% Confidence Interval
a. Foods or beverages are not offered at school celebrations			
High Schools	101	6	3 - 12
Middle Schools	142	4	2 - 7
Junior/Senior High Schools	20	10	3 - 30
All Schools	263	5	3 - 8
b. Never			
High Schools	101	1	0 - 5
Middle Schools	142	1	0 - 5
Junior/Senior High Schools	20	15	5 - 36
All Schools	263	2	1 - 5
c. Rarely			
High Schools	101	18	12 - 26
Middle Schools	142	8	4 - 13
Junior/Senior High Schools	20	0	NA
All Schools	263	11	8 - 15
d. Sometimes			
High Schools	101	37	29 - 46
Middle Schools	142	45	38 - 52
Junior/Senior High Schools	20	35	20 - 54
All Schools	263	41	36 - 46
e. Always or almost always			
High Schools	101	38	30 - 46
Middle Schools	142	43	36 - 49
Junior/Senior High Schools	20	39	26 - 55
All Schools	263	40	36 - 45

NA=Not available

N=Unweighted number of observations

Arizona
2008 School Health Profiles Report
Weighted Principal Survey Results

32. Percentage of schools in which students can purchase snack foods or beverages from one or more vending machines at the school or at a school store, canteen, or snack bar.

	N	Percent	95% Confidence Interval
High Schools	100	83	77 - 87
Middle Schools	143	41	34 - 48
Junior/Senior High Schools	20	44	25 - 65
All Schools	263	57	52 - 61

**Arizona
2008 School Health Profiles Report
Weighted Principal Survey Results**

33. Percentage of all schools in which students can purchase the following snack foods or beverages from vending machines or at the school store, canteen, or snack bar.

	N	Percent	95% Confidence Interval
a. Chocolate candy			
High Schools	99	42	34 - 50
Middle Schools	143	2	1 - 6
Junior/Senior High Schools	20	10	3 - 28
All Schools	262	18	15 - 21
b. Other kinds of candy			
High Schools	99	43	36 - 51
Middle Schools	143	6	3 - 10
Junior/Senior High Schools	20	19	8 - 38
All Schools	262	21	17 - 24
c. Salty snacks that are not low in fat, such as regular potato chips			
High Schools	100	54	46 - 61
Middle Schools	143	6	4 - 11
Junior/Senior High Schools	20	19	8 - 40
All Schools	263	25	22 - 29
d. Cookies, crackers, cakes, pastries, or other baked goods that are not low in fat			
High Schools	100	54	45 - 62
Middle Schools	143	5	3 - 9
Junior/Senior High Schools	20	19	8 - 40
All Schools	263	25	21 - 29
e. Ice cream or frozen yogurt that is not low in fat			
High Schools	100	23	17 - 29
Middle Schools	142	4	2 - 8
Junior/Senior High Schools	20	5	1 - 24
All Schools	262	11	9 - 14
f. 2% or whole milk (plain or flavored)			
High Schools	97	45	38 - 53
Middle Schools	142	19	14 - 25
Junior/Senior High Schools	20	14	5 - 33
All Schools	259	28	24 - 33

NA=Not available

N=Unweighted number of observations

**Arizona
2008 School Health Profiles Report
Weighted Principal Survey Results**

33. Percentage of all schools in which students can purchase the following snack foods or beverages from vending machines or at the school store, canteen, or snack bar.

	N	Percent	95% Confidence Interval
g. Water ices or frozen slushes that do not contain juice			
High Schools	98	19	14 - 26
Middle Schools	143	4	2 - 8
Junior/Senior High Schools	20	0	NA
All Schools	261	9	7 - 12
h. Soda pop or fruit drinks that are not 100% juice			
High Schools	99	43	37 - 50
Middle Schools	142	4	2 - 8
Junior/Senior High Schools	20	10	3 - 27
All Schools	261	19	16 - 22
i. Sports drinks, such as Gatorade			
High Schools	100	76	69 - 83
Middle Schools	141	25	20 - 30
Junior/Senior High Schools	20	35	18 - 55
All Schools	261	45	41 - 50
j. Foods or beverages containing caffeine			
High Schools	98	40	32 - 49
Middle Schools	143	1	0 - 4
Junior/Senior High Schools	20	15	5 - 33
All Schools	261	17	14 - 20
k. Fruits (not fruit juice)			
High Schools	100	44	36 - 53
Middle Schools	143	15	10 - 20
Junior/Senior High Schools	20	19	8 - 38
All Schools	263	26	22 - 31
l. Non-fried vegetables (not vegetable juice)			
High Schools	100	32	25 - 39
Middle Schools	142	13	9 - 18
Junior/Senior High Schools	20	15	5 - 33
All Schools	262	20	17 - 24

NA=Not available

N=Unweighted number of observations

Arizona
2008 School Health Profiles Report
Weighted Principal Survey Results

34. Percentage of all schools that limit the package or serving size of any individual food and beverage items sold in vending machines or at the school store, canteen, or snack bar.

	N	Percent	95% Confidence Interval
High Schools	100	50	43 - 58
Middle Schools	142	36	30 - 42
Junior/Senior High Schools	20	34	19 - 54
All Schools	262	41	37 - 46

**Arizona
2008 School Health Profiles Report
Weighted Principal Survey Results**

35. Percentage of schools that have done any of the following activities during this school year.

	N	Percent	95% Confidence Interval
a. Priced nutritious foods and beverages at a lower cost while increasing the price of less nutritious foods and beverages			
High Schools	101	14	9 - 21
Middle Schools	139	5	3 - 9
Junior/Senior High Schools	20	10	3 - 30
All Schools	260	9	6 - 12
b. Collected suggestions from students, families, and school staff on nutritious food preferences and strategies to promote healthy eating			
High Schools	101	48	40 - 57
Middle Schools	142	40	34 - 47
Junior/Senior High Schools	20	49	27 - 72
All Schools	263	44	39 - 49
c. Provided information to students or families on the nutrition and caloric content of foods available			
High Schools	101	34	26 - 42
Middle Schools	141	48	40 - 56
Junior/Senior High Schools	20	50	36 - 64
All Schools	262	42	37 - 48
d. Conducted taste tests to determine food preferences for nutritious items			
High Schools	101	19	13 - 27
Middle Schools	141	21	16 - 28
Junior/Senior High Schools	20	24	11 - 44
All Schools	262	20	17 - 25
e. Provided opportunities for students to visit the cafeteria to learn about food safety, food preparation, or other nutrition-related topics			
High Schools	97	21	15 - 30
Middle Schools	142	21	16 - 27
Junior/Senior High Schools	20	31	21 - 42
All Schools	259	22	18 - 26

NA=Not available

N=Unweighted number of observations

Arizona
2008 School Health Profiles Report
Weighted Principal Survey Results

36. Percentage of schools that promote candy, meals from fast food restaurants, or soft drinks to students through the distribution of products, such as t-shirts, hats, and book covers.

	N	Percent	95% Confidence Interval
High Schools	101	4	2 - 9
Middle Schools	141	0	NA
Junior/Senior High Schools	20	0	NA
All Schools	262	1	1 - 3

**Arizona
2008 School Health Profiles Report
Weighted Principal Survey Results**

37. Percentage of schools that prohibit advertisements for candy, fast food restaurants, or soft drinks in the following locations.

	N	Percent	95% Confidence Interval
a. In the school building			
High Schools	99	68	59 - 75
Middle Schools	143	81	75 - 86
Junior/Senior High Schools	20	90	70 - 97
All Schools	262	77	72 - 81
b. On school grounds including on the outside of the school building, on playing fields, or other areas of the campus			
High Schools	99	57	48 - 66
Middle Schools	143	81	74 - 86
Junior/Senior High Schools	20	84	63 - 94
All Schools	262	72	67 - 77
c. On school buses or other vehicles used to transport students			
High Schools	99	69	60 - 77
Middle Schools	142	85	79 - 89
Junior/Senior High Schools	20	90	70 - 97
All Schools	261	79	74 - 83
d. In school publications (e.g., newsletters, newspapers, web sites, or other school publications)			
High Schools	98	54	45 - 62
Middle Schools	142	79	73 - 84
Junior/Senior High Schools	20	85	64 - 95
All Schools	260	70	65 - 74

NA=Not available

N=Unweighted number of observations

Arizona
2008 School Health Profiles Report
Weighted Principal Survey Results

38. Percentage of schools that have a full-time registered nurse who provides health services to students.

	N	Percent	95% Confidence Interval
High Schools	101	40	34 - 46
Middle Schools	143	46	39 - 53
Junior/Senior High Schools	20	14	5 - 34
All Schools	264	41	37 - 46

**Arizona
2008 School Health Profiles Report
Weighted Principal Survey Results**

39. Percentage of schools in which each of the following sources of school health information are used to identify students diagnosed with chronic health conditions such as asthma.

	N	Percent	95% Confidence Interval
a. This school does not identify students diagnosed with chronic health conditions such as asthma			
High Schools	94	13	8 - 20
Middle Schools	139	1	0 - 4
Junior/Senior High Schools	20	10	3 - 30
All Schools	253	6	4 - 9
b. Student emergency cards			
High Schools	97	66	57 - 73
Middle Schools	139	88	83 - 92
Junior/Senior High Schools	20	74	51 - 89
All Schools	256	78	74 - 82
c. Medication records			
High Schools	99	58	50 - 67
Middle Schools	139	82	76 - 87
Junior/Senior High Schools	20	69	47 - 85
All Schools	258	72	67 - 76
d. Health room visit information			
High Schools	100	34	26 - 43
Middle Schools	141	46	39 - 53
Junior/Senior High Schools	20	30	17 - 47
All Schools	261	40	35 - 45
e. Emergency care plans			
High Schools	99	36	30 - 44
Middle Schools	141	43	36 - 50
Junior/Senior High Schools	20	29	16 - 46
All Schools	260	39	35 - 44
f. Physical exam records			
High Schools	98	33	25 - 42
Middle Schools	142	39	33 - 46
Junior/Senior High Schools	20	36	23 - 50
All Schools	260	36	32 - 42

NA=Not available

N=Unweighted number of observations

**Arizona
2008 School Health Profiles Report
Weighted Principal Survey Results**

39. Percentage of schools in which each of the following sources of school health information are used to identify students diagnosed with chronic health conditions such as asthma.

	N	Percent	95% Confidence Interval
g. Notes from parents			
High Schools	95	74	65 - 81
Middle Schools	140	86	80 - 90
Junior/Senior High Schools	20	75	56 - 88
All Schools	255	80	76 - 84
h. Other			
High Schools	100	24	17 - 33
Middle Schools	142	22	17 - 29
Junior/Senior High Schools	20	15	5 - 37
All Schools	262	22	18 - 27

**Arizona
2008 School Health Profiles Report
Weighted Principal Survey Results**

40. Percentage of schools that have an asthma action plan on file for all, most, some, or no students with known asthma.

	N	Percent	95% Confidence Interval
a. School has no students with known asthma			
High Schools	99	18	13 - 24
Middle Schools	143	2	1 - 6
Junior/Senior High Schools	20	5	1 - 22
All Schools	262	8	6 - 11
b. All students with known asthma have an asthma action plan on file			
High Schools	99	26	19 - 33
Middle Schools	143	36	29 - 43
Junior/Senior High Schools	20	30	14 - 51
All Schools	262	31	26 - 37
c. Most students with known asthma have an asthma action plan on file			
High Schools	99	14	9 - 21
Middle Schools	143	23	18 - 28
Junior/Senior High Schools	20	16	5 - 38
All Schools	262	19	15 - 23
d. Some students with known asthma have an asthma action plan on file			
High Schools	99	26	20 - 33
Middle Schools	143	26	20 - 33
Junior/Senior High Schools	20	20	9 - 40
All Schools	262	26	22 - 31
e. No students with known asthma have an asthma action plan on file			
High Schools	99	17	12 - 23
Middle Schools	143	13	9 - 18
Junior/Senior High Schools	20	30	15 - 49
All Schools	262	16	13 - 19

NA=Not available

N=Unweighted number of observations

**Arizona
2008 School Health Profiles Report
Weighted Principal Survey Results**

41. Percentage of schools that use each of the following types of information to identify students with poorly controlled asthma.

	N	Percent	95% Confidence Interval
a. School does not identify students with poorly controlled asthma			
High Schools	100	37	29 - 46
Middle Schools	139	15	11 - 20
Junior/Senior High Schools	20	54	36 - 72
All Schools	259	26	22 - 31
b. Frequent absences from school			
High Schools	100	31	23 - 40
Middle Schools	139	56	49 - 62
Junior/Senior High Schools	20	30	17 - 48
All Schools	259	44	39 - 49
c. Frequent visits to the school health office due to asthma			
High Schools	100	46	38 - 54
Middle Schools	140	71	65 - 77
Junior/Senior High Schools	20	30	20 - 43
All Schools	260	58	54 - 63
d. Frequent asthma symptoms at school			
High Schools	100	38	29 - 47
Middle Schools	140	67	59 - 73
Junior/Senior High Schools	20	31	20 - 45
All Schools	260	53	48 - 58
e. Frequent non-participation in physical education class due to asthma			
High Schools	100	31	24 - 38
Middle Schools	140	56	49 - 62
Junior/Senior High Schools	20	25	18 - 34
All Schools	260	44	40 - 49
f. Students sent home early due to asthma			
High Schools	100	34	26 - 44
Middle Schools	140	50	43 - 56
Junior/Senior High Schools	20	25	13 - 43
All Schools	260	42	37 - 47

NA=Not available

N=Unweighted number of observations

**Arizona
2008 School Health Profiles Report
Weighted Principal Survey Results**

41. Percentage of schools that use each of the following types of information to identify students with poorly controlled asthma.

	N	Percent	95% Confidence Interval
g. Calls from school to 911, or other local emergency numbers, due to asthma			
High Schools	101	21	16 - 29
Middle Schools	142	26	20 - 32
Junior/Senior High Schools	20	10	3 - 29
All Schools	263	23	19 - 27

**Arizona
2008 School Health Profiles Report
Weighted Principal Survey Results**

42. Percentage of schools that provide each of the following services for students with poorly controlled asthma.

	N	Percent	95% Confidence Interval
a. Providing referrals to primary healthcare clinicians or child health insurance programs			
High Schools	97	42	33 - 51
Middle Schools	140	54	47 - 60
Junior/Senior High Schools	20	26	13 - 45
All Schools	257	47	42 - 52
b. Ensuring an appropriate written asthma action plan is obtained			
High Schools	98	52	44 - 61
Middle Schools	139	63	56 - 70
Junior/Senior High Schools	20	65	46 - 80
All Schools	257	59	54 - 64
c. Ensuring access to and appropriate use of asthma medications, spacers, and peak flow meters at school			
High Schools	98	57	48 - 66
Middle Schools	140	82	76 - 87
Junior/Senior High Schools	20	70	52 - 84
All Schools	258	72	67 - 76
d. Offering asthma education for the student with asthma and his/her family			
High Schools	97	31	23 - 40
Middle Schools	138	44	37 - 51
Junior/Senior High Schools	20	30	14 - 53
All Schools	255	38	33 - 43
e. Minimizing asthma triggers in the school environment			
High Schools	95	47	39 - 56
Middle Schools	137	74	66 - 80
Junior/Senior High Schools	20	75	54 - 88
All Schools	252	64	59 - 69
f. Addressing social and emotional issues related to asthma			
High Schools	97	37	29 - 45
Middle Schools	135	48	41 - 55
Junior/Senior High Schools	20	19	7 - 40
All Schools	252	41	36 - 46

NA=Not available

N=Unweighted number of observations

**Arizona
2008 School Health Profiles Report
Weighted Principal Survey Results**

42. Percentage of schools that provide each of the following services for students with poorly controlled asthma.

	N	Percent	95% Confidence Interval
g. Providing additional psychosocial counseling or support services as needed			
High Schools	95	29	22 - 38
Middle Schools	138	39	32 - 46
Junior/Senior High Schools	20	10	3 - 31
All Schools	253	33	28 - 38
h. Ensuring access to safe, enjoyable physical education and activity opportunities			
High Schools	97	61	53 - 68
Middle Schools	140	88	82 - 92
Junior/Senior High Schools	20	69	49 - 84
All Schools	257	76	72 - 80
i. Ensuring access to preventive medications before physical activity			
High Schools	97	56	47 - 64
Middle Schools	138	87	81 - 91
Junior/Senior High Schools	20	69	48 - 84
All Schools	255	73	69 - 78

Arizona
2008 School Health Profiles Report
Weighted Principal Survey Results

43. Percentage of schools that have a designated and secure storage location for medications, including quick-relief asthma medications.

	N	Percent	95% Confidence Interval
High Schools	101	82	75 - 87
Middle Schools	143	99	95 - 100
Junior/Senior High Schools	20	89	69 - 97
All Schools	264	91	88 - 94

Arizona
2008 School Health Profiles Report
Weighted Principal Survey Results

44. Percentage of schools with a designated and secure storage location for medications that is accessible at all times by the school nurse or her designee.

	N	Percent	95% Confidence Interval
High Schools	81	100	NA
Middle Schools	137	100	NA
Junior/Senior High Schools	18	100	NA
All Schools	236	100	NA

**Arizona
2008 School Health Profiles Report
Weighted Principal Survey Results**

45. Percentage of schools in which school staff members are required to receive training on recognizing and responding to severe asthma symptoms more than once per year, once per year, or less than once per year.

	N	Percent	95% Confidence Interval
a. More than once per year			
High Schools	100	1	0 - 6
Middle Schools	143	4	2 - 7
Junior/Senior High Schools	20	5	1 - 24
All Schools	263	3	2 - 5
b. Once per year			
High Schools	100	14	9 - 21
Middle Schools	143	31	25 - 38
Junior/Senior High Schools	20	39	21 - 61
All Schools	263	26	21 - 30
c. Less than once per year			
High Schools	100	8	4 - 15
Middle Schools	143	10	6 - 15
Junior/Senior High Schools	20	21	8 - 44
All Schools	263	10	7 - 14
d. No such requirement			
High Schools	100	76	67 - 83
Middle Schools	143	55	48 - 61
Junior/Senior High Schools	20	35	20 - 53
All Schools	263	61	56 - 66

Arizona
2008 School Health Profiles Report
Weighted Principal Survey Results

46. Percentage of schools that have adopted a policy stating that students are permitted to carry and self-administer asthma medications.

	N	Percent	95% Confidence Interval
High Schools	100	60	51 - 68
Middle Schools	143	68	61 - 75
Junior/Senior High Schools	20	48	34 - 63
All Schools	263	64	58 - 69

**Arizona
2008 School Health Profiles Report
Weighted Principal Survey Results**

47. Percentage of schools that have procedures to inform each of the following groups about the policy permitting students to carry and self-administer asthma medications.*

	N	Percent	95% Confidence Interval
a. Students			
High Schools	60	93	83 - 97
Middle Schools	95	86	78 - 91
Junior/Senior High Schools	10	70	40 - 89
All Schools	165	87	82 - 91
b. Parents/families			
High Schools	60	93	84 - 97
Middle Schools	95	88	81 - 93
Junior/Senior High Schools	10	70	40 - 89
All Schools	165	89	84 - 93

*Among schools that have adopted a policy stating that students are permitted to carry and self-administer asthma medications.
 NA=Not available
 N=Unweighted number of observations

**Arizona
2008 School Health Profiles Report
Weighted Principal Survey Results**

48. Percentage of schools that have the following person responsible for implementing the policy permitting students to carry and self-administer asthma medication.*

	N	Percent	95% Confidence Interval
a. No single individual is responsible			
High Schools	56	26	17 - 36
Middle Schools	94	17	11 - 25
Junior/Senior High Schools	10	9	2 - 37
All Schools	160	20	15 - 25
b. Principal			
High Schools	56	16	9 - 26
Middle Schools	94	24	17 - 32
Junior/Senior High Schools	10	51	31 - 71
All Schools	160	23	17 - 29
c. Assistant principal			
High Schools	56	3	1 - 11
Middle Schools	94	0	NA
Junior/Senior High Schools	10	0	NA
All Schools	160	1	0 - 4
d. School nurse			
High Schools	56	52	41 - 62
Middle Schools	94	50	42 - 59
Junior/Senior High Schools	10	20	6 - 52
All Schools	160	49	43 - 55
e. Other school faculty or staff member			
High Schools	56	4	1 - 12
Middle Schools	94	9	5 - 16
Junior/Senior High Schools	10	20	5 - 51
All Schools	160	8	5 - 12

*Among schools that have adopted a policy stating that students are permitted to carry and self-administer asthma medications.

NA=Not available

N=Unweighted number of observations

**Arizona
2008 School Health Profiles Report
Weighted Principal Survey Results**

49. Percentage of schools in which students' families helped develop or implement policies and programs related to the following topics during the past two years.

	N	Percent	95% Confidence Interval
a. HIV, STD, or teen pregnancy prevention			
High Schools	101	14	9 - 21
Middle Schools	141	9	6 - 14
Junior/Senior High Schools	20	30	16 - 49
All Schools	262	13	10 - 17
b. Tobacco-use prevention			
High Schools	100	17	12 - 23
Middle Schools	141	25	20 - 31
Junior/Senior High Schools	20	24	11 - 46
All Schools	261	22	18 - 26
c. Physical activity			
High Schools	100	18	12 - 25
Middle Schools	141	29	24 - 35
Junior/Senior High Schools	20	30	17 - 48
All Schools	261	25	21 - 29
d. Nutrition and healthy eating			
High Schools	101	25	19 - 32
Middle Schools	141	38	32 - 45
Junior/Senior High Schools	20	40	23 - 59
All Schools	262	33	29 - 38
e. Asthma			
High Schools	100	8	4 - 14
Middle Schools	141	10	6 - 16
Junior/Senior High Schools	20	19	8 - 41
All Schools	261	10	7 - 14

NA=Not available

N=Unweighted number of observations

**Arizona
2008 School Health Profiles Report
Weighted Principal Survey Results**

50. Percentage of schools in which community members helped develop or implement policies and programs related to the following topics during the past two years.

	N	Percent	95% Confidence Interval
a. HIV, STD, or teen pregnancy prevention			
High Schools	97	24	17 - 33
Middle Schools	141	16	12 - 22
Junior/Senior High Schools	20	25	13 - 44
All Schools	258	20	16 - 24
b. Tobacco-use prevention			
High Schools	98	27	21 - 35
Middle Schools	140	33	27 - 40
Junior/Senior High Schools	20	30	16 - 50
All Schools	258	31	26 - 36
c. Physical activity			
High Schools	98	22	15 - 30
Middle Schools	140	34	28 - 40
Junior/Senior High Schools	20	26	13 - 45
All Schools	258	29	24 - 33
d. Nutrition and healthy eating			
High Schools	98	33	25 - 42
Middle Schools	140	40	34 - 46
Junior/Senior High Schools	20	36	21 - 53
All Schools	258	37	32 - 42
e. Asthma			
High Schools	98	10	6 - 16
Middle Schools	141	7	4 - 12
Junior/Senior High Schools	20	30	14 - 53
All Schools	259	10	7 - 14

NA=Not available

N=Unweighted number of observations