

(These items were developed by teachers for the Technical Skills Assessment. Below is a sample item for each program standard.)

**Question 1 of 16**

Where is the preferred place to store an interior door panel during repair?

- A) On a parts rack
- B) Inside the vehicle
- C) Inside the trunk
- D) On the roof of vehicle

**Question 2 of 16**

What is the MOST common welder used on steel body panels?

- A) Torch
- B) Arc
- C) TIG
- D) MIG

**Question 3 of 16**

Technician A uses a grinder to prepare an area for body filler. Technician B uses a sander around the edge of the grinded area to prepare for body filler. Who is correct?

- A) Technician A only
- B) Technician B only
- C) Both Technicians A and B
- D) Neither Technician A nor B

#### Question 4 of 16

What is a likely solution to the problem if a customer reports wind noise from the front of the convertible top?

- A) Back window down
- B) Adjust hold down latch
- C) Adjust rear glass
- D) Door open part way

#### Question 5 of 16

What is the FIRST step in performing plastic repair?

- A) Identify the type of plastic
- B) Check for thickness
- C) Create a backing patch
- D) Melt a sample over a flame

#### Question 6 of 16

Technician A says a cartridge respirator is sufficient when using a catalyzed paint product. Technician B says a full paint suit with gloves and an air supplied hood MUST be worn. Who is correct?

- A) Technician A only
- B) Neither Technician A nor B
- C) Technician B only
- D) Both Technicians A and B

#### Question 7 of 16

What is the PRIMARY use for primer?

- A) Cover spot putty
- B) Speed up dry-time
- C) Promote color match
- D) Fill scratches

### Question 8 of 16

Where is information found to determine the BEST spray gun tip size for a vehicle paint job?

---

- A) Vehicle owner's manual
- B) Spray gun manufacturer data sheet
- C) Paint manufacturer product data sheet
- D) Parts store manager

### Question 9 of 16

What type of light source is used when matching paint color?

---

- A) Any type of light
- B) Black light
- C) Natural light
- D) Incandescent light

### Question 10 of 16

What causes burn-through when buffing?

---

- A) Paint improperly hardened
- B) Compound that is too coarse
- C) Buffer speed set too low
- D) Buffer speed and pressure

### Question 11 of 16

What is used to clean a door jamb for refinishing?

---

- A) Grease and wax remover
- B) Blending solvent
- C) Slow reducer
- D) Tack and scuff

### Question 12 of 16

What is the purpose of a tram gauge?

---

- A) To align the vehicle
- B) To measure an area point to point
- C) To check tire pressure
- D) To estimate cost of repairs

### Question 13 of 16

What is the term for a car that needs repair, but the value of the repair is more than the value of the vehicle?

---

- A) Approximate cost
- B) Deductible
- C) Total loss
- D) Supplement

### Question 14 of 16

What is the procedure to find a replacement if a vehicle comes in with an accessory bumper?

---

- A) Inform insurance company a bumper could not be found.
- B) Install a bumper that looks best.
- C) A like-kind and quality bumper should be sourced for the vehicle.
- D) Have the customer buy their own bumper.

### Question 15 of 16

What is the PROPER way to greet a customer?

---

- A) Ask if the customer has insurance.
- B) Ask the customer what the problem is.
- C) Say hello and ask what they want.
- D) Introduce yourself and ask how you may help.

**Question 16 of 16**

What tool would be used to cut a PATTERN in a steel plate?

---

- A) Air chisel
- B) Tin snips
- C) Plasma cutter
- D) Cut-off wheel

Automotive Collision Repair Sample Test Answer Key

<b>Question</b>	<b>Answer</b>
1.	A
2.	D
3.	C
4.	B
5.	A
6.	C
7.	D
8.	C
9.	C
10.	D
11.	A
12.	B
13.	C
14.	C
15.	D
16.	C